OXYFUEL CUTTING PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://oxyfuelcutting.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What extreme temperature can be reached when using an oxygen lance?

A. 5,000 degrees F

B. 8,000 degrees F

C. 10,000 degrees F

D. 12,000 degrees F

2. Why is it crucial to maintain a proper nozzle size on the cutting tip?

A. To improve gas storage

B. To ensure better gas mixing

C. To guarantee optimal cutting efficiency

D. To increase the flame temperature

3. What does acetylene gas smell like?

A. Sweet and fruity

B. Garlic-like and strong

C. Rotten eggs

D. Pungent and sour

4. What is the maximum reading of a low-pressure fuel regulator?

A. 15 psi

B. 30 psi

C. 40 psi

D. 50 psi

5. How often should acetylene cylinders be tested for safety?

A. Every 5 years

B. Every 10 years

C. Every 15 years

D. Every 20 years

6. What is the flame temperature of oxygen with acetylene gas?

A. 5,300 degrees F

B. 5,130 degrees F

C. 4,600 degrees F

D. More than 5,500 degrees F

SAMPLE

7. What is the minimum height requirement for high-top safety shoes or boots?

A. 6 inches

B. 8 inches

C. 10 inches

D. 12 inches

8. How should hoses be protected during cutting operations?

A. By storing them in an upright position

B. By protecting them from molten dross or sparks

C. By rolling them up tightly

D. By applying lubricants around connections

9. What safety measures mitigate the risk of explosive gases?

A. Using gloves and safety goggles

B. Using flashback arrestors and checking for gas leaks

C. Wearing flame-resistant clothing

D. Keeping the area well-ventilated

10. What should be done if an oxygen cylinder falls over?

A. Use it immediately

B. Return it to the supplier

C. Wait at least one hour before using

D. Stand it back up and use it

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. C
5. B
6. D
7. B
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What extreme temperature can be reached when using an oxygen lance?

A. 5,000 degrees F

B. 8,000 degrees F

C. 10,000 degrees F

D. 12,000 degrees F

When using an oxygen lance, temperatures can reach up to 10,000 degrees Fahrenheit. This is possible because an oxygen lance, or cutting torch, introduces pure oxygen into a high-temperature flame. The high concentration of oxygen supports combustion at a much greater intensity than air alone. This enables the cutting or melting of metals and other materials that have very high melting points. The ability to reach such extreme temperatures is critical in industrial applications where precision and effectiveness in cutting or welding thick materials are required. The other temperature options provided are not typically achieved with standard oxygen lancing techniques, as they exceed the point at which most materials would be processed effectively. Thus, the maximum practical temperature for operation with an oxygen lance is rightly recognized as 10,000 degrees Fahrenheit.

2. Why is it crucial to maintain a proper nozzle size on the cutting tip?

A. To improve gas storage

B. To ensure better gas mixing

C. To guarantee optimal cutting efficiency

D. To increase the flame temperature

Maintaining a proper nozzle size on the cutting tip is crucial because it directly influences optimal cutting efficiency. When the nozzle size is appropriate for the specific type of material being cut and the desired thickness, it allows for the right amount of oxygen to be delivered to the fuel gas, enabling a focused and effective cutting flame. This ensures that the flame can sufficiently reach the ignition temperature of the metal, allowing for smooth and clean cuts without wastage of fuel or excessive slag formation. An improperly sized nozzle can lead to poor cutting performance, inconsistent cuts, and possible safety hazards due to an unstable flame. Hence, achieving the best cutting results and efficiency is highly dependent on the correct nozzle size.

3. What does acetylene gas smell like?

A. Sweet and fruity

B. Garlic-like and strong

C. Rotten eggs

D. Pungent and sour

Acetylene gas is known for its distinctive garlic-like smell, which can be quite strong. This odor is a key characteristic of the gas and serves as an important safety feature. Recognizing the smell helps workers identify leaks or potentially dangerous situations when using acetylene in applications such as oxyfuel cutting. The strong garlic-like odor enables those working with the gas to take immediate action to mitigate risks, as acetylene is highly flammable and can be explosive under certain conditions. The other choices highlight odors that are not associated with acetylene. For example, the sweet and fruity scent is more commonly linked to other chemicals, while the smell of rotten eggs is typically associated with hydrogen sulfide. The description of a pungent and sour scent does not accurately match acetylene either. Recognizing the specific smell of acetylene is essential for safety in any environment where this gas is used.

SAMPLE

4. What is the maximum reading of a low-pressure fuel regulator?

A. 15 psi

B. 30 psi

C. 40 psi

D. 50 psi

The maximum reading of a low-pressure fuel regulator is 40 psi. This value is significant because low-pressure fuel regulators are designed to maintain a consistent gas pressure to the oxyfuel cutting system, ensuring optimal performance and safety. Regulators with a maximum reading of 40 psi can effectively control the pressure within a safe range, allowing for precise adjustments according to the specific requirements of the cutting operation. This range is essential for ensuring that the fuel and oxygen mix correctly for combustion while preventing excessive pressure that could lead to unsafe conditions or equipment damage. Choosing a regulator that operates within this maximum pressure ensures proper functionality, reduces the risk of leaks, and enhances operational efficiency. Other options exceed the typical pressure ratings for low-pressure regulators, which could result in unsafe operating conditions.

5. How often should acetylene cylinders be tested for safety?

A. Every 5 years

B. Every 10 years

C. Every 15 years

D. Every 20 years

The correct answer is based on safety regulations established for the handling of acetylene cylinders. According to industry standards and regulations set by organizations such as the Department of Transportation (DOT), acetylene cylinders must be hydrostatically tested every ten years to ensure their integrity and safe operation. This testing is crucial because acetylene is a highly flammable gas, and the cylinders used to store it are subject to wear and corrosion over time. The hydrostatic test checks for potential leaks, rust, or structural weaknesses that could lead to dangerous failures if a cylinder is mishandled or if there are changes in temperature or pressure during storage and use. Understanding the importance of this testing interval helps ensure the safety of both the operators and the general public when handling and storing acetylene. Regular testing upholds safety standards, reduces the risk of accidents, and maintains compliance with regulatory requirements.

6. What is the flame temperature of oxygen with acetylene gas?

A. 5,300 degrees F

B. 5,130 degrees F

C. 4,600 degrees F

D. More than 5,500 degrees F

The flame temperature of an oxyacetylene torch, which combines oxygen with acetylene gas, is notably high, reaching temperatures over 5,500 degrees Fahrenheit. This extreme heat is essential for cutting and welding metals effectively, as it allows the flame to melt and burn through various materials. The high flame temperature is a result of the efficient combustion of acetylene, which, when combined with pure oxygen, produces one of the hottest flames available in welding and cutting applications. Understanding this temperature is crucial for anyone working with oxyfuel cutting because it determines the materials that can be cut or joined, the speed of the process, and the care needed during operation to avoid damage or unsafe conditions. Thus, recognizing that the flame temperature can exceed 5,500 degrees Fahrenheit is integral to the practice and safety of oxyfuel operations.

SAMPLE

7. What is the minimum height requirement for high-top safety shoes or boots?

A. 6 inches

B. 8 inches

C. 10 inches

D. 12 inches

The minimum height requirement for high-top safety shoes or boots is typically 8 inches. This height is designed to provide adequate ankle support, which is crucial for workers who are engaged in tasks that may involve heavy lifting or require the maneuverability necessary to navigate uneven surfaces and potential hazards. Proper ankle support helps to prevent injuries that can result from slips, trips, and falls, which are common in many industrial settings. Shoes or boots that meet the 8-inch specification help ensure that workers have the necessary stability and protection while working in environments where they may be exposed to various risks. The design and materials used in these shoes also often include reinforced toe caps and slip-resistant soles, further ensuring the safety and comfort of the wearer.

8. How should hoses be protected during cutting operations?

A. By storing them in an upright position

B. By protecting them from molten dross or sparks

C. By rolling them up tightly

D. By applying lubricants around connections

Hoses must be protected from molten dross or sparks during cutting operations as these can cause severe damage, potentially leading to leaks or safety hazards. The high temperatures generated during oxyfuel cutting can cause molten metal to splatter, which may burn through the hose material or create punctures. Additionally, sparks can ignite combustible materials, leading to fire hazards in the work area. Proper hose protection is crucial to ensure a safe working environment and prolong the lifespan of the hoses. Using protective coverings, barriers, or keeping hoses out of direct line with cutting operations helps mitigate these risks. Additionally, ensuring good practices such as avoiding storing hoses where they might be exposed to intense heat or falling debris can further enhance safety during operations.

9. What safety measures mitigate the risk of explosive gases?

A. Using gloves and safety goggles

B. Using flashback arrestors and checking for gas leaks

C. Wearing flame-resistant clothing

D. Keeping the area well-ventilated

The use of flashback arrestors and checking for gas leaks are critical safety measures that specifically address the risk of explosive gases when working with oxyfuel cutting equipment. Flashback arrestors are devices designed to prevent flames from traveling back into the gas supply lines, thereby reducing the risk of an explosion. This is essential in oxyfuel operations, where the mixture of oxygen and acetylene can be very volatile if ignited in the incorrect environment. In addition, regularly checking for gas leaks is a necessary practice to ensure that there are no unintended escapes of fuel gases, which could lead to a dangerous buildup of flammable mixtures. By identifying and fixing leaks before they can ignite, the overall safety of the work area is significantly enhanced. This combination of prevention and detection is what makes these measures particularly effective in mitigating risks related to explosive gases during oxyfuel cutting operations.

SAMPLE

10. What should be done if an oxygen cylinder falls over?

A. Use it immediately

B. Return it to the supplier

C. Wait at least one hour before using

D. Stand it back up and use it

If an oxygen cylinder falls over, it is crucial to wait at least one hour before using it. This is because when the cylinder goes horizontal, the liquid oxygen inside may have been disturbed. Liquid oxygen can create a highly flammable environment, and when the cylinder is back in an upright position and the gas resumes its normal state, there might still be residual liquid or pressure issues that need to be normalized. Waiting allows for the cylinder to stabilize, preventing potential hazards during operation. It's essential for safety to ensure that the cylinder is used properly and that any risks associated with the fall are mitigated.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://oxyfuelcutting.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE