
P-13 BULK OIL STORAGE FACILITY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://bulkoilstoragefacility.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Water supply piping shall be maintained free of which condition?

A. External obstructions

B. Internal obstructions

C. Leaks

D. Contamination

2. The sprinkler system must be inspected on a regular basis. How often?

A. Month

B. Week

C. Year

D. Day

3. Which statement describes the monthly inspection tag requirement?

A. DATE, NAME, AND CONDITION

B. DATE, NAME, AND LOCATION

C. DATE, NAME, AND CONDITION

D. NAME, CONDITION, AND LOCATION

4. Tanks arranged in groups with a total capacity not exceeding how many gallons may be enclosed in a single dike enclosure?

A. 250,000

B. 400,000

C. 500,000

D. 600,000

5. How often must pressure gauges and pump shaft endplay be inspected?

A. Annually

B. Semiannually

C. Monthly

D. Weekly

SAMPLE

6. It shall be unlawful to fill a cargo tank or tank truck with gasoline through an _____.

A. Open Dome

B. Open Vent

C. Open Hatch

D. Open Access

7. Underground piping shall be tested for how many minutes?

A. 15 minutes

B. 30 minutes

C. 45 minutes

D. 60 minutes

8. How long must a standing water test be maintained at minimum?

A. 12 hours

B. 24 hours

C. 36 hours

D. 48 hours

9. COF HOLDER MUST REPORT TO AND FOLLOW THE INSTRUCTIONS ISSUED BY THE _____.

A. Maritime Commission

B. EPA

C. Fire Department

D. Coast Guard

10. How often shall gauges be inspected?

A. Daily

B. Weekly

C. Monthly

D. Yearly

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. C
5. A
6. A
7. B
8. B
9. D
10. C

SAMPLE

Explanations

SAMPLE

1. Water supply piping shall be maintained free of which condition?

A. External obstructions

B. Internal obstructions

C. Leaks

D. Contamination

Inside a water supply line, the flow path must stay clear so water can move freely with enough pressure to reach every outlet. Any internal obstruction—like corrosion scales, mineral deposits, burrs, sediment, or other debris inside the pipe—reduces the effective flow area and increases friction. That tightens the path water must take, causing lower pressure, slower flow, and potential issues with flushing and testing. It can also create stagnant pockets that harbor contaminants or impair disinfection, affecting overall water quality and reliability. External obstructions don't block the water flow inside the pipe itself, and while leaks or contamination are serious problems, the requirement specifically calls for keeping the interior free of obstructions to maintain proper and dependable supply.

2. The sprinkler system must be inspected on a regular basis. How often?

A. Month

B. Week

C. Year

D. Day

Regular, comprehensive inspection of a sprinkler system is performed annually to ensure its readiness and compliance with safety codes. An annual check verifies that all components—valves, gauges, sprinkler heads, water supply, backflow preventers, and alarm devices—are accessible, operable, and properly configured. While day-to-day or routine visual checks may help catch obvious issues, they do not replace the formal yearly inspection that confirms the system will perform as intended in an emergency. Maintaining an annual inspection also supports proper documentation of the system's condition and any necessary corrective actions.

3. Which statement describes the monthly inspection tag requirement?

A. DATE, NAME, AND CONDITION

B. DATE, NAME, AND LOCATION

C. DATE, NAME, AND CONDITION

D. NAME, CONDITION, AND LOCATION

Monthly inspection tags document when the check was done, who performed it, and the result of the inspection. The date shows the timing and helps confirm the inspection occurred on a monthly schedule. The name provides accountability—knowing who did the check is important for follow-up or questions. The condition communicates what was found and what action, if any, is needed. This combination gives a clear, traceable record of the inspection and the item's status. Location isn't part of the tag content because the tag's purpose is to record the inspection details themselves, not the item's physical site. So the statement that lists date, name, and condition matches what the monthly inspection tag should include.

SAMPLE

4. Tanks arranged in groups with a total capacity not exceeding how many gallons may be enclosed in a single dike enclosure?

A. 250,000

B. 400,000

C. 500,000

D. 600,000

A dike is a secondary containment barrier around tanks to catch spills. The amount of liquid that can be safely contained in a single dike enclosure is limited to keep spill volumes manageable and the containment reliable. For tanks grouped inside one dike, the total capacity must not exceed 500,000 gallons. If you need more storage, you must use additional dikes or other containment arrangements so each enclosure stays at or below that limit. So, 500,000 gallons is the maximum allowed for a single dike enclosure; smaller totals like 250,000 or 400,000 are okay, while 600,000 would require splitting into multiple dikes.

5. How often must pressure gauges and pump shaft endplay be inspected?

A. Annually

B. Semiannually

C. Monthly

D. Weekly

Pressure gauges and pump shaft endplay are part of routine equipment reliability checks. Gauges can drift over time, affecting accurate pressure readings, and pump shaft endplay indicates axial wear that, if excessive, can lead to seal leaks or bearing damage. Scheduling these checks annually provides a practical balance: it catches drift and wear before they become problems while avoiding unnecessary downtime from more frequent inspections. If a fault is suspected or an outage is planned, inspections can be done sooner, but the baseline requirement is annual.

6. It shall be unlawful to fill a cargo tank or tank truck with gasoline through an _____.

A. Open Dome

B. Open Vent

C. Open Hatch

D. Open Access

Gasoline transfer must use a closed, properly fitted fill connection to limit flammable vapor release and reduce ignition risk. An open dome on top of a cargo tank provides an unobstructed path for vapors to escape into the surrounding air and can allow vapors to accumulate near the truck, creating a serious fire or explosion hazard. Keeping the dome closed and utilizing the designated fill opening with its venting system is essential for safe fueling. The other openings are designed for vents, access, or maintenance and are not intended as the fill path; using them would bypass the safety fittings and increase danger. Therefore, filling through an open dome is unlawful.

SAMPLE

7. Underground piping shall be tested for how many minutes?

A. 15 minutes

B. 30 minutes

C. 45 minutes

D. 60 minutes

Testing underground piping uses a hydrostatic method to verify there are no leaks and that joints and fittings hold pressure under load. The required duration for this test is thirty minutes, which provides enough time for any leaks to reveal themselves, including slow leaks at joints and connections. If the test is too short, small or slow leaks might go unnoticed; longer tests aren't typically required and don't add value for this purpose. Because underground piping in bulk-oil facilities carries flammable liquids, the hydrostatic test is done with water to minimize ignition risk while still pressurizing the system to reveal vulnerabilities.

8. How long must a standing water test be maintained at minimum?

A. 12 hours

B. 24 hours

C. 36 hours

D. 48 hours

The standing water test relies on the natural separation of water from oil. Water is denser than oil, so if you let a sample sit undisturbed, the water will settle to the bottom and a distinct layer forms. Waiting a minimum of 24 hours gives enough time for any water present to fully separate from the oil and become detectable, even when the sample is in a large volume or conditions aren't perfectly warm. If you short the wait, water can remain emulsified or suspended, making detection unreliable and potentially missing water that could cause corrosion or microbial issues. While temperature and sample size can affect separation speed, 24 hours is the standard baseline to ensure an accurate reading under typical field conditions. Shorter times risk false negatives; longer times don't add necessary value beyond ensuring proper separation in standard practice.

9. COF HOLDER MUST REPORT TO AND FOLLOW THE INSTRUCTIONS ISSUED BY THE _____.

A. Maritime Commission

B. EPA

C. Fire Department

D. Coast Guard

The main concept is who regulates COF holders at bulk oil storage facilities near or connected to navigable waters. The Coast Guard is the federal authority responsible for maritime safety and pollution prevention in these areas. A COF holder must report to the Coast Guard and follow its instructions, especially during inspections, safety incidents, or emergencies, so that operations align with required safety and spill-response measures. While other agencies like the EPA or Fire Department play important roles in environmental compliance and on-site fire safety, the directive and reporting relationship for COF holders come from the Coast Guard. The Maritime Commission is not the current issuing authority.

SAMPLE

10. How often shall gauges be inspected?

A. Daily

B. Weekly

C. Monthly

D. Yearly

Regular checks of tank gauges are essential to keep inventory readings accurate and to spot problems early, such as drift, leaks, or worn gauge components. The monthly interval is the best choice because it provides a reliable update on gauge accuracy without being overly burdensome, while still catching gradual changes in reading that could affect inventory control and safety. Daily inspections are usually unnecessary for static storage, weekly checks are more frequent than needed for standard gauges, and yearly checks risk missing drift or failures that could lead to incorrect measurements or spills. Monthly inspections strike a practical balance and support consistent, safe operations.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://bulkoilstoragefacility.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE