PBSE PERFUSION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://pbseperfusion.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which pharmacologic strategy is commonly used to reduce bleeding during CPB?

A. Antifibrinolytics

B. Anticoagulants only

C. Thrombolytics

D. No pharmacologic support

2. Which practice most directly reduces air entrainment and microemboli in CPB circuits?

A. Thorough de-airing

B. Using rapid negative pressures during priming

C. Leaving minor circuit leaks unrepaired

D. Not using air-removal devices

3. Which region is supplied by the diagonal arteries?

A. Anterior wall of the left ventricle

B. Lateral wall of the left ventricle

C. Inferior wall of the left ventricle

D. Right atrium

4. Which parameter is subtracted from mean arterial pressure when calculating SVR?

A. Central venous pressure

B. Pulmonary artery pressure

C. Left atrial pressure

D. Right atrial pressure

5. What is a reported disadvantage of cerebral saturation monitoring using NIRS technology?

A. It is completely brain-specific

B. It is unaffected by extracranial tissues

C. It requires invasive sensors

D. Extra-cranial blood saturation is included in the measurements

SAMPLE

6. Access to the mitral valve during minimally invasive cardiac surgery is achieved through which approach?

A. Left mini thoracotomy

B. Right mini thoracotomy

C. Median sternotomy

D. Posterolateral thoracotomy

7. Why is maintaining adequate mean arterial pressure important during CPB?

A. MAP is not important during CPB.

B. MAP only affects brain perfusion.

C. Maintaining adequate MAP during CPB ensures perfusion of vital organs like kidneys and brain.

D. MAP control has no relation to cerebral protection strategies.

8. In 85-95% of patients, the circumflex artery supplies which region of the heart?

A. Lateral aspect of the left ventricle

B. Anterior wall of the left ventricle

C. Inferior wall of the left ventricle

D. Right ventricle

9. A characteristic of leukocytes is that they are larger than platelets.

A. Larger than platelets

B. Smaller than platelets

C. Lack a nucleus

D. Carry oxygen

10. What flow meter uses acoustics to measure blood flow?

A. Doppler

B. Coriolis

C. Electromagnetic

D. Thermal Mass

SAMPLE

Answers

SAMPLE

1. A
2. A
3. A
4. A
5. D
6. B
7. C
8. A
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. Which pharmacologic strategy is commonly used to reduce bleeding during CPB?

A. Antifibrinolytics

B. Anticoagulants only

C. Thrombolytics

D. No pharmacologic support

Antifibrinolytics are used during CPB to limit bleeding by preventing the breakdown of clots. When the bypass circuit is in place, the body experiences increased fibrinolysis, which dissolves clots and leads to more bleeding. Drugs like tranexamic acid or epsilon-aminocaproic acid inhibit plasmin formation or activity, helping to stabilize clots that form on the circuit and at the surgical sites. This reduces chest tube drainage and the need for transfusions. Anticoagulants are given to keep the blood from clotting in the circuit, but they don't reduce bleeding—they're used to prevent clot formation and are reversed at the end of bypass. Thrombolytics would worsen bleeding by breaking down clots. No pharmacologic support would miss a key strategy to control CPB-associated bleeding.

2. Which practice most directly reduces air entrainment and microemboli in CPB circuits?

A. Thorough de-airing

B. Using rapid negative pressures during priming

C. Leaving minor circuit leaks unrepaired

D. Not using air-removal devices

Thorough de-airing directly reduces air entrainment by actively removing trapped air from every part of the circuit before and during bypass. By venting the venous reservoir, flushing out air pockets in the lines and oxygenator, and confirming the absence of visible bubbles, you prevent air from entering the arterial side once flow starts. That's the most direct way to minimize microbubbles and microemboli, which can cause organ injury if they reach the brain or other tissues. Other practices would either promote air entry or fail to remove it: pulling air in with rapid negative pressures during priming, leaving minor leaks unrepaired, or skipping air-removal devices would all increase the risk of air entering the circuit and forming microemboli.

3. Which region is supplied by the diagonal arteries?

A. Anterior wall of the left ventricle

B. Lateral wall of the left ventricle

C. Inferior wall of the left ventricle

D. Right atrium

Diagonal arteries are small branches that come off the left anterior descending artery and run across the anterior surface of the left ventricle toward the apex. Their main supply is the anterior wall of the left ventricle, giving oxygenated blood to that region and nearby anterolateral portions. The lateral wall is primarily supplied by obtuse marginal branches of the left circumflex, the inferior wall by the posterior descending artery (which can come from the RCA or LCx depending on heart dominance), and the right atrium by branches of the right coronary artery. So the region served by the diagonal arteries is the anterior wall of the left ventricle.

SAMPLE

4. Which parameter is subtracted from mean arterial pressure when calculating SVR?

A. Central venous pressure

B. Pulmonary artery pressure

C. Left atrial pressure

D. Right atrial pressure

The main idea here is the driving pressure for systemic blood flow. Systemic vascular resistance (SVR) is calculated from the pressure gradient that pushes blood through the systemic circulation, which is the mean arterial pressure (MAP) minus the back pressure in the venous return to the heart, divided by cardiac output (often with a conversion factor). That back pressure is central venous pressure, the pressure in the large veins near the right atrium as blood returns to the heart. Subtracting CVP from MAP gives the effective pressure difference the systemic vessels offer to flow. Pulmonary artery pressure relates to the lungs, not the systemic circulation, so it isn't used in this calculation. Left atrial pressure reflects left-sided filling pressure, not the venous return pressure to the right heart. Right atrial pressure is essentially the same physical pressure as central venous pressure, but the standard parameter in the SVR formula is CVP.

5. What is a reported disadvantage of cerebral saturation monitoring using NIRS technology?

A. It is completely brain-specific

B. It is unaffected by extracranial tissues

C. It requires invasive sensors

D. Extra-cranial blood saturation is included in the measurements

Near-infrared spectroscopy readings are not purely brain-specific. The light used in NIRS travels through scalp and skull before reaching the cerebral tissue, so the detected signal is a mix of absorption by hemoglobin in both extracranial tissues and the brain. If scalp blood flow or tissue oxygenation changes (due to anesthesia, systemic hemodynamics, temperature, or local vasomotor activity), those changes can be reflected in the measurement and confound the true cerebral oxygen saturation. That makes extracranial blood saturation part of what the device reports, which is a downside when trying to gauge brain status alone. This is why options claiming brain-specificity or noninvolvement of extracranial tissues aren't accurate, and why the notion of invasive sensors isn't correct for NIRS—it's typically noninvasive. Some devices and techniques attempt to separate the superficial signal from the deeper brain signal, but the extracranial contribution remains a fundamental limitation of the measurement.

SAMPLE

6. Access to the mitral valve during minimally invasive cardiac surgery is achieved through which approach?

A. Left mini thoracotomy

B. Right mini thoracotomy

C. Median sternotomy

D. Posterolateral thoracotomy

The main idea is that minimally invasive access to the mitral valve is best achieved through a small right chest incision because it provides a direct line to the left atrium and mitral apparatus with favorable instrument angles, while avoiding splitting the sternum. In this approach, a right mini-thoracotomy—typically in the 4th or 5th intercostal space—allows the surgeon to establish cardiopulmonary bypass via peripheral cannulation (such as the femoral or axillary vessels) and then open the pericardium to reach the left atrium. The mitral valve is exposed through the interatrial groove or via a controlled transseptal route, giving optimal access for repair or replacement. This route minimizes trauma compared with a full sternotomy and provides excellent visualization with smaller incisions, which is why it's commonly chosen for minimally invasive mitral valve surgery. Other approaches involve larger or posterior incisions and are less aligned with the goals of minimally invasive access.

7. Why is maintaining adequate mean arterial pressure important during CPB?

A. MAP is not important during CPB.

B. MAP only affects brain perfusion.

C. Maintaining adequate MAP during CPB ensures perfusion of vital organs like kidneys and brain.

D. MAP control has no relation to cerebral protection strategies.

During CPB the heart isn't pumping, so the flow to all organs depends on the perfusion pressure set by the bypass circuit. Mean arterial pressure is the driving force behind that flow, so keeping MAP at an adequate level ensures the kidneys, brain, and other vital organs continue to receive enough blood to meet their metabolic needs. If MAP falls too low, organ perfusion drops and ischemic injury can occur, particularly to the kidneys and brain. While the brain has autoregulatory mechanisms to maintain blood flow, CPB conditions can disrupt them, making a steady MAP crucial for cerebral protection as part of broader strategies used during surgery. Conversely, pushing MAP too high can raise afterload and bleeding risks, but the fundamental reason to target MAP is to sustain consistent end-organ perfusion throughout bypass.

8. In 85-95% of patients, the circumflex artery supplies which region of the heart?

A. Lateral aspect of the left ventricle

B. Anterior wall of the left ventricle

C. Inferior wall of the left ventricle

D. Right ventricle

Coronary artery territory distribution explains this. The circumflex artery travels in the left atrioventricular groove and gives obtuse marginal branches that perfuse the lateral aspect of the left ventricle. In about 85–95% of people, this lateral left ventricular region is supplied by the circumflex. The anterior wall is mainly supplied by the left anterior descending artery, while the inferior wall is typically supplied by the right coronary artery in most individuals (with left-dominant patterns being less common). So the lateral aspect of the left ventricle is the region most consistently fed by the circumflex artery. If the circumflex is involved, ischemia tends to show up in lateral leads such as I, aVL, and often V5–V6.

SAMPLE

9. A characteristic of leukocytes is that they are larger than platelets.

A. Larger than platelets

B. Smaller than platelets

C. Lack a nucleus

D. Carry oxygen

Leukocytes are white blood cells that are generally larger than platelets. They contain a nucleus and more cytoplasm, with typical sizes around 7–15 micrometers, while platelets are small, anucleate fragments about 2–3 micrometers across. This size difference fits their roles: leukocytes are active immune cells that need intracellular machinery and a nucleus, whereas platelets are tiny fragments focused on clotting. Oxygen transport is handled by red blood cells, not leukocytes. So, the statement that leukocytes are larger than platelets is the correct characteristic.

10. What flow meter uses acoustics to measure blood flow?

A. Doppler

B. Coriolis

C. Electromagnetic

D. Thermal Mass

Acoustic measurement is at the heart of the Doppler flow meter. It sends an ultrasound beam into a vessel, and as blood cells move, the reflected sound waves experience a frequency shift—the Doppler effect. That shift changes in proportion to the velocity of blood along the beam, and with knowledge of the vessel area you can estimate the flow rate. This use of sound waves to gauge velocity is what makes it an acoustics-based flow measurement. The other methods don't rely on sound: Coriolis meters determine flow by sensing the inertia of the fluid in a vibrating or rotating element to derive mass flow; electromagnetic meters measure flow by the voltage induced as blood (a conductor) moves through a magnetic field; thermal mass meters infer flow from how rapidly a heated element cools as fluid passes by.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://pbseperfusion.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE