PEBC COMMUNITY PHARMACY MANAGEMENT PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://pebccommunitypharmmgmt.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Biologics and biosimilars differ in which respect?

A. Biosimilars are exact copies of biologics

B. Biologics are simple small molecules, biosimilars are complex

C. Biologics are still experimental, biosimilars are approved for use

D. Biologics are complex drugs made from living organisms, while biosimilars are highly similar but not identical to biologics

2. If the fridge unit fails, where is an appropriate place to relocate vaccines?

A. In a patient waiting area.

B. A cooler or storage unit.

C. Back to the same fridge after reset.

D. In a regular freezer.

3. What should you do if there is a failure in the fridge unit?

A. Move the vaccines to an alternative location, such as a cooler or storage unit.

B. Move them to a warmer area.

C. Discard all vaccines.

D. Continue using them until the next inspection.

4. Who prescribes, delivers, and administers medications to patients?

A. Pharmacists

B. Pharmacy technicians

C. Nurses only

D. Healthcare professionals

5. What is tele-pharmacy?

A. A self-serve kiosk where customers can get products without staff

B. A standard prescription filling service at a traditional pharmacy

C. A self-serve pharmacy where customers can consult with a pharmacist via videoconferencing

D. A mail-order only dispensing model

SAMPLE

6. What is a key aspect of the dispensing process?

A. The dispensing process includes prescribing, transcribing, packaging, counselling, and monitoring.

B. The dispensing process focuses solely on compounding medications.

C. The dispensing process excludes monitoring.

D. The dispensing process only involves labeling and shelving.

7. Which practice best reflects proper patient interaction during dispensing?

A. Counselling the patient on how to take the medication.

B. Ignoring patient questions.

C. Withholding label information.

D. Disregarding potential drug interactions.

8. What does the abbreviation 'D/C' stand for, and what should be used instead?

A. Discontinue; use 'discontinue' instead of the abbreviation.

B. Discharge; use 'discharge' instead of the abbreviation.

C. Discharge; use 'discontinue' instead of the abbreviation.

D. Date Created; use 'date created' instead of the abbreviation.

9. Which statement best describes a Group Purchasing Organization (GPO)?

A. An entity that certifies wholesalers for regulatory compliance

B. A body that negotiates with manufacturers directly for product development

C. An organization that negotiates with wholesalers on behalf of member pharmacies to obtain favorable rates

D. A program that educates pharmacists on purchasing ethics

10. Which statement is true about interchangeability of generics with brand-name products?

A. Interchangeability does not require reference products.

B. Interchangeability is determined only by cost.

C. A generic must have a Canadian reference product and meet the definition of an interchangeable drug.

D. Any generic can be considered interchangeable.

SAMPLE

Answers

SAMPLE

1. D
2. C
3. A
4. D
5. C
6. A
7. A
8. B
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. Biologics and biosimilars differ in which respect?

A. Biosimilars are exact copies of biologics

B. Biologics are simple small molecules, biosimilars are complex

C. Biologics are still experimental, biosimilars are approved for use

D. Biologics are complex drugs made from living organisms, while biosimilars are highly similar but not identical to biologics

Biologics are large, complex molecules produced by living cells, with properties shaped by the production process and post translational modifications. Because they come from living systems, every batch can vary slightly, and exact replication is effectively impossible. Biosimilars are not exact copies. They are designed to be highly similar to a reference biologic, with no clinically meaningful differences in safety, purity, or potency. To demonstrate similarity, they undergo thorough analytical comparisons, preclinical studies, and clinical trials. Small differences in manufacturing can change factors like folding, glycosylation, or charge variants, which is why exact identity isn't achievable and why the term "highly similar" is used rather than "identical." That's why the correct understanding is that biologics are complex drugs made from living organisms, while biosimilars are highly similar but not identical to the original biologic. The other statements misrepresent the nature of biologics or biosimilars—biologics aren't simple small molecules, and biologics aren't still only experimental.

2. If the fridge unit fails, where is an appropriate place to relocate vaccines?

A. In a patient waiting area.

B. A cooler or storage unit.

C. Back to the same fridge after reset.

D. In a regular freezer.

Maintaining the vaccine cold chain is the main idea here. Vaccines must be kept at a controlled 2–8°C, with continuous temperature monitoring, to preserve their potency. If the fridge fails, vaccines should be moved to a storage option that can reliably maintain 2–8°C while the issue is being resolved. Once the fridge is reset and validated as staying within the proper range (no excursions) for a sufficient period, vaccines can be returned to that same refrigerator to resume normal storage. This approach minimizes unnecessary handling and preserves accurate inventory and traceability. Temporary use of a cooler or other storage unit is acceptable during the outage, but the final, preferred placement is back into the original fridge once the unit is functioning correctly; placing vaccines in a waiting area or in a regular freezer would violate the required temperature range and compromises vaccine quality.

3. What should you do if there is a failure in the fridge unit?

A. Move the vaccines to an alternative location, such as a cooler or storage unit.

B. Move them to a warmer area.

C. Discard all vaccines.

D. Continue using them until the next inspection.

When a fridge failure occurs, the priority is to preserve vaccine potency by maintaining the cold chain. Move the vaccines immediately to a functioning cooling environment, such as another refrigerator or a validated portable cooler that can hold 2-8°C, and monitor the temperature continuously. Placing them in a warmer area risks degrading the vaccines. Do not discard vaccines unless there is clear evidence they were compromised or have reached their expiry. Document the incident, record temperatures, notify the supervisor, and follow your facility's procedures for backup storage, repair, and assessment of the affected lots.

SAMPLE

4. Who prescribes, delivers, and administers medications to patients?

A. Pharmacists

B. Pharmacy technicians

C. Nurses only

D. Healthcare professionals

The main idea is that medication management is a team effort across the healthcare system. Different professionals handle different steps: prescribing is typically done by licensed prescribers like physicians and nurse practitioners; delivering and dispensing medications is handled by pharmacists and pharmacy staff; administering medications to patients is carried out by nurses and other authorized clinicians. Because these roles are spread among several professionals, the most accurate answer is the broad term "healthcare professionals," which encompasses all the people who may be involved in prescribing, delivering, or administering medications. The other options point to specific groups that don't cover every part of the process across different settings and jurisdictions.

5. What is tele-pharmacy?

A. A self-serve kiosk where customers can get products without staff

B. A standard prescription filling service at a traditional pharmacy

C. A self-serve pharmacy where customers can consult with a pharmacist via videoconferencing

D. A mail-order only dispensing model

Tele-pharmacy is the delivery of pharmaceutical care from a distance using telecommunications technology, allowing a pharmacist to interact with and counsel a patient remotely. The key feature is two-way communication with a pharmacist via videoconferencing (and secure digital systems) so patients can receive medication reviews, counseling, and clinical oversight without the pharmacist being on site. This enables access to pharmacist expertise in settings like rural areas or remote facilities. The described option fits best because it specifies a self-serve setting combined with remote pharmacist consultation via videoconferencing. It's not merely a stand-alone kiosk with no staff, not just standard in-person prescription filling, and not limited to mail-order dispensing.

6. What is a key aspect of the dispensing process?

A. The dispensing process includes prescribing, transcribing, packaging, counselling, and monitoring.

B. The dispensing process focuses solely on compounding medications.

C. The dispensing process excludes monitoring.

D. The dispensing process only involves labeling and shelving.

Delivering medications safely involves a full set of steps that ensure the right drug reaches the right patient in the right way. The key aspect of the dispensing process is its comprehensive flow: receiving and verifying the prescription, transcribing it accurately into the system, selecting and packaging the correct medication, labeling it with clear usage instructions, and providing patient counseling on how to take it, potential interactions, storage, and adherence. Importantly, it also includes monitoring the patient for safety and effectiveness after the medication is dispensed, to catch any adverse effects or issues with adherence and to adjust as needed. This integrative approach reduces errors, supports proper use, and helps achieve better health outcomes. While labeling and shelving are part of the process, they don't capture the essential communication, verification, and follow-up components that make dispensing safe and effective. Similarly, focusing solely on compounding ignores the broader sequence that ensures correct selection, instructions, and ongoing safety, and excluding monitoring misses a critical safety check.

SAMPLE

7. Which practice best reflects proper patient interaction during dispensing?

A. Counselling the patient on how to take the medication.

B. Ignoring patient questions.

C. Withholding label information.

D. Disregarding potential drug interactions.

Effective patient interaction during dispensing centers on clear counseling so the patient knows how to use the medicine safely and correctly. Providing instructions on how to take the medication, including dosing, timing, food considerations, and duration, is essential. It also involves checking understanding, inviting questions, and addressing concerns about side effects or potential interactions. This approach supports adherence and reduces errors, misuse, and risks to safety. Ignoring patient questions prevents the patient from fully understanding how to use the medication. Withholding label information hides important usage and safety details. Disregarding potential drug interactions ignores risks that could harm the patient. Counseling, in contrast, combines clear information with opportunities for the patient to ask questions and confirm understanding, leading to safer and more effective use.

8. What does the abbreviation 'D/C' stand for, and what should be used instead?

A. Discontinue; use 'discontinue' instead of the abbreviation.

B. Discharge; use 'discharge' instead of the abbreviation.

C. Discharge; use 'discontinue' instead of the abbreviation.

D. Date Created; use 'date created' instead of the abbreviation.

Clear documentation relies on spelling out terms rather than abbreviations. D/C is ambiguous because it can be read as discharge or discontinue, depending on context. In this item, the intended meaning is discharge—the patient leaving a facility or the discharge instructions context. Therefore the best practice is to replace D/C with the full word 'discharge' to ensure unambiguous communication. If you actually mean stopping a medication, you should write 'discontinue' in full rather than using the abbreviation. The other suggested meanings, like date created, do not fit the clinical context here.

9. Which statement best describes a Group Purchasing Organization (GPO)?

A. An entity that certifies wholesalers for regulatory compliance

B. A body that negotiates with manufacturers directly for product development

C. An organization that negotiates with wholesalers on behalf of member pharmacies to obtain favorable rates

D. A program that educates pharmacists on purchasing ethics

Group Purchasing Organizations capitalize on collective buying power by negotiating with wholesalers on behalf of member pharmacies to obtain favorable pricing and terms. They contract with wholesalers and pass the savings to members, often layering in membership arrangements or pass-through discounts to enhance value. This role focuses on procurement and cost reductions through supplier agreements, rather than certifying wholesalers, shaping product development with manufacturers, or delivering ethics education. In practice, joining a GPO helps community and independent pharmacies access better prices and reliable supply through aggregated purchasing.

SAMPLE

10. Which statement is true about interchangeability of generics with brand-name products?

A. Interchangeability does not require reference products.

B. Interchangeability is determined only by cost.

C. A generic must have a Canadian reference product and meet the definition of an interchangeable drug.

D. Any generic can be considered interchangeable.

Interchangeability for generics relies on regulatory evidence that the generic is exactly the same in therapeutic effect as a specific brand-name product. A generic can be substituted only if there is a Canadian reference product to compare to, and the generic has earned the official designation of being interchangeable. That reference product is the brand-name product used as the standard for establishing bioequivalence and therapeutic equivalence. The generic must meet the regulator's criteria for an interchangeable drug, which goes beyond cost and includes demonstrated bioequivalence and proper labeling, among other requirements. Not every generic automatically qualifies for substitution; only those linked to a Canadian reference product and designated interchangeable are eligible.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://pebccommunitypharmmgmt.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE