
PENN FOSTER BIOLOGY – THE CELL PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://pennfosterbiothecell.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which of the following is characteristic of complex carbohydrates?

A. They have a simple structure

B. They consist of many monosaccharide molecules

C. They cannot be broken down

D. They are exclusively branched

2. What term describes the energy currency of the cell?

A. ADP

B. NADH

C. ATP

D. FADH2

3. What do you call the semi-permeable barrier that controls molecular movement into and out of the cell?

A. Cell wall

B. Plasma membrane

C. Nuclear membrane

D. Cytoplasmic matrix

4. What do all cells have that encloses their cytoplasm and genetic material?

A. Cell wall

B. Plasma membrane

C. Nucleus

D. Endoplasmic reticulum

5. What organelle is primarily responsible for detoxifying harmful substances in the cell?

A. The mitochondria

B. The smooth endoplasmic reticulum

C. The Golgi apparatus

D. The lysosome

SAMPLE

6. What are the major motor proteins in a cell?

A. Actin, keratin, and collagen

B. Myosin, kinesin, and dynein

C. Troponin, tropomyosin, and laminin

D. Globulin, albumin, and fibrinogen

7. What is the primary function of ribosomes?

A. To store energy

B. To synthesize proteins

C. To transport materials

D. To create lipids

8. What is a phospholipid bilayer?

A. A single layer of proteins

B. A double layer of phospholipids

C. A layer of cholesterol

D. A membrane with a protein core

9. The Golgi apparatus is part of which cellular system?

A. Endomembrane system

B. Photosynthetic system

C. Energy production system

D. Cellular respiration system

10. What type of molecule is formed when two monosaccharides bond together?

A. Fatty acid

B. Amino acid

C. Disaccharide

D. Nucleotide

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. B
6. B
7. B
8. B
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. Which of the following is characteristic of complex carbohydrates?

A. They have a simple structure

B. They consist of many monosaccharide molecules

C. They cannot be broken down

D. They are exclusively branched

Complex carbohydrates are primarily characterized by their structure, which consists of long chains of monosaccharide molecules. These chains can vary in length and can consist of numerous glucose units or other sugar monomers linked together. This structure allows them to store energy more effectively compared to simple carbohydrates, which consist of just one or a few monosaccharides. Option B highlights this fundamental aspect of complex carbohydrates, emphasizing their composition of many monosaccharide units. This characteristic is significant because it differentiates them from simpler carbohydrates, which are composed of fewer sugar molecules. Complex carbohydrates include substances like starch and glycogen, which are essential for energy storage in living organisms. Other options do not accurately represent the nature of complex carbohydrates. They can indeed be broken down, which is vital for energy utilization. While some complex carbohydrates may have branched structures, this is not a defining characteristic of all complex carbohydrates, as others may be linear. The description of having a simple structure does not apply, as complexity signifies that they are indeed more intricate than simple carbohydrates.

2. What term describes the energy currency of the cell?

A. ADP

B. NADH

C. ATP

D. FADH2

The term that describes the energy currency of the cell is ATP, or adenosine triphosphate. ATP is a molecule that stores and provides energy for various cellular processes. When a cell requires energy for activities such as muscle contraction, cell division, or active transport, it hydrolyzes ATP, releasing a phosphate group and transferring energy to the target process. The ability of ATP to release energy so readily makes it essential for powering cellular functions. ADP (adenosine diphosphate) is closely related to ATP; it is what ATP becomes after the release of one phosphate group. While ADP can be converted back into ATP, it does not function as the primary energy currency in its unphosphorylated form. NADH and FADH2 are important molecules in cellular respiration and play crucial roles in the electron transport chain, acting as electron carriers. However, they are not the direct energy currency of the cell. Instead, they help produce ATP through oxidative phosphorylation. In summary, ATP is specifically designed for carrying and delivering energy within cells, making it the most recognized and utilized form of energy currency in biological systems.

SAMPLE

3. What do you call the semi-permeable barrier that controls molecular movement into and out of the cell?

A. Cell wall

B. Plasma membrane

C. Nuclear membrane

D. Cytoplasmic matrix

The semi-permeable barrier that controls molecular movement into and out of the cell is called the plasma membrane. This membrane is essential for maintaining the internal environment of the cell, allowing certain substances to pass while restricting others. The plasma membrane is composed mainly of a phospholipid bilayer with embedded proteins that facilitate transport processes, communication, and cell recognition. This selective permeability is vital for the cell's ability to maintain homeostasis, respond to external signals, and engage in various metabolic activities. In contrast, the cell wall provides structural support and protection in plants, bacteria, fungi, and some algae, but it does not play a role in regulating the movement of molecules into and out of the cell like the plasma membrane. The nuclear membrane, which surrounds the nucleus, controls the movement of substances between the nucleus and the cytoplasm but is not involved in the overall barrier function of the cell itself. Finally, the cytoplasmic matrix refers to the fluid and organelles within the cell but does not serve as a barrier for molecular movement. Hence, the plasma membrane is the key structure responsible for the selective control of substance passage in and out of the cell.

4. What do all cells have that encloses their cytoplasm and genetic material?

A. Cell wall

B. Plasma membrane

C. Nucleus

D. Endoplasmic reticulum

The plasma membrane is a fundamental structure that surrounds all cells, serving as a barrier that encloses the cytoplasm and genetic material. It is composed primarily of a phospholipid bilayer with embedded proteins, which helps regulate the movement of substances in and out of the cell. This selective permeability is crucial for maintaining the cell's internal environment, allowing necessary nutrients to enter while keeping harmful substances out. While some cells, like plant cells and bacterial cells, have a cell wall that provides additional structure and support, not all cells possess this feature. The nucleus, while important for storing genetic information in eukaryotic cells, is not present in prokaryotic cells, which still have a plasma membrane. The endoplasmic reticulum is an organelle involved in protein and lipid synthesis, but it does not enclose the entire cell. Therefore, the plasma membrane is the universal feature that all cells share to enclose their contents.

SAMPLE

5. What organelle is primarily responsible for detoxifying harmful substances in the cell?

A. The mitochondria

B. The smooth endoplasmic reticulum

C. The Golgi apparatus

D. The lysosome

The smooth endoplasmic reticulum is primarily responsible for detoxifying harmful substances in the cell. This organelle plays a crucial role in lipid metabolism and the synthesis of steroid hormones, and it is equipped to process various toxins and drugs that could potentially harm the cell. The abundant presence of the smooth endoplasmic reticulum in liver cells is an excellent example of its function in detoxification, where it helps to convert fat-soluble toxins into water-soluble forms that can be excreted from the body. The mitochondria are mainly involved in energy production through the process of cellular respiration and ATP generation, rather than detoxification. The Golgi apparatus is primarily responsible for modifying, sorting, and packaging proteins and lipids for secretion or delivery to other organelles. The lysosome contains digestive enzymes that break down waste materials and cellular debris, but its primary function is not detoxification; it is more focused on recycling and degrading macromolecules within the cell. Thus, the smooth endoplasmic reticulum stands out as the key organelle for detoxifying harmful substances in cellular processes.

6. What are the major motor proteins in a cell?

A. Actin, keratin, and collagen

B. Myosin, kinesin, and dynein

C. Troponin, tropomyosin, and laminin

D. Globulin, albumin, and fibrinogen

The major motor proteins in a cell are indeed myosin, kinesin, and dynein, which play essential roles in cellular movement and transport. Myosin is primarily associated with muscle contraction and movement along actin filaments, allowing muscle cells to contract and enabling cell movement. Kinesin and dynein are crucial for intracellular transport; kinesin moves cargo toward the plus end of microtubules, while dynein carries it toward the minus end. These motor proteins work together to facilitate various cellular activities, including the movement of organelles, vesicles, and chromosomes during cell division. Other options contain proteins that serve different functions. Actin, keratin, and collagen are structural proteins that provide support and shape to cells and tissues, but they are not classified as motor proteins. Troponin and tropomyosin, which regulate actin during muscle contraction, are associated with myosin, but they themselves do not serve as motor proteins. Lastly, globulin, albumin, and fibrinogen are types of blood proteins that primarily have roles in immunity, transport, and coagulation, not in cellular movement. Therefore, myosin, kinesin, and dynein are specifically recognized as the main motor proteins responsible for movement

SAMPLE

7. What is the primary function of ribosomes?

A. To store energy

B. To synthesize proteins

C. To transport materials

D. To create lipids

The primary function of ribosomes is to synthesize proteins. Ribosomes are essential cellular structures that facilitate the translation of messenger RNA (mRNA) into polypeptide chains, which are then folded into functional proteins. This process occurs through the decoding of the genetic information carried by mRNA, with ribosomal RNA (rRNA) and various proteins coming together to form the ribosome. During translation, the ribosome reads the sequence of codons in the mRNA, and with the help of transfer RNA (tRNA), it assembles the corresponding amino acids into a growing polypeptide chain. This function is crucial because proteins play a vital role in nearly all cellular processes, serving as enzymes, structural components, signaling molecules, and more. Without ribosomes, cells would not be able to produce proteins necessary for growth, repair, and regulation, underscoring their fundamental role in cell biology.

8. What is a phospholipid bilayer?

A. A single layer of proteins

B. A double layer of phospholipids

C. A layer of cholesterol

D. A membrane with a protein core

A phospholipid bilayer is composed of two layers of phospholipid molecules that are arranged with their hydrophobic (water-repelling) tails facing inward toward each other, while the hydrophilic (water-attracting) heads face outward towards the aqueous environments both inside and outside of the cell. This unique arrangement is critical in forming the structural foundation of cell membranes, allowing them to maintain integrity while also being selectively permeable to various substances. The bilayer structure enables the formation of a barrier that separates the interior of the cell from the external environment, playing a crucial role in protecting the cell and facilitating communication and transport. The fluid nature of the bilayer allows for movement of proteins and lipids within the layer, contributing to the dynamic functionality of the cell membrane, including the ability to form vesicles for transport and communicate with other cells. Other choices do not accurately describe the fundamental structure of the phospholipid bilayer; for example, a single layer of proteins would not provide the necessary separation or characteristics of a membrane, while cholesterol contributes to membrane fluidity but is not the primary structural component. A membrane with a protein core does not align with the accepted model of cell membrane architecture.

SAMPLE

9. The Golgi apparatus is part of which cellular system?

A. Endomembrane system

B. Photosynthetic system

C. Energy production system

D. Cellular respiration system

The Golgi apparatus is part of the endomembrane system within the cell. This system is a network of membranes that work together to modify, package, and transport lipids and proteins that are either synthesized in the cell or received from other locations. The Golgi apparatus plays a crucial role in processing these molecules after they are synthesized in the endoplasmic reticulum. Once the proteins and lipids reach the Golgi, they undergo further modifications, such as glycosylation, and are then packaged into vesicles for transport to their final destinations, which may include secretion outside the cell, incorporation into the cell membrane, or delivery to lysosomes. The other options do not pertain to the function of the Golgi apparatus. The photosynthetic system refers to the cellular machinery involved in photosynthesis, primarily in plant cells, and would involve chloroplasts. The energy production system typically refers to mitochondria and processes like oxidative phosphorylation. The cellular respiration system mainly encompasses the pathways that generate energy through the breakdown of glucose, which also focuses on mitochondria. Hence, these systems are distinct and do not include the Golgi apparatus, which is specifically associated with the endomembrane system.

10. What type of molecule is formed when two monosaccharides bond together?

A. Fatty acid

B. Amino acid

C. Disaccharide

D. Nucleotide

When two monosaccharides bond together, they form a disaccharide. This bonding occurs through a chemical reaction known as dehydration synthesis or condensation reaction, where a water molecule is released as the two sugar units combine. Disaccharides have specific names based on the monosaccharides involved; for example, sucrose is formed from glucose and fructose, and lactose is formed from glucose and galactose. The formation of disaccharides is significant as they serve as important energy sources and building blocks for more complex carbohydrates in biological systems. Understanding the role of disaccharides helps clarify how carbohydrates function in living organisms, including their impact on energy metabolism and storage. Other options represent different types of biological macromolecules: fatty acids are components of lipids, amino acids are the building blocks of proteins, and nucleotides are the basic structural units of nucleic acids like DNA and RNA. These molecules play distinct roles in biological processes but do not form from the direct combination of monosaccharides.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://pennfosterbiothecell.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE