PENNSYLVANIA EXPANDED FUNCTION DENTAL ASSISTANT (EFDA) BOARD PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://pennsylvaniaefdaboard.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the bond relationship between the bonding agent and composite materials called?

A. Mechanical retention

B. Chemical retention

C. Physical adhesion

D. Bonding interaction

2. What is the term for the junction of the walls of a cavity preparation with the external surface of the tooth?

A. Cavosurface

B. Cavity margin

C. Pulpal interface

D. External wall

3. What is considered the weakest phase of amalgamation?

A. Alpha Phase

B. Beta Phase

C. Gamma Phase

D. Delta Phase

4. A cavity preparation that includes the mesial incisal angle of a maxillary central incisor is classified as what type?

A. Class III

B. Class IV

C. Class II

D. Class V

5. What component is adjacent to the gingival tissues in a Class II preparation?

A. Axial wall

B. Mesial wall

C. Facial wall

D. Gingival floor

SAMPLE

6. When using a matrix band, which is crucial for proper adaptation during placement?

A. Opacity

B. Angulation

C. Thickness

D. Shape

7. What material can be used as a sedative dressing under a restoration?

A. Calcium Hydroxide

B. Zinc Phosphate

C. Zinc Oxide Eugenol

D. Glass Ionomer

8. What function does the base serve in a dental restoration?

A. To seal the cavity

B. To provide thermal insulation

C. To bond tooth structure

D. To act as a surface finish

9. In dental procedures, bonding agents should never be utilized as which of the following?

A. A lubricant

B. A restorative material

C. A cleaning agent

D. A sealant

10. What percentage of sodium is found in FL2?

A. 3%

B. 5%

C. 10%

D. 1%

SAMPLE

Answers

SAMPLE

1. B
2. A
3. C
4. B
5. D
6. B
7. C
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. What is the bond relationship between the bonding agent and composite materials called?

A. Mechanical retention

B. Chemical retention

C. Physical adhesion

D. Bonding interaction

The bond relationship between the bonding agent and composite materials is correctly referred to as chemical retention. This term describes the process through which a bonding agent forms microscopic interactions at a molecular level with the composite material. This chemical bond enhances the strength and durability of the restoration by ensuring that the bonding agent and composite adhere firmly to each other. In the context of dental materials, chemical retention is critical as it allows for improved longevity and resilience of the composite in the oral environment. This mechanism can involve various types of chemical interactions, such as covalent bonds or hydrogen bonding, which contribute significantly to the effectiveness of the adhesive system in maintaining a stable interface. Understanding this bond relationship is essential for dental professionals because it helps in selecting the appropriate materials for specific situations and ensures successful outcomes in bonding procedures. The other terms, such as mechanical retention, refer to a different principle where physical features of the structure hold materials in place without chemical bonding. Physical adhesion is also not the right term, as it is less specific than chemical retention in describing the strong interactions involved in the bond. The terminology and its implications are foundational concepts in restorative dentistry, making it crucial for both practical application and theoretical understanding.

2. What is the term for the junction of the walls of a cavity preparation with the external surface of the tooth?

A. Cavosurface

B. Cavity margin

C. Pulpal interface

D. External wall

The term "cavosurface" refers specifically to the junction where the walls of a cavity preparation meet the external surface of the tooth. This area is critical in restorative dentistry as it defines the boundary of the cavity and plays a vital role in the retention and sealing of restorative materials. Proper understanding of the cavosurface is essential for successful cavity preparation and filling procedures, as it helps ensure that restorations are effective and that the integrity of the tooth is maintained. Recognizing the significance of the cavosurface aids dental professionals in achieving proper margins, which are essential for the longevity of dental restorations and the overall health of the tooth structure.

SAMPLE

3. What is considered the weakest phase of amalgamation?

A. Alpha Phase

B. Beta Phase

C. Gamma Phase

D. Delta Phase

The gamma phase is recognized as the weakest phase of the amalgamation process in dental materials. During amalgamation, various phases of the alloy form as it reacts with mercury. The gamma phase, known as the mercury-rich phase, tends to be the least stable and most susceptible to degradation over time compared to other phases such as the alpha and beta phases, which contribute greater strength and resistance. In the context of dental amalgams, the alpha phase consists of the alloy particles that have a strong bond with mercury and generally provide good mechanical properties. The beta phase forms during the reaction of mercury with silver, adding strength and durability to the amalgam. The delta phase contributes to the overall resilience but is not considered as critically important as the gamma phase. Understanding the characteristics of these phases is essential for ensuring the longevity and effectiveness of dental restorations, where the balance of strength and biocompatibility plays a significant role in patient outcomes.

4. A cavity preparation that includes the mesial incisal angle of a maxillary central incisor is classified as what type?

A. Class III

B. Class IV

C. Class II

D. Class V

The classification of cavity preparations is based on the specific areas of the teeth that are affected by decay or require restoration. A cavity preparation that involves the mesial incisal angle of a maxillary central incisor falls under Class IV. Class IV restorations specifically refer to preparations that include both the proximal surfaces (mesial or distal) and the incisal edge of anterior teeth (e.g., incisors and canines). This classification is relevant particularly for restorations that are intended to restore damage or decay on these surfaces, which is the case with the mesial incisal angle of a maxillary central incisor. Understanding these classifications is essential for both diagnosis and treatment planning in dentistry. In contrast to Class III restorations, which affect the proximal surfaces of anterior teeth without involving the incisal edge, or Class II restorations that are used for posterior teeth, Class IV is distinctive due to its involvement of both the incisal edge and the proximal surface. Class V deals with cavities located at the gingival third of the facial or lingual surfaces of teeth, which further differentiates it from Class IV. Thus, the specific mention of the mesial incisal angle directly leads to the correct classification as Class IV.

SAMPLE

5. What component is adjacent to the gingival tissues in a Class II preparation?

A. Axial wall

B. Mesial wall

C. Facial wall

D. Gingival floor

In a Class II preparation, the gingival floor is the component that is directly adjacent to the gingival tissues. The gingival floor is the portion of the cavity preparation that sits parallel to the gum line and is designed to create an appropriate interface with the surrounding gingival tissue. This area is especially important because maintaining proper contours and smoothness in the gingival floor helps ensure that food debris and plaque do not accumulate, which can lead to gum irritation or periodontal disease. Additionally, appropriate adaptation to the gingival margin aids in the proper sealing of the restoration, which further helps in preventing secondary caries. Other components such as the axial wall, mesial wall, and facial wall are part of the tooth structure that relates to the overall preparation but are not adjacent to the gingival tissue itself. Understanding the role of the gingival floor in maintaining oral health and optimizing restorative outcomes is crucial for dental professionals.

6. When using a matrix band, which is crucial for proper adaptation during placement?

A. Opacity

B. Angulation

C. Thickness

D. Shape

Using a matrix band during dental procedures is critical for ensuring the proper adaptation around the tooth being restored. Angulation is crucial because it affects how well the matrix band conforms to the contours of the tooth. When a matrix band is placed correctly, it should fit snugly against the tooth structure without gaps, ensuring that the restorative material has an adequate mold to fill around. Achieving the correct angulation allows the band to create the appropriate framework that captures the restoration within the cavity preparation. This adaptation prevents issues like overhang and allows the dentist to create a smooth, sealed margin between the restoration and the tooth surface. In contrast, factors like opacity, thickness, and shape can influence the usage of the band but do not directly determine its effective adaptation during placement. While they are important in their own right—for example, thickness can affect the strength of the band and shape can influence how it fits around different types of teeth—angulation is the key factor that ensures the band closely follows the natural contours of the tooth for optimal outcomes.

SAMPLE

7. What material can be used as a sedative dressing under a restoration?

A. Calcium Hydroxide

B. Zinc Phosphate

C. Zinc Oxide Eugenol

D. Glass Ionomer

Zinc Oxide Eugenol is commonly used as a sedative dressing under a restoration due to its therapeutic properties. This material has a calming effect on the dental pulp, mainly because of the eugenol component, which has been known to exhibit analgesic and anti-inflammatory properties. This makes it particularly beneficial in situations where the dental pulp may be slightly compromised or irritated, providing a soothing effect while minimizing discomfort for the patient. The sedative nature of Zinc Oxide Eugenol also helps to protect the pulp from potential irritants that may arise from restorative materials placed over it. In addition to its sedative properties, it also has good sealing capabilities, which helps to prevent bacterial penetration and preserves the integrity of the restoration. Other materials listed do not share the same properties for use as sedative dressings. Calcium Hydroxide can also be used as a pulp-capping agent due to its ability to promote dentinogenesis, but it is not specifically a sedative dressing. Zinc Phosphate is primarily utilized for its strong adhesive properties as a cement, rather than for its sedative effect. Glass Ionomer can release fluoride and bond chemically to the tooth structure but does not provide the same level of sedation as Zinc Oxide Eugenol. Thus,

8. What function does the base serve in a dental restoration?

A. To seal the cavity

B. To provide thermal insulation

C. To bond tooth structure

D. To act as a surface finish

The base in a dental restoration primarily serves to provide thermal insulation to protect the dental pulp beneath a cavity preparation. When restorative materials are placed, they may generate heat during the curing process, which can be detrimental to the sensitive pulp tissue. The base acts as a protective layer that minimizes thermal conduction, thereby reducing the risk of pulpal irritation and potential damage. In addition to its thermal insulation properties, a base can also help in providing a conducive environment for the restorative material by offering some chemical protection and mechanical support. It is important to choose an appropriate base material, as different types offer varying levels of insulation and protection based on the clinical scenario. The other options, while they might seem relevant, do not accurately define the primary function of a base in a restoration. Sealing the cavity is typically more related to other materials like liners and sealants. Bonding tooth structure is primarily the role of adhesives and bonding agents, while the surface finish relates to final polishing and aesthetic concerns of the restoration itself, which are separate from the base function.

SAMPLE

9. In dental procedures, bonding agents should never be utilized as which of the following?

A. A lubricant

B. A restorative material

C. A cleaning agent

D. A sealant

Bonding agents are specifically designed to adhere dental materials to tooth structure or to another material, ensuring a strong bond that provides longevity and durability in restorations. These agents play a critical role in procedures such as adhesive dentistry where they are applied to enhance the connection between dentin, enamel, and restorative materials. Using bonding agents as a lubricant is not appropriate since they do not possess the required properties to reduce friction effectively during procedures. Lubricants are typically used to facilitate the movement of instruments or materials and prevent undue friction, which is crucial in maintaining the integrity of dental procedures. On the other hand, bonding agents can serve as restorative materials since they assist in attaching filling materials securely to teeth. They are also not intended for use as a cleaning agent, as their purpose is not to clean surfaces but rather to bond materials in place. While sealants and bonding agents share some properties, bonding agents specifically denote their primary purpose in adhesion rather than preventive sealing. Therefore, recognizing bonding agents' primary function in enhancing a strong bond between materials clarifies why they should not be utilized as a lubricant in dental procedures.

10. What percentage of sodium is found in FL2?

A. 3%

B. 5%

C. 10%

D. 1%

The correct answer is 5%, which refers to the concentration of sodium in the solution FL2, typically indicating a certain fluoride treatment used in dentistry. Understanding the significance of fluoride treatments is crucial; they are commonly administered to prevent dental caries and enhance tooth remineralization. In the context of dental products, a concentration of fluoride may have associated sodium percentages that are important for evaluating the safety and efficacy of the treatment. Sodium is often present in topical fluoride applications due to its role in creating a stable fluoride compound, which can assist in delivering therapeutic benefits to the patient's teeth. The value of 5% sodium in FL2 indicates a balanced formulation that is effective while remaining safe for use in a dental setting. Knowing this allows dental professionals to apply the correct concentrations in treatments and comply with recommendations for fluoride therapy. Thus, understanding the percentage of sodium in FL2 helps practitioners make informed decisions about patient care.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://pennsylvaniaefdaboard.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE