PERIODONTOLOGY 716 SURGERY (GENERAL PRINCIPLES) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://perio716surgerygenprinciples.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What role do proteins play in the healing process after surgery?

A. They have no significant role in healing

B. They help in cellular regeneration and tissue repair

C. They are the primary source of energy for healing

D. They only play a role in initial inflammation

2. What can modifying factors such as mucogingival problems influence?

A. The severity of the disease

B. Selection of surgical techniques for pocket therapy

C. Length of treatment duration

D. Patient's nutritional needs

3. What benefit does using a surgical microscope provide in periodontal surgery?

A. Enhances visualization and improves precision

B. Reduces the need for anesthesia

C. Allows for quicker procedures

D. Makes surgery less complicated

4. Which regenerative technique might be used alongside bone grafting?

A. Guided tissue regeneration

B. Dental implants

C. Veneers

D. Orthodontics

5. What is one of the primary uses of surgical curettes?

A. Removal of calculus from supragingival surfaces

B. Removal of granulation tissue and tenacious subgingival deposits

C. Extraction of teeth with minimal trauma

D. Placement of sutures in surgical areas

6. What is the goal of Phase I in periodontal therapy?

A. Final restorations

B. Eliminate microbial etiology and contributing factors

C. Supportive periodontal therapy

D. Gingival surgeries

SAMPLE

7. What is an important aspect of periodontal surgery related to bleeding control?

A. Patient comfort

B. Hemostasis

C. Overall health

D. Experience of the surgeon

8. What does the term "mucogingival surgery" refer to?

A. Surgery focused on bone restructuring

B. Correction of soft tissue defects

C. Removal of diseased gum tissue

D. Surgery for teeth alignment

9. What is the primary goal of non-surgical Phase I therapy?

A. Reduce inflammation only

B. Eliminate plaque, calculus, and altered cementum

C. Promote bone regeneration

D. Eliminate periodontal pockets

10. Why is it important to avoid excessive tissue manipulation during periodontal surgery?

A. To speed up the surgical process

B. To minimize trauma and preserve blood supply

C. To reduce the need for sutures

D. To enhance the visibility of the surgical site

SAMPLE

Answers

SAMPLE

1. B
2. B
3. A
4. A
5. B
6. B
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What role do proteins play in the healing process after surgery?

A. They have no significant role in healing

B. They help in cellular regeneration and tissue repair

C. They are the primary source of energy for healing

D. They only play a role in initial inflammation

Proteins are essential components in the healing process after surgery due to their multifaceted roles in cellular regeneration and tissue repair. They are integral in forming the structure of tissues and play a critical role in the synthesis of collagen, which is vital for wound healing and tissue integrity. Proteins also contribute to the regulation of various biological processes involved in healing, including inflammation, angiogenesis (the formation of new blood vessels), and the proliferation of cells necessary for tissue repair. Additionally, certain proteins act as growth factors that stimulate cellular activities essential for healing, such as cell migration, proliferation, and differentiation. Enzymes, which are also proteins, are involved in breaking down damaged tissue and facilitating the remodeling of the extracellular matrix, critical for restoring normal tissue architecture. While there are other nutrients that support the healing process, attributing the primary role exclusively to energy sources or limiting proteins' involvement to initial inflammation overlooks their comprehensive significance in promoting full recovery and tissue regeneration after surgery. This multifaceted role underscores the importance of adequate protein intake during the recovery phase to optimize healing outcomes.

2. What can modifying factors such as mucogingival problems influence?

A. The severity of the disease

B. Selection of surgical techniques for pocket therapy

C. Length of treatment duration

D. Patient's nutritional needs

The correct answer highlights how modifying factors, particularly mucogingival problems, directly influence the selection of surgical techniques for pocket therapy. Mucogingival problems can include issues like inadequate keratinized tissue, gingival recession, or mucosal defects, which may necessitate specific approaches during surgical intervention. When planning for periodontal surgery, practitioners must consider the existing anatomy and morphology of the gingiva and mucosa. If mucogingival problems are present, they may require modifications in the surgical approach to ensure that the treatment not only addresses the periodontal pocket but also restores or maintains adequate soft tissue architecture and function. For instance, pocket therapy in patients with significant gingival recession might involve techniques such as grafting or the use of barrier membranes to enhance the zone of keratinized tissue and promote optimal healing. In contrast, while the severity of the disease and length of treatment duration may also be affected by mucogingival issues, they are more indirect influences, as they do not specifically alter the choice of surgical technique per se. Similarly, a patient's nutritional needs, while important for overall health and healing, are not directly modified by mucogingival concerns in the context of surgical planning.

SAMPLE

3. What benefit does using a surgical microscope provide in periodontal surgery?

A. Enhances visualization and improves precision

B. Reduces the need for anesthesia

C. Allows for quicker procedures

D. Makes surgery less complicated

Utilizing a surgical microscope in periodontal surgery significantly enhances visualization, which is critical for achieving precision during procedures. The magnification offered by the microscope allows for an improved view of the operating field, enabling the surgeon to see fine structures and details that may be difficult to discern with the naked eye. This level of visibility not only facilitates more accurate anatomical assessments but also aids in executing delicate surgical maneuvers, reducing the risk of damaging important tissues. Moreover, the use of a surgical microscope contributes to finer tissue handling and suturing, which can lead to better healing outcomes. The ability to observe the surgical site in great detail can also bolster the surgeon's confidence and dexterity, ultimately improving the overall quality of the procedure and patient satisfaction. The other options do not directly align with the benefits provided by a surgical microscope. For instance, while anesthesia management is essential, the microscope does not influence the need for anesthesia or impact the speed of the surgical procedure in a direct manner. Additionally, while the clarity provided by a microscope might simplify the process in terms of visual guidance, it does not inherently make the procedures less complicated or reduce their duration. Overall, enhanced visualization and precision are the cornerstone advantages of incorporating a surgical microscope in periodontal surgery.

4. Which regenerative technique might be used alongside bone grafting?

A. Guided tissue regeneration

B. Dental implants

C. Veneers

D. Orthodontics

Guided tissue regeneration is a surgical technique that aims to facilitate the healing process and enhance the regeneration of lost periodontal tissues, including bone and soft tissue. This technique is often used in conjunction with bone grafting procedures to improve outcomes, as it helps to prevent the ingrowth of unwanted tissues into the graft site, thereby allowing the desired tissues to regenerate effectively. In the context of bone grafting, guided tissue regeneration involves placing a barrier membrane over the graft material. This barrier selectively promotes the growth of periodontal ligament and bone cells while inhibiting the proliferation of epithelial and connective tissue cells. By using this technique, clinicians can enhance the regenerative potential of the graft, ultimately leading to a more successful outcome in restoring the periodontal anatomy. The other options, while they are important in the field of dentistry, do not typically complement bone grafting in the same direct manner. Dental implants are a replacement strategy rather than a regenerative technique, veneers address aesthetic needs rather than regenerative goals, and orthodontics involves the alignment of teeth rather than regeneration of tissues. Thus, guided tissue regeneration stands out as the complementary approach specifically designed to support and enhance the efficacy of bone grafting procedures.

SAMPLE

5. What is one of the primary uses of surgical curettes?

A. Removal of calculus from supragingival surfaces

B. Removal of granulation tissue and tenacious subgingival deposits

C. Extraction of teeth with minimal trauma

D. Placement of sutures in surgical areas

Surgical curettes are specifically designed tools used in periodontal procedures, and one of their primary uses is the removal of granulation tissue and tenacious subgingival deposits. These instruments have a scoop-like shape and are often used in surgical settings to debride infected tissues, making them an essential part of periodontal surgery. Granulation tissue, which can develop in response to inflammation or infection, may obstruct healing and contribute to periodontal disease if not adequately removed. The design of the surgical curette allows the clinician to effectively access and remove this tissue and persistent subgingival deposits that standard instruments may not reach. This meticulous cleaning is crucial for improving the healing environment and facilitating successful outcomes in periodontal therapy. Other options do not align with the main functions of surgical curettes. For instance, the removal of calculus from supragingival surfaces is better suited to hand scalers and ultrasonic instruments designed specifically for that purpose. Teeth extraction typically involves other specialized instruments aimed at minimizing trauma. The placement of sutures falls under the capabilities of suture needles and scissors rather than surgical curettes. Therefore, the use of surgical curettes is most accurately associated with their role in the removal of granulation tissue and stubborn subgingival deposits.

6. What is the goal of Phase I in periodontal therapy?

A. Final restorations

B. Eliminate microbial etiology and contributing factors

C. Supportive periodontal therapy

D. Gingival surgeries

The primary goal of Phase I in periodontal therapy is to eliminate microbial etiology and contributing factors. This phase, also referred to as the initial or non-surgical phase, focuses on the control of periodontal disease by addressing the plaque biofilm, calculus, and any contributing factors that may worsen the condition, such as improper occlusion and incorrect oral hygiene practices. During this phase, dental professionals typically implement scaling and root planing to remove subgingival plaque and calculus, along with educating patients about effective oral hygiene practices to maintain periodontal health. This foundational step is crucial, as it aims to reduce inflammation, restore periodontal tissues to a healthier state, and halt the progression of periodontal disease. The other options involve different aspects of periodontal treatment: final restorations pertain to the completion of dental work post-periodontal treatment, supportive periodontal therapy refers to ongoing maintenance after the initial therapy, and gingival surgeries are surgical interventions that are typically pursued if non-surgical treatments are inadequate. Thus, Phase I is primarily centered on the elimination of microbial factors before considering advanced therapeutic options.

SAMPLE

7. What is an important aspect of periodontal surgery related to bleeding control?

A. Patient comfort

B. Hemostasis

C. Overall health

D. Experience of the surgeon

Hemostasis is a critical aspect of periodontal surgery as it refers to the process of stopping bleeding, which is essential for surgical success and patient safety. Effective hemostasis minimizes blood loss during the procedure, allowing for a clearer surgical field, which enhances the surgeon's ability to visualize and operate accurately. Additionally, achieving proper hemostasis reduces the risk of complications such as hematoma formation and secondary hemorrhage, which can affect healing and increase the likelihood of infection. Furthermore, effective control of bleeding promotes patient comfort and reduces anxiety during and after the procedure. It also contributes to the overall prognosis of the surgery, as uncontrolled bleeding can compromise the surgical outcomes and the stability of the periodontal structures being treated. Thus, mastering techniques for achieving hemostasis is paramount for any practitioner performing periodontal surgeries.

8. What does the term "mucogingival surgery" refer to?

A. Surgery focused on bone restructuring

B. Correction of soft tissue defects

C. Removal of diseased gum tissue

D. Surgery for teeth alignment

The term "mucogingival surgery" specifically refers to surgical procedures aimed at correcting soft tissue defects in the gingiva and surrounding mucosal areas. This type of surgery addresses issues such as gingival recessions, lack of attached gingiva, and other aesthetic or functional concerns that involve the gums and mucosa. By focusing on soft tissue, mucogingival surgery can enhance the gingival contour, improve aesthetics, and increase the amount of keratinized tissue around teeth. It may involve techniques such as grafting to restore or reposition gum tissue. This procedure is integral to periodontal treatment as it not only helps in restoring the contours or esthetics but also contributes to periodontal health by minimizing areas prone to plaque accumulation. In contrast, the other options focus on different aspects of dental surgery. Bone restructuring would pertain more to surgical procedures aimed at the underlying bone, which does not directly involve the mucosa or soft tissue. Removing diseased gum tissue targets infection rather than the reconstruction or correction of defects, while surgery for teeth alignment is unrelated to mucogingival corrections, as it primarily pertains to orthodontics rather than periodontal health.

SAMPLE

9. What is the primary goal of non-surgical Phase I therapy?

A. Reduce inflammation only

B. Eliminate plaque, calculus, and altered cementum

C. Promote bone regeneration

D. Eliminate periodontal pockets

The primary goal of non-surgical Phase I therapy is to eliminate plaque, calculus, and altered cementum. This phase focuses on comprehensive periodontal debridement to remove biofilm and calcified deposits, which are critical in the progression of periodontal disease. By effectively managing these factors, the therapy aims to restore gingival health, minimize inflammation, and create an environment conducive to healing. Following this initial phase, if periodontal health is achieved, the need for further surgical intervention may be mitigated. Non-surgical Phase I therapy is crucial because it treats the underlying causes of periodontal disease, promoting the potential for successful outcomes in maintaining periodontal health. This approach is not only about reducing inflammation, although that is a significant benefit; rather, it encompasses a broader goal of addressing the biological factors contributing to periodontal disease comprehensively.

10. Why is it important to avoid excessive tissue manipulation during periodontal surgery?

A. To speed up the surgical process

B. To minimize trauma and preserve blood supply

C. To reduce the need for sutures

D. To enhance the visibility of the surgical site

Avoiding excessive tissue manipulation during periodontal surgery is crucial primarily to minimize trauma to the surrounding soft tissues and to preserve the blood supply to the surgical area. When tissues are manipulated excessively, it can lead to increased trauma, which may result in greater vascular compromise and a delayed healing response. The preservation of blood supply is essential for optimal healing, as it ensures an adequate supply of oxygen and nutrients to the tissue. This helps reduce the risk of complications, such as necrosis or delayed healing, and promotes better outcomes post-surgery. Additionally, minimizing trauma helps to maintain the integrity of the periodontal tissues, creating a more favorable environment for rehabilitation and regeneration, particularly in periodontal surgeries where the health of the periodontal tissues is critical for the success of the procedure. Although factors such as speed of surgery, the necessity for sutures, and visibility of the surgical site are important considerations, they are secondary to the imperative of preserving the biological characteristics of the tissues involved.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://perio716surgerygenprinciples.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE