PERSONALITY DISORDER PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://personalitydisorder.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What is the core premise of Linehan's biosocial model for Borderline Personality Disorder?**

   A. Genetic predisposition to affective instability

   B. Emotional vulnerability interacting with an invalidating environment produces emotion dysregulation

   C. Developmental trauma is the sole cause

   D. Emotional detachment leads to avoidance

2. **Which of the following is a treatment approach for Schizotypal Personality Disorder?**

   A. Electroconvulsive therapy is first-line

   B. Psychotherapy focusing on social skills

   C. Only lifestyle modification; no pharmacotherapy

   D. Surgical intervention is required

3. **Schizotypal personality disorder may decompensate under stress and become overtly psychotic for brief time.**

   A. True in all cases

   B. Not associated with any psychotic features

   C. It may decompensate under stress and become overtly psychotic for brief time

   D. It always requires hospitalization

4. **Borderline Personality Disorder: Which statement is NOT typical?**

   A. Intense fear of abandonment

   B. Steady, calm affect

   C. Mood swings

   D. Impulsive behavior

5. **Antisocial Personality Disorder: What is a typical thought pattern?**

   A. I must look out for myself. The strongest survive. It's okay to lie and cheat if you don't get caught.

   B. I follow the rules and value honesty.

   C. I care what others think.

   D. I avoid risk-taking.

SAMPLE

6. What describes the two components that comprise personality?

A. Temperament (genetics) and character (environment)

B. Intelligence and memory

C. Mood and motivation

D. Social status

7. On which diagnostic axis is a personality disorder coded?

A. Axis I

B. Axis III

C. Axis IV

D. Axis II

8. In the treatment of Obsessive-Compulsive Personality Disorder, which therapeutic modality is considered useful?

A. Pharmacotherapy alone is sufficient

B. Electroconvulsive therapy

C. Psychotherapy - group therapy can be useful

D. Behavioral avoidance therapy

9. Which PD is marked by social inhibition, feelings of inadequacy, and hypersensitivity to criticism?

A. Narcissistic Personality Disorder

B. Avoidant Personality Disorder

C. Dependent Personality Disorder

D. Obsessive-Compulsive Personality Disorder

10. In treating Dependent Personality Disorder, which element is emphasized?

A. Psychotherapy to gain independence and assertiveness training

B. Isolation to prevent manipulation

C. Vaccination to prevent anxiety

D. Group therapy without a therapist

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. B
5. A
6. A
7. D
8. C
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What is the core premise of Linehan's biosocial model for Borderline Personality Disorder?

A. Genetic predisposition to affective instability

B. Emotional vulnerability interacting with an invalidating environment produces emotion dysregulation

C. Developmental trauma is the sole cause

D. Emotional detachment leads to avoidance

Linehan's biosocial model explains that Borderline Personality Disorder arises from the combination of a biological predisposition to intense emotional responses and an environment that invalidates those emotions. Emotional vulnerability means emotions are experienced more intensely, rise quickly, and take longer to cool down. An invalidating environment sends messages that these emotions are wrong, unimportant, or something to be ashamed of, which teaches the person to mistrust or suppress their feelings. When these two factors interact, emotion regulation becomes severely impaired, leading to the rapid mood shifts, impulsive behaviors, and unstable relationships that characterize the disorder. This framework also helps explain why treatments like dialectical behavior therapy, which focus on building emotion regulation and validation skills, are effective. The other ideas—genetic predisposition alone, trauma as the sole cause, or emotional detachment with avoidance—don't capture the essential interaction between vulnerability and invalidation that produces dysregulation.

2. Which of the following is a treatment approach for Schizotypal Personality Disorder?

A. Electroconvulsive therapy is first-line

B. Psychotherapy focusing on social skills

C. Only lifestyle modification; no pharmacotherapy

D. Surgical intervention is required

Schizotypal personality disorder mainly harms social functioning, so the primary treatment is psychotherapy that targets social skills. Social skills training helps people recognize social cues, regulate anxiety in interactions, and respond more appropriately, which leads to better real-world functioning. Cognitive-behavioral elements can also address odd beliefs or suspicious thinking that surface in social contexts. Medications aren't the main approach, but they may help with co-occurring anxiety or depression or with brief psychotic-like symptoms if present. Electroconvulsive therapy isn't used as first-line here, and surgical intervention isn't indicated; lifestyle changes alone don't address the core interpersonal difficulties.

3. Schizotypal personality disorder may decompensate under stress and become overtly psychotic for brief time.

A. True in all cases

B. Not associated with any psychotic features

C. It may decompensate under stress and become overtly psychotic for brief time

D. It always requires hospitalization

Schizotypal personality disorder sits on the schizophrenia spectrum, so it often involves perceptual distortions and unusual beliefs that are close to psychotic thinking. Under stress, these fragile features can escalate into a brief bout of overt psychosis—delusions or hallucinations—that peaks quickly and then remits as the stressor passes. This is why the statement is true: there can be a temporary decompensation with psychotic symptoms, even though the core pattern is personality-based rather than a full-blown psychotic disorder. It's not universal or unavoidable, and it doesn't imply that hospitalization is always required; management depends on the severity and safety considerations, with many episodes being short and localizable to the stressor.

SAMPLE

4. Borderline Personality Disorder: Which statement is NOT typical?

A. Intense fear of abandonment

B. Steady, calm affect

C. Mood swings

D. Impulsive behavior

Borderline Personality Disorder is defined by emotional dysregulation and affective instability, meaning emotions swing quickly and intensely. Fear of abandonment fits this pattern because individuals are highly sensitive to perceived rejection and may react strongly. Mood swings are another hallmark, with rapid shifts in mood over hours or days. Impulsive behavior often arises as a way to cope with overwhelming emotions or the fear of being abandoned. A steady, calm affect, however, does not align with the characteristic volatility of this disorder. That makes the statement describing a calm, even-keeled affect not typical.

5. Antisocial Personality Disorder: What is a typical thought pattern?

A. I must look out for myself. The strongest survive. It's okay to lie and cheat if you don't get caught.

B. I follow the rules and value honesty.

C. I care what others think.

D. I avoid risk-taking.

In Antisocial Personality Disorder, a typical way of thinking involves a self-centered, calculating perspective that prioritizes personal gain over moral rules or others' rights. The statement "I must look out for myself. The strongest survive. It's okay to lie and cheat if you don't get caught" embodies that mindset. It shows a willingness to deceive and to justify unethical behavior as long as it benefits the individual, which aligns with traits like deceitfulness and a lack of remorse that are central to the disorder. Other options reflect attitudes that are not characteristic of antisocial patterns. Following rules and valuing honesty suggests adherence to social norms; caring about what others think indicates concern for others' opinions; and avoiding risk-taking points to risk-averse, cautious thinking. None of these reflect the self-serving, manipulative worldview typical of antisocial presentation.

6. What describes the two components that comprise personality?

A. Temperament (genetics) and character (environment)

B. Intelligence and memory

C. Mood and motivation

D. Social status

Personality is described as a blend of temperament and character. Temperament is the biologically based, largely genetic set of tendencies you're born with, providing stable patterns in how you react to people and situations. Character, on the other hand, develops through life experiences, learning, and social interactions, shaping your values, goals, and self-regulation. Together, these two components capture both inherited dispositions and environmental shaping that make up personality. Intelligence and memory are cognitive abilities, not a two-part personality framework. Mood and motivation describe states or processes rather than enduring personality structure, and social status is an external position, not a component of internal personality.

SAMPLE

7. On which diagnostic axis is a personality disorder coded?

A. Axis I

B. Axis III

C. Axis IV

D. Axis II

Personality disorders are enduring patterns of inner experience and behavior that are stable over time and cause distress or impairment. In the old DSM multi-axial system, such stable, pervasive patterns were coded on Axis II. Axis I covers most clinical syndromes like mood and anxiety disorders and other acute conditions; Axis III lists general medical conditions; Axis IV notes psychosocial and environmental problems. So, a personality disorder is categorized on Axis II. (Note: DSM-5 removed the multi-axial framework, but historically personality disorders were placed on Axis II.)

8. In the treatment of Obsessive-Compulsive Personality Disorder, which therapeutic modality is considered useful?

A. Pharmacotherapy alone is sufficient

B. Electroconvulsive therapy

C. Psychotherapy - group therapy can be useful

D. Behavioral avoidance therapy

Group psychotherapy is particularly helpful for Obsessive-Compulsive Personality Disorder because the challenges here are deeply tied to rigid thinking, perfectionism, and control in relationships. In a group setting, individuals can observe and model more flexible ways of behaving and thinking, receive direct feedback from peers, and practice interpersonal skills in a structured environment. This social interaction naturally challenges perfectionistic standards and control needs, making it easier to loosen some defenses and adopt more adaptive patterns. Medications, while useful for accompanying mood or anxiety symptoms, do not typically modify these core personality traits when used alone. Electroconvulsive therapy isn't a standard treatment for this disorder, and behavioral avoidance therapy is not the primary approach for addressing the pervasive rigidity seen in OCPD. The value of group therapy lies in its ability to illuminate rigid patterns through real-time social interaction and peer critique, supporting meaningful change in how a person relates to others and themselves.

9. Which PD is marked by social inhibition, feelings of inadequacy, and hypersensitivity to criticism?

A. Narcissistic Personality Disorder

B. Avoidant Personality Disorder

C. Dependent Personality Disorder

D. Obsessive-Compulsive Personality Disorder

Pervasive social inhibition, feelings of inadequacy, and hypersensitivity to criticism point to a pattern where the person avoids social interaction and closeness because of a deep fear of rejection or negative evaluation. This combination is the hallmark of Avoidant Personality Disorder. People with this presentation tend to view themselves as inferior, are highly sensitive to criticism, and limit their activities and relationships to avoid embarrassment or distress. In contrast, narcissistic personality disorder centers on a grandiose self-view and a strong need for admiration; dependent personality disorder involves clinging, submissive behavior and fear of being left alone; obsessive-compulsive personality disorder features perfectionism, rigidity, and a preoccupation with rules. The described triad of social inhibition, perceived inadequacy, and hypersensitivity to evaluation best fits Avoidant Personality Disorder because it captures the pervasive avoidance and self-doubt across multiple contexts, driven by fear of rejection.

SAMPLE

10. In treating Dependent Personality Disorder, which element is emphasized?

A. Psychotherapy to gain independence and assertiveness training

B. Isolation to prevent manipulation

C. Vaccination to prevent anxiety

D. Group therapy without a therapist

In treating Dependent Personality Disorder, the main aim is to build independence through psychotherapy and teach assertiveness. People with this disorder tend to rely excessively on others and fear being left to cope alone. Psychotherapy focuses on helping them recognize and challenge beliefs that they can't manage without others and on developing skills to make decisions and handle daily life on their own. Assertiveness training then provides concrete techniques for expressing needs, setting healthy boundaries, and resisting over-dependence, which gradually reduces the pattern of reliance. This approach directly targets the core challenge—increasing autonomous functioning and reducing excessive submission to others. Other options don't fit as well: isolation would worsen social withdrawal and dependency; vaccination is irrelevant to psychological treatment; and group therapy without a therapist lacks the guidance needed to address deeply rooted dependency.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://personalitydisorder.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE