PHARMACOLOGY AND THE NURSING PROCESS BY LINDA LANE LILLEY: PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://pharmacologylilley.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the optimal therapeutic range for theophylline blood level suggested by most prescribers now?

A. 10 to 20 mcg/mL

B. 5 to 15 mcg/mL

C. 20 to 30 mcg/mL

D. 0 to 5 mcg/mL

2. What are the adverse effects of ARBs?

A. Chest pain, fatigue, hypoglycemia

B. Increased heart rate, severe headaches

C. Uncontrolled hypertension, blurred vision

D. Weight gain, skin rash

3. What are anticholinergics primarily used for?

A. Immediate relief of asthma symptoms

B. Prevention of bronchospasm in chronic bronchitis or emphysema

C. Hypertension treatment

D. Treatment of allergic reactions

4. Clopidogrel's black box warning pertains to which issue?

A. High cholesterol

B. Genetic abnormalities

C. Liver damage

D. Kidney failure

5. Zileuton acts by inhibiting which enzyme?

A. 5-lipoxygenase

B. Cyclooxygenase

C. Monoamine oxidase

D. Phosphodiesterase

6. What does Desmopressin structurally mimic?

A. Adrenaline

B. Insulin

C. Vasopressin

D. Testosterone

SAMPLE

7. Which of the following is NOT a long-acting beta agonist?

A. Formoterol
B. Pirbuterol
C. Salmeterol
D. Arformoterol

8. LMWHs like enoxaparin are often used as?

A. Monotherapy for hypertension
B. Bridge therapy during warfarin interruption
C. First-line treatment for diabetes
D. Antidote for heparin overdose

9. A unique feature of Nebivolol (Bystolic) is:

A. It only blocks alpha receptors
B. It causes significant sexual dysfunction
C. It also produces vasodilation
D. It is the oldest beta blocker

10. Eptifibatide (Integrilin) is classified under which category of drugs?

A. Anticoagulant
B. Antiplatelet
C. Antiviral
D. Antibiotic

SAMPLE

Answers

SAMPLE

1. B
2. A
3. B
4. B
5. A
6. C
7. B
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What is the optimal therapeutic range for theophylline blood level suggested by most prescribers now?

A. 10 to 20 mcg/mL

B. 5 to 15 mcg/mL

C. 20 to 30 mcg/mL

D. 0 to 5 mcg/mL

The optimal therapeutic range for theophylline blood level is suggested to be between 5 to 15 mcg/mL by most prescribers because this range has been found to be effective and safe for treating respiratory conditions. Option A (10 to 20 mcg/mL) may be considered too high, leading to potential side effects such as tachycardia, while option C (20 to 30 mcg/mL) may increase the risk of toxicity. Option D (0 to 5 mcg/mL) is not a recommended range as it is below therapeutic levels and would not be effective in treating respiratory conditions.

2. What are the adverse effects of ARBs?

A. Chest pain, fatigue, hypoglycemia

B. Increased heart rate, severe headaches

C. Uncontrolled hypertension, blurred vision

D. Weight gain, skin rash

Angiotensin II Receptor Blockers (ARBs) are vasodilators that lower blood pressure by preventing the hormone angiotensin II from binding to angiotensin II receptors. Adverse effects may include dizziness, hypotension, and hyperkalemia. These effects are mild and generally well tolerated by most individuals. Chest pain, fatigue and hypoglycemia are not common adverse effects of ARBs. Options B, C, and D are incorrect because they describe adverse effects that are not typically associated with ARBs. For example, increased heart rate and headaches are commonly associated with other classes of blood pressure medications, such as beta-blockers, and are not typically seen with ARBs. Uncontrolled hypertension and blurred vision are not adverse effects of ARBs, but rather symptoms of poorly controlled hypertension. Weight gain and skin rash are also not typical adverse effects

3. What are anticholinergics primarily used for?

A. Immediate relief of asthma symptoms

B. Prevention of bronchospasm in chronic bronchitis or emphysema

C. Hypertension treatment

D. Treatment of allergic reactions

Anticholinergics are primarily used to prevent bronchospasms in patients with chronic bronchitis or emphysema. These medications work by blocking the action of acetylcholine, a neurotransmitter that constricts the airways. This action helps to relax the muscles in the airways and prevent bronchospasms. A is incorrect because anticholinergics do not provide immediate relief for asthma symptoms. C is incorrect because anticholinergics are not typically used to treat hypertension. D is incorrect because anticholinergics are not used to treat allergic reactions.

SAMPLE

4. Clopidogrel's black box warning pertains to which issue?

A. High cholesterol

B. Genetic abnormalities

C. Liver damage

D. Kidney failure

Clopidogrel's black box warning is not related to high cholesterol or liver damage, as there are no known adverse effects of this medication on these issues. Similarly, there is no evidence that clopidogrel causes kidney failure. The black box warning specifically pertains to genetic abnormalities, as there have been rare cases where individuals with certain genetic variations have had poor responses to the medication. It is important for healthcare providers to consider genetic testing before prescribing clopidogrel to ensure the best outcome for the patient. Therefore, option B is the most relevant and accurate choice.

5. Zileuton acts by inhibiting which enzyme?

A. 5-lipoxygenase

B. Cyclooxygenase

C. Monoamine oxidase

D. Phosphodiesterase

Zileuton, also known as Zileuton CR, is an anti-inflammatory medication that works by inhibiting the enzyme 5-lipoxygenase. This enzyme is responsible for the production of leukotrienes, which are molecules involved in the inflammatory response. By inhibiting this enzyme, zileuton helps to reduce inflammation in conditions such as asthma. Option B, cyclooxygenase, is not the correct answer because this enzyme is responsible for the production of prostaglandins, which are also involved in the inflammatory response but do not play a role in asthma. Option C, monoamine oxidase, is not the correct answer because this enzyme is involved in the breakdown of neurotransmitters and is not directly related to inflammation in the lungs. Option D, phosphodiesterase, is not the correct answer because this enzyme plays a role in

6. What does Desmopressin structurally mimic?

A. Adrenaline

B. Insulin

C. Vasopressin

D. Testosterone

Desmopressin is a synthetic hormone that is similar in structure to a hormone called vasopressin. This hormone is found naturally in the body and is involved in regulating the body's water balance and blood pressure. While adrenaline, insulin, and testosterone are also hormones found in the body, they have different structures and functions. Therefore, options A, B, and D are incorrect.

SAMPLE

7. Which of the following is NOT a long-acting beta agonist?

A. Formoterol

B. Pirbuterol

C. Salmeterol

D. Arformoterol

Long-acting beta agonists (LABAs) are a type of medication commonly used to treat asthma and chronic obstructive pulmonary disease (COPD). They work by relaxing the muscles in the airways, making it easier to breathe. Option A Formoterol is a long-acting beta agonist and is commonly used to treat asthma and COPD. It works by stimulating beta-2 receptors in the airway muscles, leading to muscle relaxation. Option B: Pirbuterol is a short-acting beta agonist, which means it has a shorter duration of action compared to long-acting beta agonists. It is used for the short-term relief of symptoms in asthma and COPD. Option C: Salmeterol is a long-acting beta agonist that works similarly to formoterol. It is used for the maintenance treatment of asthma and COPD

8. LMWHs like enoxaparin are often used as?

A. Monotherapy for hypertension

B. Bridge therapy during warfarin interruption

C. First-line treatment for diabetes

D. Antidote for heparin overdose

One of the main uses of LMWHs like enoxaparin is as a bridge therapy during warfarin interruption. This means that it is used to continue anticoagulation treatment when a patient temporarily needs to stop taking warfarin, such as before a surgery. It is not used as a monotherapy for hypertension, as there are other more effective medications for that purpose. LMWHs are also not typically used as first-line treatment for diabetes. Additionally, they are not an antidote for heparin overdose, but rather a related type of medication to heparin. Therefore, the correct answer is B Bridge therapy during warfarin interruption.

9. A unique feature of Nebivolol (Bystolic) is:

A. It only blocks alpha receptors

B. It causes significant sexual dysfunction

C. It also produces vasodilation

D. It is the oldest beta blocker

Nebivolol (Bystolic) is a beta blocker that is unique due to its ability to also produce vasodilation. This is achieved through activation of endothelial nitric oxide synthase, leading to the release of nitric oxide which causes smooth muscle relaxation and vasodilation. Option A is incorrect because Nebivolol blocks both beta and alpha receptors. Option B is incorrect because Nebivolol has a lower incidence of sexual dysfunction compared to other beta blockers. Option D is incorrect because Nebivolol was approved by the FDA in 2007, making it a relatively new beta blocker on the market.

SAMPLE

10. Eptifibatide (Integrilin) is classified under which category of drugs?

A. Anticoagulant

B. Antiplatelet

C. Antiviral

D. Antibiotic

Integrilin, also known as eptifibatide, is a drug that belongs to the category of antiplatelet drugs. This category of drugs works by preventing platelets in the blood from forming clots, which can lead to blood clots in the arteries and veins. Anticoagulant drugs, on the other hand, work by inhibiting the formation of blood clots and are used to prevent and treat conditions such as deep vein thrombosis and pulmonary embolism. Antiviral drugs are used to treat viral infections, while antibiotics are used to treat bacterial infections. Therefore, it is incorrect to classify eptifibatide under anticoagulants, antivirals, or antibiotics as they do not have the same mechanism of action or indications for use.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://pharmacologylilley.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE