PHARMACY TECHNICIAN CERTIFICATION BOARD PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://
pharmacytechniciancertificationboard.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does the term "formulary" refer to?

A. A comprehensive list of all medications available

B. A list of medications that are approved for use within a particular health care system or insurance plan

C. A list of medications that are currently out of stock

D. A comparison of medication prices

2. What is a long-acting insulin product that is typically given once a day in the evening?

A. Insulin detemir

B. Insulin aspart

C. Insulin NPH

D. Insulin glulisine

3. Which type of medication is exempt from the requirement of a DEA number?

A. Controlled substance medication

B. Non-controlled prescription medications

C. OTC medications

D. Herbal supplements

4. What action must a pharmacy technician take if a patient reports an unexpected side effect?

A. Document it and inform the pharmacist immediately

B. Advise the patient to stop taking the medication

C. Ignore the report unless it's serious

D. Report it after the pharmacy closes

5. Which of the following actions is part of ensuring medication accuracy?

A. Counting pills without checking the prescription

B. Verifying prescriptions against medication labels

C. Dispensing medications without patient history

D. Assuming all medication is correct based on prior experience

SAMPLE

6. Which schedule of drugs typically has the highest potential for abuse?

A. Schedule I

B. Schedule II

C. Schedule III

D. Schedule IV

7. What is the appropriate temperature range for storing a refrigerated medication?

A. 20-40 degrees F

B. 36-46 degrees F

C. 25-35 degrees F

D. 26-36 degrees F

8. What is an important consideration for pharmacy technicians underpinned by safety protocols?

A. Following up on patient medication queries in a casual manner

B. Ensuring medications are stored with attention to safety and regulations

C. Encouraging patients to purchase over-the-counter drugs

D. Not documenting patient interactions

9. Which type of medication is typically dispensed in unit-dose packaging?

A. Liquid medications

B. Topical ointments

C. Oral solid dosage forms, such as tablets and capsules

D. Injectable medications

10. Which antihistamine is considered non-drowsy compared to others in its class?

A. Phenergan

B. Hydroxyzine

C. Meclizine

D. Loratadine

SAMPLE

Answers

SAMPLE

1. B
2. A
3. B
4. A
5. B
6. A
7. B
8. B
9. C
10. D

SAMPLE

Explanations

SAMPLE

1. What does the term "formulary" refer to?

A. A comprehensive list of all medications available

B. A list of medications that are approved for use within a particular health care system or insurance plan

C. A list of medications that are currently out of stock

D. A comparison of medication prices

The term "formulary" specifically refers to a list of medications that are approved for use within a particular health care system or insurance plan. This list is designed to guide prescribing practices within a facility or insurance provider, ensuring that medications that are effective and safe, as well as cost-efficient, are readily available. A formulary typically includes details such as the conditions for which the medications are endorsed, any restrictions on their use, and may also incorporate tiered pricing structures that affect patient copays. Its purpose is to promote the use of medications that are recognized for their efficacy and value, contributing to the overall quality of care provided to patients. In contrast, while a comprehensive list of all medications available might seem related, it does not capture the selective nature of a formulary that is tailored to specific health system needs or insurance coverage. A list of medications that are currently out of stock would address supply issues rather than approved use, and a comparison of medication prices focuses solely on cost rather than the evaluation and selection process involved in formulating a formulary.

2. What is a long-acting insulin product that is typically given once a day in the evening?

A. Insulin detemir

B. Insulin aspart

C. Insulin NPH

D. Insulin glulisine

Insulin detemir is a long-acting insulin that is commonly administered once a day, often in the evening, due to its pharmacokinetic profile. This insulin is designed to provide a steady release of insulin over an extended period, which helps to maintain basal insulin levels throughout the day and night. The primary advantage of administering insulin detemir in the evening is that it can aid in managing blood glucose levels overnight and into the fasting state of the next day. Its onset of action is relatively gradual, and the duration of action allows for flexibility in insulin management, making it a suitable choice for many patients with type 1 and type 2 diabetes. The other mentioned options represent different types of insulin with distinct characteristics. Insulin aspart and insulin glulisine are rapid-acting insulins, typically used around mealtimes to control postprandial blood glucose. Insulin NPH is an intermediate-acting insulin and usually requires more than one dose a day to cover basal and postprandial needs. Thus, in contrast to these options, insulin detemir stands out for its long-acting profile and once-daily administration.

SAMPLE

3. Which type of medication is exempt from the requirement of a DEA number?

A. Controlled substance medication

B. Non-controlled prescription medications

C. OTC medications

D. Herbal supplements

Non-controlled prescription medications are exempt from the requirement of a DEA number because they do not fall under the schedules of controlled substances that the Drug Enforcement Administration regulates. Controlled substances, defined under the Controlled Substances Act, are categorized into schedules based on factors such as their potential for abuse, medical use, and safety. These substances require a DEA number for prescribing and dispensing to ensure proper tracking and regulation. In contrast, non-controlled prescription medications include a wide range of pharmaceutical drugs that do not have the same level of risk for abuse or dependence. Thus, when prescriptions are written for these medications, a DEA number is not necessary, simplifying the process for healthcare providers and allowing for more straightforward access for patients. Over-the-counter (OTC) medications and herbal supplements also do not require a DEA number, but they don't fit the category of prescription medications. OTC medications can be bought without a prescription, while herbal supplements are not classified as drugs and thus do not require a DEA number at all. However, non-controlled prescription medications specifically are noted for their exemption within the context of this question.

4. What action must a pharmacy technician take if a patient reports an unexpected side effect?

A. Document it and inform the pharmacist immediately

B. Advise the patient to stop taking the medication

C. Ignore the report unless it's serious

D. Report it after the pharmacy closes

When a patient reports an unexpected side effect, the most appropriate action for a pharmacy technician is to document the side effect and inform the pharmacist immediately. This is vital because the pharmacist can assess the situation, determine whether the medication should be reviewed or if further action is required, and ensure patient safety. Documentation is essential for tracking adverse effects and contributing to the overall safety and efficacy of medication use. Reporting the issue to the pharmacist right away ensures that the information is promptly addressed, allowing for potential interventions, such as notifying the prescribing physician or adjusting the patient's medication regimen. This collaborative approach helps maintain the standard of care and protects the well-being of the patient. In contrast, advising the patient to stop taking the medication could lead to complications without proper guidance. Ignoring the report unless it's serious undermines patient safety and could result in undetected harmful effects. Delaying the report until after the pharmacy closes can lead to a lack of timely intervention, which may exacerbate the patient's condition. Therefore, the action of documenting and informing the pharmacist immediately is critical to patient health and safety.

SAMPLE

5. Which of the following actions is part of ensuring medication accuracy?

A. Counting pills without checking the prescription

B. Verifying prescriptions against medication labels

C. Dispensing medications without patient history

D. Assuming all medication is correct based on prior experience

Verifying prescriptions against medication labels is a critical action in ensuring medication accuracy. This process involves cross-referencing the information on the prescription with the labels of the medications being dispensed. It helps to confirm that the correct medication, dosage, and instructions are being provided to the patient. This step is vital in preventing errors that could arise from miscommunication, misinterpretation of prescriptions, or incorrect medication being selected for dispensing. Ensuring that each medication matches the prescription not only safeguards patient health but also upholds the standards of practice within the pharmacy. It is a systematic approach that significantly reduces the chances of medication-related errors, thereby enhancing patient safety and trust in pharmaceutical care.

6. Which schedule of drugs typically has the highest potential for abuse?

A. Schedule I

B. Schedule II

C. Schedule III

D. Schedule IV

Schedule I drugs are classified as having the highest potential for abuse and no accepted medical use in the United States. This classification is reserved for substances that are considered to pose a significant risk of addiction and dependence. Drugs in this category include substances such as heroin, lysergic acid diethylamide (LSD), and cannabis, despite the changing legal landscape around some of these substances at the state level. The rationale for this classification is based on both scientific evidence and societal concerns regarding the potential consequences of misuse. As Schedule I drugs are deemed to have a high potential for abuse, there are stricter regulations surrounding their possession, distribution, and research. In contrast, the other schedules (Schedule II, III, and IV) include drugs that, while still potentially addictive, are recognized to have legitimate medical uses and are available with varying levels of prescription control. This distinction helps to clarify the potential risks associated with these drugs compared to Schedule I substances, reinforcing why Schedule I is viewed as having the highest potential for abuse.

7. What is the appropriate temperature range for storing a refrigerated medication?

A. 20-40 degrees F

B. 36-46 degrees F

C. 25-35 degrees F

D. 26-36 degrees F

The appropriate temperature range for storing refrigerated medications is between 36 and 46 degrees Fahrenheit. This range ensures that the efficacy of the medication is maintained, preventing degradation that can occur if the temperature is too high or too low. Medications that require refrigeration often include specific antibiotics, insulin, and certain vaccines, all of which can lose potency when not stored at the correct temperature. Maintaining this temperature range helps preserve the chemical stability and effectiveness of these products, ultimately ensuring patient safety and treatment efficacy. Other temperature ranges listed do not align with the guidelines recommended for refrigerated storage, leading to the risk of compromising the medication's effectiveness or safety.

SAMPLE

8. What is an important consideration for pharmacy technicians underpinned by safety protocols?

A. Following up on patient medication queries in a casual manner

B. Ensuring medications are stored with attention to safety and regulations

C. Encouraging patients to purchase over-the-counter drugs

D. Not documenting patient interactions

The importance of ensuring medications are stored with attention to safety and regulations is paramount for pharmacy technicians. Proper storage of medications is fundamental in maintaining their efficacy and preventing contamination or degradation. Medications can vary widely in their storage requirements due to factors such as temperature sensitivity, light sensitivity, and humidity levels. By adhering to safety protocols, pharmacy technicians help to minimize risks such as medication errors, mishandling, or accidents that can occur due to improper storage conditions. This not only ensures that patients receive safe and effective medications but also complies with legal and regulatory standards, which are in place to safeguard public health. Following these storage protocols assists in preventing adverse health effects and supports the overall integrity of the pharmacy practice.

9. Which type of medication is typically dispensed in unit-dose packaging?

A. Liquid medications

B. Topical ointments

C. Oral solid dosage forms, such as tablets and capsules

D. Injectable medications

Unit-dose packaging is specifically designed for the convenient and safe administration of medications. Oral solid dosage forms, like tablets and capsules, are commonly dispensed in this type of packaging. Unit-dose packaging allows each individual dose to be pre-packaged, eliminating the need for the pharmacy staff to measure or count doses at the time of administration. This method enhances medication safety by reducing the risk of dosing errors and ensuring that patients receive the correct medication at the appropriate time. Oral solid forms can easily be packaged this way since they are stable and can be individually sealed. In contrast, liquid medications and topical ointments are not typically packaged in unit doses due to the practical challenges associated with measuring liquid volumes and the requirement for more significant amounts of ointments for application. Injectable medications, while they can sometimes be provided in unit-dose formats, are often dispensed in vials or ampules instead, particularly in hospital settings where they might be required to be mixed or prepared in a specific way before administration.

SAMPLE

10. Which antihistamine is considered non-drowsy compared to others in its class?

A. Phenergan

B. Hydroxyzine

C. Meclizine

D. Loratadine

Loratadine is considered a non-drowsy antihistamine because it is a second-generation antihistamine. This class of drugs is designed to selectively block peripheral histamine H1 receptors, which helps alleviate allergy symptoms such as sneezing, runny nose, and itchy eyes, while causing less sedation. Contrastingly, first-generation antihistamines, such as Phenergan (promethazine) and hydroxyzine, often cause significant drowsiness since they can cross the blood-brain barrier and have effects on the central nervous system. Meclizine, while used for motion sickness, is another first-generation antihistamine that can also lead to sedation. Loratadine's formulation allows it to be less sedating, making it a suitable choice for individuals who need to manage their allergy symptoms without the side effect of drowsiness. This non-drowsy characteristic is why loratadine stands out among the choices provided.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://pharmacytechniciancertificationboard.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE