
PHLEBOTOMY REQUISITION FORM PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://phlebotomyrequisitionform.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Tegretol is used to treat which of the following?

A. Hypertension
B. Parkinson's disease
C. Seizures and bipolar disorder
D. Anemia

2. What is indicated when no tube is required for urine tests?

A. Sample is not needed
B. No special preparation needed
C. Test can use any container
D. Standard collection procedure

3. Which hormone is tested to determine whether a person is pregnant?

A. Cortisol
B. Estradiol
C. HCG
D. Free T4

4. What does the Standard Serum Separator Tube (SST) indicate for tests?

A. For Hemoglobin testing
B. Standard collection for various blood tests
C. Random protein tests
D. Only for urine samples

5. Which test is used for screening pregnancy?

A. Estradiol
B. HCG Quant
C. Free T4
D. Cortisol

6. Which test is used to screen for ovarian cancer?

A. CA125
B. CA27.29
C. PAP Smear
D. PSA Diagnostic

SAMPLE

7. What type of sample is primarily used for a Urinalysis (UA)?

A. Blood
B. Saliva
C. Urine
D. Skin

8. What kind of sample do tests pertaining to Urine Chemistry require?

A. Blood sample
B. Saliva sample
C. No sample required
D. Urine sample

9. What type of infection does the Hep Panel Acute test evaluate?

A. Chronic liver infection
B. Acute liver infection
C. Past liver infection
D. Viral liver infection only

10. What is the primary purpose of the Tropinin 1 Quant test?

A. To diagnose kidney stones
B. To measure blood magnesium levels
C. To confirm a heart attack
D. To evaluate total protein levels

SAMPLE

Answers

SAMPLE

1. C
2. B
3. C
4. B
5. B
6. A
7. C
8. D
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Tegretol is used to treat which of the following?

A. Hypertension

B. Parkinson's disease

C. Seizures and bipolar disorder

D. Anemia

Tegretol, also known by its generic name carbamazepine, is primarily prescribed for the management of seizures and the treatment of bipolar disorder. It functions by stabilizing mood and reducing the frequency of seizures, making it especially useful for individuals with epilepsy or those experiencing depressive episodes within the context of bipolar disorder. This medication works by influencing certain electrical signals in the brain, thereby helping to prevent excessive neuronal firing, which plays a crucial role in both seizure activity and mood stabilization. Its specific application in these areas highlights its importance in the treatment of neurological and psychological conditions. The other options represent conditions for which Tegretol is not indicated. For instance, hypertension is typically managed with antihypertensives, Parkinson's disease is treated with dopaminergic medications, and anemia treatment generally involves iron supplements or other therapies tailored to the underlying cause. Therefore, the use of Tegretol is distinctly relevant to seizures and bipolar disorder.

2. What is indicated when no tube is required for urine tests?

A. Sample is not needed

B. No special preparation needed

C. Test can use any container

D. Standard collection procedure

When it's indicated that no tube is required for urine tests, it typically means that no special preparation is needed for the collection process. This implies that the sample can be collected directly into a clean, appropriate container without any additional steps, such as using a specific type of tube. The absence of a tube requirement allows for simpler collection procedures and indicates that the testing laboratory is capable of processing the urine sample as is. The other options imply conditions that are not accurate in this context. For example, stating that a sample is not needed would be misleading because a urine test still requires a sample; saying any container can be used might overlook specific requirements for specimen integrity; and mentioning a standard collection procedure does not address the specific reason for not requiring a tube. Thus, the indication that no tube is required reflects that no special preparation is necessary allows for efficient and streamlined specimen collection for testing.

3. Which hormone is tested to determine whether a person is pregnant?

A. Cortisol

B. Estradiol

C. HCG

D. Free T4

The hormone tested to determine pregnancy is human chorionic gonadotropin, commonly referred to as HCG. When a woman becomes pregnant, the developing placenta produces HCG shortly after fertilization, which is essential for maintaining the early stages of pregnancy. HCG can be detected in urine or blood, and its presence is a key indicator of pregnancy. Tests for HCG are widely used because they are both reliable and straightforward, making it the standard method for pregnancy testing. The hormone's levels can be quantitatively measured to assess not only pregnancy but also the health of the pregnancy over time, as HCG levels typically rise in early pregnancy. In contrast, cortisol is a hormone related to stress response, estradiol is one of the main estrogens involved in the menstrual cycle and reproductive system, and free T4 is a thyroid hormone important for metabolism regulation. None of these hormones directly indicate pregnancy status, unlike HCG.

SAMPLE

4. What does the Standard Serum Separator Tube (SST) indicate for tests?

A. For Hemoglobin testing

B. Standard collection for various blood tests

C. Random protein tests

D. Only for urine samples

The Standard Serum Separator Tube (SST) is specifically designed for the collection of blood samples that will be used for a variety of laboratory tests. This type of tube contains a gel that facilitates the separation of serum from the cellular components of the blood after centrifugation. As a result, the SST is widely utilized for various tests, including serology, chemistry panels, and hormone assays, because it allows for efficient handling and analysis of serum. The versatility of the SST is one of its key features, enabling laboratories to streamline the testing process with a single collection device, making B the most accurate choice. By using the SST, healthcare providers can obtain the serum needed for multiple tests from just one blood draw, improving patient comfort and reducing the need for multiple venipunctures.

5. Which test is used for screening pregnancy?

A. Estradiol

B. HCG Quant

C. Free T4

D. Cortisol

The HCG Quant test is specifically designed to measure the concentration of human chorionic gonadotropin (hCG) in a person's blood. This hormone is produced during pregnancy, primarily by the placenta shortly after an embryo attaches to the uterine lining. The presence of hCG in the bloodstream is a definitive indication of pregnancy, and because its levels can be quantitatively assessed, the test can also provide information on the progression of the pregnancy. In contrast, estradiol is a form of estrogen and is involved in various functions in both male and female bodies, but it is not a direct indicator of pregnancy. Free T4 pertains to thyroid function and is not related to pregnancy screening. Cortisol is a stress hormone that plays roles in metabolism and immune response, rather than indicating pregnancy status. Therefore, the HCG Quant test is the most suitable choice for effectively screening for pregnancy.

6. Which test is used to screen for ovarian cancer?

A. CA125

B. CA27.29

C. PAP Smear

D. PSA Diagnostic

The test used to screen for ovarian cancer is CA125. This is a blood test that measures the level of the cancer antigen 125 protein, which can be found at elevated levels in women with ovarian cancer. While CA125 is not exclusively for ovarian cancer and can be elevated in other conditions (including endometriosis and pelvic inflammatory disease), it is widely recognized as a useful marker in evaluating women who are at high risk or showing symptoms suggestive of ovarian cancer. Monitoring CA125 levels can help in assessing treatment response or recurrence as well. Other tests like CA27.29 are primarily used for monitoring breast cancer, a PAP smear is a cervical cancer screening test, and PSA (prostate-specific antigen) is focused on prostate cancer, which demonstrates that each test is tailored for specific types of cancer detection rather than a broad-spectrum screening solution.

SAMPLE

7. What type of sample is primarily used for a Urinalysis (UA)?

A. Blood

B. Saliva

C. Urine

D. Skin

Urinalysis (UA) is a test that assesses the content of urine and provides valuable information about a person's health, particularly in diagnosing conditions related to the kidneys, urinary tract, and metabolic disorders. The primary sample used for this analysis is urine because it contains various substances such as waste products, electrolytes, and metabolic byproducts, which are essential for the evaluation of renal function and overall health. Urine is collected in a specific container designed to preserve its integrity for testing, and the results of urinalysis can reveal important indicators of a person's health status. Components measured in urine can include pH, specific gravity, the presence of proteins, glucose, ketones, bilirubin, and more. Each of these components can illustrate different physiological or pathological conditions. Other sample types, such as blood, saliva, or skin, do not provide the same relevant information as urine for this specific test. Blood samples might be used in other tests to assess various conditions but are not suitable for urinalysis. Saliva can be used for different types of tests, and skin samples are relevant in contexts like allergy testing or microbiological cultures, but for urinalysis specifically, urine is the only sample type that provides the necessary data.

8. What kind of sample do tests pertaining to Urine Chemistry require?

A. Blood sample

B. Saliva sample

C. No sample required

D. Urine sample

Tests pertaining to Urine Chemistry specifically require a urine sample because these tests are designed to analyze the chemical composition of urine to assess various health conditions. The substances measured can include glucose, proteins, electrolytes, and other metabolites that are excreted in the urine. Each component provides valuable insights into kidney function, metabolic disorders, and overall health. Urine is collected for these tests because it can reveal diagnostic information about the body's physiological and biochemical processes over the previous hours or days. Each test is performed to identify issues with the kidneys, urinary tract, and other systemic conditions that may affect the body's ability to filter and excrete waste products effectively. In contrast, blood and saliva samples serve different diagnostic purposes. Blood tests analyze different metabolites and markers that are present in the bloodstream, while saliva tests can provide insights into hormonal levels and oral health. Therefore, the specific requirement of a urine sample aligns perfectly with the objectives and parameters of Urine Chemistry tests.

SAMPLE

9. What type of infection does the Hep Panel Acute test evaluate?

A. Chronic liver infection

B. Acute liver infection

C. Past liver infection

D. Viral liver infection only

The Hep Panel Acute test is designed to evaluate for acute liver infections, specifically to detect the presence of hepatitis viruses that are responsible for causing recent infections in the liver. This panel typically tests for antibodies and antigens related to various hepatitis viruses, including hepatitis A, hepatitis B, and hepatitis C, during the acute phase of the illness. Acute liver infections usually present with symptoms such as jaundice, fatigue, and elevated liver enzymes, and they are clinically important to identify because they can lead to significant health complications if not managed promptly. By focusing on the identification of acute infections, this test aids healthcare providers in making timely diagnostic and treatment decisions to address the current state of the patient's liver health. The other answer choices describe different scenarios that the Hep Panel Acute test does not specifically target, such as chronic liver conditions or past infections, which may require different testing approaches or panels to evaluate effectively.

10. What is the primary purpose of the Tropinin 1 Quant test?

A. To diagnose kidney stones

B. To measure blood magnesium levels

C. To confirm a heart attack

D. To evaluate total protein levels

The primary purpose of the Troponin 1 Quant test is to confirm a heart attack. Troponins are proteins found in cardiac muscle, and their presence in the blood is a significant indicator of myocardial injury. When a heart attack occurs, damage to heart muscle cells releases troponin into the bloodstream, leading to elevated levels that can be measured through this specific test. This allows healthcare providers to assess whether a patient has experienced heart muscle damage, thereby playing a critical role in diagnosing acute coronary syndromes, particularly in emergency and critical care settings. The other options, while related to medical testing, do not pertain to the Troponin 1 Quant test. Diagnosing kidney stones would require imaging studies or tests that involve the urinary system, while measuring blood magnesium levels and evaluating total protein levels relate to different aspects of metabolic health and are not directly linked to cardiac function.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://phlebotomyrequisitionform.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE