PIPEFITTER STAR PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://pipefitterstar.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What component is key to processing the information sensed throughout a control system?

A. controller

B. analyzer

C. actuator

D. positioner

2. The greatest contributor to pump/motor shaft misalignment is?

A. flange rotation

B. pipe strain

C. inertia

D. pump horsepower

3. When calculating the travel length of a 45 degree offset, which factor should you multiply by?

A. 0.414

B. 0.707

C. 1.414

D. 2

4. When observing a south elevation view on a drawing, what perspective are you viewing from?

A. Looking at the north side of the object facing south

B. Looking at the south side of the object facing north

C. Looking at the south side of the object facing west

D. Looking at the south side of the object facing east

5. For a 75 degree turn from a 90 degree welded long radius elbow, what is the proper layout technique?

A. stand the elbow up and mark with a protractor

B. grind down the fitting until the angle is achieved

C. redo the layout to use 45 degree fittings

D. level the elbow and layout the arcs

SAMPLE

6. If a gallon of water occupies 0.135 cubic feet, how many gallons will a tank 3 ft long, 36 inches wide, and 4 ft deep hold?

A. 235

B. 252

C. 367

D. 312

7. Which sling configuration provides the greatest capacity?

A. Vertical

B. Choker

C. Double wrap choker hitch

D. Basket hitch

8. What is the volume in gallons of a cylindrical tank that is 3 feet in height and 2 feet in diameter?

A. 12.57 gallons

B. 18.84 gallons

C. 27.43 gallons

D. 31.42 gallons

9. What must be avoided to prevent water hammer in a piping system?

A. Improperly sized pipes

B. Incorrect valve types

C. Pipes not supported properly

D. Improper insulation

10. Which of the following is a characteristic of a neutral flame?

A. A balanced mix of oxygen and acetylene

B. A flame that produces soot

C. A flame that is primarily oxidizing

D. A flame that is extremely cool

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. B
5. D
6. C
7. D
8. C
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. What component is key to processing the information sensed throughout a control system?

A. controller

B. analyzer

C. actuator

D. positioner

The controller is fundamental to processing the information sensed throughout a control system because it serves as the brain of the system. It receives input signals from various sensors that monitor the system's operational parameters, such as pressure, temperature, and flow. The controller evaluates this data against setpoint values, which are the desired operational conditions. Based on this analysis, it makes decisions to activate or adjust outputs to maintain the system within desired parameters. As a decision-making unit, the controller interprets the data, determines necessary adjustments, and sends commands to other components, like actuators or positioners, to effect changes in the system. This closed-loop feedback mechanism is vital for maintaining optimal performance and ensuring that the system operates efficiently and safely. The effectiveness and precision of the entire control system heavily rely on the controller's ability to process and respond to information accurately.

2. The greatest contributor to pump/motor shaft misalignment is?

A. flange rotation

B. pipe strain

C. inertia

D. pump horsepower

The greatest contributor to pump/motor shaft misalignment is pipe strain. Pipe strain occurs when there are stresses placed on the piping system, often due to thermal expansion, contraction, or even external forces acting on the pipes. This strain can cause the pipes to shift position, which, in turn, can lead to misalignment of the pump and motor shafts. When the alignment is off, it can result in increased wear and tear on the pump and motor components, potentially causing premature failures. Understanding the impact of pipe strain is essential for proper installation and maintenance of pump systems. By ensuring that the piping is adequately supported and flexible to accommodate movement, the likelihood of misalignment can be significantly reduced.

3. When calculating the travel length of a 45 degree offset, which factor should you multiply by?

A. 0.414

B. 0.707

C. 1.414

D. 2

When calculating the travel length of a 45-degree offset, the correct factor to multiply by is 0.707. This value corresponds to the relationship between the angle of the offset and the actual lengths of the pipes involved. In the case of a 45-degree offset, the effective travel length is derived from the geometry of a right triangle, where the legs represent the horizontal and vertical offsets. The hypotenuse (the travel length of the pipe) can be calculated using trigonometric principles. The sine or cosine of 45 degrees is equal to 0.707, which means that for every unit of measurement along the travel length, you only achieve 0.707 units of offset in both the horizontal and vertical directions. Using this factor allows you to accurately determine how much actual length of pipe is needed to accommodate the 45-degree offset while ensuring the fitting remains effective and structurally sound. This method is essential for maintaining precise alignments and ensuring the integrity of the piping system during installation.

SAMPLE

4. When observing a south elevation view on a drawing, what perspective are you viewing from?

A. Looking at the north side of the object facing south

B. Looking at the south side of the object facing north

C. Looking at the south side of the object facing west

D. Looking at the south side of the object facing east

When observing a south elevation view on a drawing, you are indeed looking at the south side of the object while facing north. This perspective is critical in architectural and engineering drawings because elevation views represent how the object appears when viewed from a specified direction. When you face north to view the south elevation, you are seeing all the details on the south side of the object as they would appear from that vantage point. This perspective allows you to understand key features such as doors, windows, and other dimensions that are critical for construction or installation purposes. In construction blueprints, different elevations (north, south, east, and west) are used to provide a complete picture of the structure being built. Each elevation offers a unique and necessary perspective, making it crucial for anyone working with these drawings to understand the orientation and viewpoint being represented.

5. For a 75 degree turn from a 90 degree welded long radius elbow, what is the proper layout technique?

A. stand the elbow up and mark with a protractor

B. grind down the fitting until the angle is achieved

C. redo the layout to use 45 degree fittings

D. level the elbow and layout the arcs

The proper layout technique for achieving a 75-degree turn from a 90-degree welded long radius elbow involves leveling the elbow and laying out the arcs. This approach allows for a precise measurement of the angle and ensures that the resulting pipe section will fit properly in the intended application. By leveling the elbow, you create a stable and accurate setup that helps in visualizing and marking the desired angle clearly. When laying out the arcs, you can use tools like a radius gauge or a measuring tape to mark the transition accurately and ensure the correct bend is replicated. This method is essential for maintaining the quality of the fit and ensuring that the pipe will flow correctly, ultimately leading to reduced stress and risk of failure in the piping system. Other techniques, such as grinding down the fitting, could compromise the integrity of the elbow and result in a weak joint. Redoing the layout with 45-degree fittings or attempting to mark angles with a protractor might not yield the desired curvature, complicating the process further. The key to a successful layout is precision and understanding how to manipulate the existing fittings effectively to meet the project requirements.

SAMPLE

6. If a gallon of water occupies 0.135 cubic feet, how many gallons will a tank 3 ft long, 36 inches wide, and 4 ft deep hold?

A. 235

B. 252

C. 367

D. 312

To determine how many gallons the tank can hold, you first need to calculate the volume of the tank in cubic feet. The volume can be found by multiplying the length, width, and height of the tank: 1. Convert all dimensions to feet: - The length is already in feet: 3 ft - The width is given in inches, so convert it to feet: 36 inches ÷ 12 inches/ft = 3 ft - The depth is also already in feet: 4 ft 2. Now, calculate the volume in cubic feet: Volume = Length × Width × Depth Volume = 3 ft × 3 ft × 4 ft = 36 cubic feet Next, convert the volume from cubic feet to gallons. Since 1 gallon occupies 0.135 cubic feet, you can find out how many gallons are in 36 cubic feet by dividing the volume in cubic feet by the volume per gallon: Gallons = Volume in cubic feet ÷ Volume per gallon Gallons = 36 cubic feet ÷ 0.135 cubic feet/gallon ≈ 266.67 gallons This calculation closely matches the answer choice of 252 gallons, which indicates that the

7. Which sling configuration provides the greatest capacity?

A. Vertical

B. Choker

C. Double wrap choker hitch

D. Basket hitch

The basket hitch configuration offers the greatest capacity when lifting loads with slings. This configuration uses two sling legs that support the load from underneath, effectively distributing the weight across both slings. The design allows for improved stability and balance, enabling the sling to lift more weight than other configurations. In addition to increasing lifting capacity, the basket hitch reduces stress on the individual sling components. Since the weight is shared between two legs, it minimizes the risk of overload and potential failure in a single leg, making it a safer choice for heavy lifts. Other configurations, such as vertical and choker hitches, do not provide the same level of support. The vertical hitch places the entire weight on one point and is limited by the single leg's capacity. The choker hitch, while versatile, also burdens one leg more than the basket hitch does. The double wrap choker hitch, while it adds some additional support, still does not match the load capacity of the basket hitch due to the inherent characteristics of the load distribution in that configuration.

8. What is the volume in gallons of a cylindrical tank that is 3 feet in height and 2 feet in diameter?

A. 12.57 gallons

B. 18.84 gallons

C. 27.43 gallons

D. 31.42 gallons

To determine the volume of a cylindrical tank, you can use the formula for the volume of a cylinder, which is given by: \[V = \pi r^2 h \] where: - \(V \) is the volume, - \(r \) is the radius of the base of the cylinder, - \(h \) is the height of the cylinder. In this case, the diameter of the cylinder is 2 feet, which means the radius \(r \) is half of that: \[r = \frac{2 \text{ feet}}{2} = 1 \text{ foot} \] The height \(h \) is given as 3 feet. Now plug these values into the volume formula: \[V = \pi (1 \text{ foot})^2 (3 \text{ feet}) \] \[V = \pi (1) (3) \] \[V = 3\pi \text{ cubic feet} \] Next, we need to convert the volume from cubic feet to gallons, knowing that 1 cubic foot is approximately 7.48 gallons: \[3\pi \text{ cubic feet} \times 7.48 \text{ gallons/c

SAMPLE

9. What must be avoided to prevent water hammer in a piping system?

A. Improperly sized pipes

B. Incorrect valve types

C. Pipes not supported properly

D. Improper insulation

To prevent water hammer in a piping system, it's essential to ensure that pipes are supported properly. Water hammer occurs when a fluid in motion is forced to stop or change direction suddenly, leading to shock waves that create loud banging noises in the pipes. If pipes are not supported adequately, they can move freely when water pressure changes, exacerbating the impact and noise created by these sudden changes in fluid motion. Proper support helps maintain the position of the pipes, minimizing movement and vibration, and allowing the system to absorb shocks more effectively. Inadequate support can also lead to the pipes hitting adjacent structures or other pipes, intensifying the water hammer effect. Therefore, ensuring that pipes are secured properly is crucial for maintaining system integrity and preventing the disruptive and potentially damaging effects of water hammer.

10. Which of the following is a characteristic of a neutral flame?

A. A balanced mix of oxygen and acetylene

B. A flame that produces soot

C. A flame that is primarily oxidizing

D. A flame that is extremely cool

A neutral flame is characterized by a balanced mix of oxygen and acetylene, which creates an ideal combustion condition for welding and cutting metals. This balanced ratio ensures complete combustion, resulting in a flame that has a clear inner cone and a softer outer envelope. In welding applications, the neutral flame is optimal because it does not introduce excess oxygen, which could lead to oxidation of the metal or result in a tendency to burn or create unwanted carbon deposits. This characteristic is crucial when working with various metals, as it promotes clean and precise welding without compromising the integrity of the materials being joined. Other flame types, such as oxidizing flames, feature a higher proportion of oxygen and can result in a hotter flame that might cause oxidation of the material being worked on. A flame that produces soot indicates incomplete combustion, often associated with too much acetylene in the mix, while a cool flame is typically achieved with insufficient oxygen or fuel and is not suitable for welding applications. Thus, the balanced nature of the neutral flame is essential for effective and clean metalworking processes.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://pipefitterstar.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE