PLUMBING TIER 1 PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://plumbingtier1.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Vent pipes protect trap seals from _____.**

   A. Sewer gases

   B. Water backup

   C. Negative air pressure

   D. Vacuum creation

2. **What type of valve is used to prevent reversal of flow in a piping system?**

   A. Shutoff valve

   B. Check valve

   C. Ball valve

   D. Gate valve

3. **Which of the following is true about the installation of CSST?**

   A. It requires additional grounding

   B. It cannot be used in residential applications

   C. It is less flexible than steel pipe

   D. It does not require protection from physical damage

4. **What type of well is considered a shallow well?**

   A. Drilled Well

   B. Dug or Driven Well

   C. Bored Well

   D. Deep Well

5. **What is used to protect runs of corrugated stainless steel tubing from accidental damage?**

   A. Striker plates

   B. Protective sleeves

   C. Plastic covers

   D. Metal clamps

6. **What is the purpose of a sump pump?**

   A. To circulate air in attics

   B. To remove water from basements or low-lying areas

   C. To filter drinking water

   D. To provide water pressure to fixtures

SAMPLE

7. The number of students for any continuing education class shall be limited to no more than _____ people.

A. 50

B. 49

C. 45

D. 40

8. What is the primary use of a plumbing snake?

A. To install pipes

B. To clear clogs in drain pipes

C. To measure water pressure

D. To tighten loose fittings

9. The term "Slope" in drainage systems can also be associated with which of the following?

A. A, B, and C

B. Vertical alignment

C. Drainage direction

D. Piping material

10. A grease interceptor/separator that is 5-feet long, 3-feet wide, and 36-inches deep will require the removal of approximately how many cubic feet of soil and concrete flooring debris?

A. 40 to 42

B. 43 to 47

C. 48 to 50

D. 51 to 53

SAMPLE

Answers

SAMPLE

1. C
2. B
3. A
4. B
5. A
6. B
7. B
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Vent pipes protect trap seals from _____.

A. Sewer gases

B. Water backup

C. Negative air pressure

D. Vacuum creation

Vent pipes play a crucial role in plumbing systems by helping to maintain atmospheric pressure in drainage systems. One of their primary functions is to protect trap seals from becoming compromised. Trap seals are the water barriers in plumbing fixtures that prevent sewer gases from entering living spaces. By providing venting, these pipes allow air to enter the drainage system, which helps to equalize pressure. When negative air pressure occurs (often when water flows down a drain), it can siphon or draw water out of the traps, leading to a loss of that protective water barrier. This loss can allow harmful sewer gases to escape into the home or building. Therefore, the correct answer focuses on how vent pipes mitigate the risk of vacuum creation within the plumbing system, thereby safeguarding the integrity of trap seals and ensuring that they remain effective in blocking sewer gases. Understanding this role of vent pipes is essential for maintaining a safe and functional plumbing system.

2. What type of valve is used to prevent reversal of flow in a piping system?

A. Shutoff valve

B. Check valve

C. Ball valve

D. Gate valve

A check valve is specifically designed to allow fluid to flow in one direction only and to prevent backflow in a piping system. This type of valve utilizes a disc or gate mechanism that opens when the flow is in the desired direction, allowing liquid to pass through. However, if there is any attempt of flow in the opposite direction, the disc closes, effectively blocking the reversal of flow. This feature is crucial in various plumbing and drainage applications, particularly in systems where backflow could lead to contamination or damage. For example, in water supply systems and drainage applications, check valves maintain the integrity of the system by ensuring that used water does not re-enter the clean water supply. The other types of valves listed do not serve this specific purpose of preventing backflow. A shutoff valve is primarily used to stop the flow of fluid entirely, while a ball valve and gate valve are generally used for controlling flow rather than preventing reversal of flow. Thus, the check valve's unique function makes it the correct choice for preventing the reversal of flow in a piping system.

SAMPLE

3. Which of the following is true about the installation of CSST?

A. It requires additional grounding

B. It cannot be used in residential applications

C. It is less flexible than steel pipe

D. It does not require protection from physical damage

The statement regarding the installation of CSST, which stands for Corrugated Stainless Steel Tubing, correctly identifies the need for additional grounding. CSST systems are made of flexible tubing that can be exposed to electrical surges, which can create a risk of damage or fire if not properly grounded. To mitigate this risk, local codes and safety standards often require that CSST systems be grounded to prevent electrical hazards. Grounding provides a safe path for stray electrical currents, reducing the risk of arcing at the connections and ensuring the overall safety of the gas piping system. In contrast, the other statements are not accurate. CSST is indeed suitable for use in residential applications, providing a lightweight and flexible alternative to traditional steel piping. Although flexible, CSST is designed to withstand various pressures and is generally considered easier to install in tight spaces than rigid steel pipe. Lastly, CSST installations must be protected from physical damage, especially in areas where the tubing may be exposed to potential impacts or abrasion. This protection is typically ensured through the use of protective measures like conduit or rigid materials when installed in vulnerable areas.

4. What type of well is considered a shallow well?

A. Drilled Well

B. Dug or Driven Well

C. Bored Well

D. Deep Well

A shallow well is typically defined as one that is relatively close to the surface, usually reaching depths of about 25 feet or less. Dug or driven wells fit this definition perfectly because they are commonly constructed by manually digging into the ground or driving a pipe into the surface layers of soil and rock until groundwater is reached. These methods can easily access the water table without needing extensive equipment or deep drilling techniques. Dug wells are often excavated by hand and can vary in diameter, while driven wells utilize a smaller diameter pipe that is pushed into the ground. Both types are generally associated with shallower water sources, making them ideal candidates for shallow well classification. Conversely, drilled wells and bored wells are typically deeper and are often used to access water that is found in bedrock or at greater depths. Deep wells, by their nature, extend far beyond the depths associated with shallow wells and are designed for substantial water yield from deeper aquifers. Thus, while those options are valid forms of well construction, their characteristics do not align with what is defined as a shallow well.

SAMPLE

5. What is used to protect runs of corrugated stainless steel tubing from accidental damage?

A. Striker plates

B. Protective sleeves

C. Plastic covers

D. Metal clamps

Striker plates are specifically designed to provide a robust form of protection for corrugated stainless steel tubing. These plates are typically made from durable materials and are strategically mounted over the tubing in locations where there is a significant risk of impact or damage, such as near walls, corners, or areas with potential for mechanical wear and tear. The primary function of striker plates is to prevent physical damage that could compromise the integrity of the tubing, ensuring that the plumbing system functions reliably. While protective sleeves and plastic covers offer some degree of shielding, they may not provide the same level of impact resistance that striker plates do. Metal clamps are used primarily for securing the tubing in place, rather than for protecting it from external damage. The emphasis with striker plates is on durability and their protective function in high-risk areas, making them the most suitable choice for safeguarding corrugated stainless steel tubing.

6. What is the purpose of a sump pump?

A. To circulate air in attics

B. To remove water from basements or low-lying areas

C. To filter drinking water

D. To provide water pressure to fixtures

A sump pump is primarily designed to remove water from basements or other low-lying areas where water accumulation can occur, particularly during heavy rainfall or flooding. The pump is typically installed in a sump pit, which is a low point in a basement or crawl space that collects water from various sources, such as groundwater seepage or plumbing leaks. When water enters the sump pit, the sump pump automatically activates and pumps the water out and away from the building, preventing structural damage, mold growth, and dampness that could lead to unhealthy living conditions. This function is critical for maintaining the integrity of the building and safeguarding the health of its occupants. The other options pertain to different systems and functions not related to the specific purpose of a sump pump. For instance, circulating air in attics pertains to ventilation systems, filtering drinking water relates to water purification systems, and providing water pressure to fixtures involves the plumbing system's supply and drainage functions. Each of these tasks serves a distinct role in home maintenance but does not align with the sump pump's essential function of water removal.

SAMPLE

7. The number of students for any continuing education class shall be limited to no more than _____ people.

A. 50

B. 49

C. 45

D. 40

The correct answer is based on regulations or guidelines that often stipulate a specific maximum number of participants allowed in continuing education classes to ensure effective learning and instructor management. Limiting the number of students to 49 people helps to maintain a conducive learning environment where instructors can provide adequate attention and support to each student. This limit also encourages participation and interaction, making it easier for educators to facilitate discussions and address individual questions or concerns. Policies for education class sizes typically aim to balance accessibility for students with the need for quality instruction. Setting the maximum at 49 instead of a round number like 50 can be a strategic choice to create an easier control on logistics, such as seating, resources, and classroom management, ensuring that every student can be accommodated comfortably without compromising the class's quality. While other options suggest different numbers for maximum participants, adhering to 49 likely reflects specific regulatory standards or best practices established in educational environments. This approach maintains high educational standards and promotes a more effective learning experience.

8. What is the primary use of a plumbing snake?

A. To install pipes

B. To clear clogs in drain pipes

C. To measure water pressure

D. To tighten loose fittings

The primary use of a plumbing snake is to clear clogs in drain pipes. This tool, often referred to as a drain snake or auger, is designed to navigate through the plumbing system to reach and dislodge blockages that may not be accessible through standard means. When a sink, toilet, or drain experiences a blockage, the plumbing snake can be inserted into the pipe. It utilizes either a rotating auger or a coiled design to break up or pull out debris, such as hair, grease, or foreign objects, restoring the flow of water. While the other options refer to important functions in plumbing, they do not align with the specific purpose of a plumbing snake. For example, installing pipes involves different tools and processes, as does measuring water pressure, which requires pressure gauges. Tightening loose fittings is also a separate task, typically handled by wrenches or pliers. The focus of a plumbing snake is singularly dedicated to clearing obstacles within plumbing lines, making it an essential tool in any plumber's toolkit for maintaining efficient drainage systems.

SAMPLE

9. The term "Slope" in drainage systems can also be associated with which of the following?

A. A, B, and C

B. Vertical alignment

C. Drainage direction

D. Piping material

The term "slope" in drainage systems refers to the gradient or inclination that allows gravity to assist in the flow of wastewater or stormwater through pipes. This relationship signifies that slope plays a crucial role in maintaining effective drainage. When considering vertical alignment, slope is directly related because it indicates how pipes are laid out in relation to the ground and other structural elements. The correct slope ensures that water flows downward toward the drainage outlets, preventing stagnation and potential blockages. Additionally, drainage direction is inherently tied to slope. The angle at which pipes are installed determines the path wastewater will take, guiding it toward the desired discharge point. A correct slope will direct water flow effectively and ensure that gravity plays an essential role in the drainage process. Although piping material is important for system integrity and long-term durability, it does not directly relate to the concept of slope. Thus, the association of slope with both vertical alignment and drainage direction highlights its critical function in achieving proper drainage solutions. Therefore, the choice that includes all relevant connections—vertical alignment, drainage direction, and their interrelationship—validates the comprehensive nature of the term "slope" in drainage systems.

10. A grease interceptor/separator that is 5-feet long, 3-feet wide, and 36-inches deep will require the removal of approximately how many cubic feet of soil and concrete flooring debris?

A. 40 to 42

B. 43 to 47

C. 48 to 50

D. 51 to 53

To determine the volume of soil and concrete flooring debris that requires removal for a grease interceptor/separator, it's essential to first calculate the total volume based on the dimensions given: length, width, and depth of the unit. The grease interceptor measures 5 feet long, 3 feet wide, and 36 inches deep. To calculate the volume in cubic feet, we need to convert the depth from inches to feet. As there are 12 inches in a foot, 36 inches converts to 3 feet (36 ÷ 12 = 3). Now, we can calculate the volume using the formula for the volume of a rectangular prism: Volume = Length × Width × Depth Volume = 5 feet × 3 feet × 3 feet Calculating this gives: Volume = 5 × 3 × 3 = 45 cubic feet Since the question asks for an approximate range of the volume, 45 cubic feet falls within the range of 43 to 47 cubic feet, making this the correct answer. This also helps reinforce the concept that understanding how to calculate the volume of three-dimensional objects is critical in plumbing and construction work. By knowing how to visualize and compute volume, a plumber can accurately assess the material requirements for

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://plumbingtier1.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE