PRE-SOLO WRITTEN PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://presolowritten.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which of the following is NOT a source for local altimeter settings?

A. AIRMET

B. AWOS

C. METAR

D. Flight service station

2. What should a pilot do if they suspect carburetor ice has formed?

A. Reduce throttle

B. Apply carburetor heat

C. Increase altitude

D. Switch fuel type

3. What must a student pilot do before entering Class B airspace?

A. Request clearance from ATC

B. Fly in without any communication

C. Depart from an uncontrolled airport only

D. Visit the airport first

4. Who has the right of way when two aircraft are on final approach to land at the same time?

A. The airplane at a higher altitude

B. The airplane to the left

C. The airplane at a lower altitude

D. Both aircraft share the right of way

5. What is an appropriate action if an aircraft experiences mechanical failure on approach?

A. Continue the approach at all costs

B. Execute a go-around

C. Immediately land at the nearest airport

D. Perform a steep turn

SAMPLE

6. What is the standard weather minimum for Class B airspace?

A. 5 statute miles visibility and clear of clouds

B. 2 statute miles visibility and must remain above clouds

C. 3 statute miles visibility and clear of clouds

D. 1 statute mile visibility and can be in clouds

7. What is meant by the term 'stall' in aviation?

A. A loss of lift due to exceeding the critical angle of attack

B. A sudden drop in altitude during flight

C. An increase in aircraft speed beyond its limit

D. Loss of control during a steep turn

8. Under what conditions can a spin occur in a training airplane?

A. During a climb with full power

B. While maintaining a stable altitude

C. Only if the airplane is stalled and not recovered properly

D. At any time during the flight

9. What does Vy stand for in aircraft performance?

A. Best angle of climb

B. Best rate of climb

C. Stall speed with flaps

D. Speed at stall before structural damage

10. What is 'rudder trim' used for in aircraft?

A. To enhance engine performance

B. To maintain a constant altitude

C. A feature that helps the pilot maintain coordinated flight without constant input on the rudder pedals

D. To increase turn rate during maneuvers

SAMPLE

Answers

SAMPLE

1. A
2. B
3. A
4. C
5. B
6. C
7. A
8. C
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Which of the following is NOT a source for local altimeter settings?

A. AIRMET

B. AWOS

C. METAR

D. Flight service station

Local altimeter settings are critical for pilots to ensure accurate altitude readings during flight operations. Among the listed options, AIRMETs serve a different purpose and do not provide local altimeter settings. AIRMETs, or Airmen's Meteorological Information, are weather advisories intended for the safety of pilots, particularly regarding hazardous weather conditions such as turbulence, icing, and low visibility. They provide information about various meteorological phenomena but do not include information about altimeter settings, which are crucial for altitude accuracy. In contrast, the other sources—AWOS (Automated Weather Observing System), METAR (Meteorological Aerodrome Report), and flight service stations—are directly involved in providing altimeter information among other weather data. AWOS offers current weather conditions, including altimeter settings, while METAR reports are standardized weather observations that include altimeter settings as part of the critical information available for pilots. Flight service stations also provide altimeter settings as part of their services to pilots, ensuring they have access to accurate data necessary for safe flight operations. Thus, the correct answer is the option that does not provide local altimeter settings, which is AIRMET.

2. What should a pilot do if they suspect carburetor ice has formed?

A. Reduce throttle

B. Apply carburetor heat

C. Increase altitude

D. Switch fuel type

When a pilot suspects that carburetor ice has formed, the appropriate and most effective action to take is to apply carburetor heat. Carburetor ice typically forms when moisture in the air freezes within the carburetor, disrupting the proper fuel-air mixture and potentially leading to engine performance issues or even a loss of power. Applying carburetor heat warms the air entering the carburetor by routing it through a heated duct, which helps to melt any ice that has formed. This allows the engine to function properly as it restores the correct fuel-air mixture. It is crucial to apply the carburetor heat as soon as ice formation is suspected, especially during conditions conducive to icing, such as humid air at low temperatures. While reducing throttle might temporarily reduce the engine load and might help alleviate some symptoms, it does not address the root cause of carburetor ice and might lead to further complications. Increasing altitude would not rectify the ice problem and could potentially exacerbate the situation, especially at lower temperatures. Switching fuel type is not a practical solution to carburetor ice, as it does not eliminate the existing ice or prevent its formation in the carburetor. Understanding and recognizing the proper response to the formation of carburetor ice

SAMPLE

3. What must a student pilot do before entering Class B airspace?

A. Request clearance from ATC

B. Fly in without any communication

C. Depart from an uncontrolled airport only

D. Visit the airport first

Before entering Class B airspace, it is essential for a student pilot to request clearance from Air Traffic Control (ATC). Class B airspace is generally found around busy airports and is designated to ensure the safe and orderly flow of air traffic. The requirement to obtain clearance is critical as it facilitates coordination between pilots and air traffic controllers, ensuring that all aircraft are aware of each other's presence and intentions, thus minimizing the risk of mid-air collisions. Requesting clearance involves listening for instructions from ATC, which governs entry to this type of airspace. Without this clearance, a pilot would be operating in violation of regulations, potentially leading to safety issues and legal repercussions. The other options do not meet the regulatory requirements for flying in Class B airspace. Simply flying in without communication is against the rules, and departing from an uncontrolled airport or visiting the airport first does not exempt the pilot from the necessity of obtaining ATC clearance. Therefore, the requirement to request clearance is a fundamental aspect of ensuring safety in controlled airspace.

4. Who has the right of way when two aircraft are on final approach to land at the same time?

A. The airplane at a higher altitude

B. The airplane to the left

C. The airplane at a lower altitude

D. Both aircraft share the right of way

The aircraft at a lower altitude has the right of way when two aircraft are on final approach to land. According to the rules of the air, specifically those detailed in the regulations regarding right-of-way among aircraft, the aircraft that is at a lower altitude should not be overtaken by a higher altitude aircraft. This principle is based on safety and air traffic management, as it minimizes the risk of mid-air collisions and ensures a clear sequence for landing. The rules are designed to create a predictable and safe operating environment, especially when aircraft are converging on the same point, such as a runway during landing. Additionally, the aircraft at a lower altitude is usually in a position to land first, which reinforces the requirement that it maintains its right of way during this critical phase of flight. Understanding this hierarchy of right of way is essential for pilots during operations to ensure both their safety and that of others in the airspace.

SAMPLE

5. What is an appropriate action if an aircraft experiences mechanical failure on approach?

A. Continue the approach at all costs

B. Execute a go-around

C. Immediately land at the nearest airport

D. Perform a steep turn

Executing a go-around is the most appropriate action if an aircraft experiences mechanical failure on approach. During an approach, pilots must be prepared for unexpected situations, including mechanical issues. The primary goal is to ensure the safety of the flight and avoid creating additional risks. A go-around allows the pilot to safely regain control of the aircraft and reassess the situation without the pressure of landing. It provides an opportunity to troubleshoot the mechanical issue, communicate with air traffic control, and potentially identify an alternate aircraft configuration or flight path that minimizes risk. Continuing the approach at all costs could lead to further complications and potential loss of control, while landing at the nearest airport without assessing the mechanical problem may not address the underlying issue effectively. Performing a steep turn does not align with effective emergency procedures and poses additional risks, particularly in a situation where handling qualities might already be compromised. Thus, a go-around is the safest and most prudent decision when faced with mechanical failure on approach.

6. What is the standard weather minimum for Class B airspace?

A. 5 statute miles visibility and clear of clouds

B. 2 statute miles visibility and must remain above clouds

C. 3 statute miles visibility and clear of clouds

D. 1 statute mile visibility and can be in clouds

The standard weather minimum for Class B airspace requires pilots to have at least 3 statute miles of visibility and to remain clear of clouds. This regulation is designed to ensure that pilots operating in busy terminal airspace maintain a sufficient level of visual reference to avoid other aircraft and to be aware of their surroundings. Maintaining this visibility and cloud-clear status is crucial for safety in Class B airspace, where a high density of air traffic exists, particularly around major airports. Pilots need to be able to see and identify other aircraft, navigate effectively, and adhere to the air traffic control instructions that are prevalent in these busy environments. This requirement reflects the need for enhanced situational awareness and the ability to respond quickly to changes in the traffic situation.

7. What is meant by the term 'stall' in aviation?

A. A loss of lift due to exceeding the critical angle of attack

B. A sudden drop in altitude during flight

C. An increase in aircraft speed beyond its limit

D. Loss of control during a steep turn

The term 'stall' in aviation specifically refers to a situation where an aircraft experiences a loss of lift due to exceeding the critical angle of attack. This critical angle is the maximum angle at which the wing can generate sufficient lift before airflow separates from the wing's surface, resulting in a significant decrease in lift. When this condition occurs, the aircraft may start to descend or become uncontrollable until pilot intervention restores the angle of attack to a safe level. Understanding stalls is crucial for pilots, as they can occur under various flight conditions and can lead to dangerous situations if not properly managed. Pilots are trained to recognize the signs of an impending stall, such as changes in aircraft control response, and to execute proper recovery procedures. The other choices do not accurately describe a stall; rather, they refer to different aerodynamic or operational issues that are not directly related to the definition of a stall in the context of flight dynamics.

EXAMPLE

8. Under what conditions can a spin occur in a training airplane?

A. During a climb with full power

B. While maintaining a stable altitude

C. Only if the airplane is stalled and not recovered properly

D. At any time during the flight

A spin typically occurs when an airplane is in a stalled condition and has not been recovered properly, which directly relates to the mechanics of how a spin develops. When an airplane stalls, it loses lift and can begin to yaw and roll due to one wing experiencing a greater angle of attack than the other. If the pilot does not appropriately recover from this stall, the aircraft can enter a spin, characterized by a spiraling descent as one wing is more stalled than the other. While it may seem that spins could occur in various flight scenarios, such as during climbs or at stable altitudes, these conditions generally do not lead to spins unless a stall occurs first. A stable altitude indicates that lift and weight are balanced, making a spin unlikely unless a stall is induced due to pilot input or conditions. Therefore, the initiation of a spin is intrinsically linked to the improper recovery from a stall situation, making this the correct answer in understanding when and how spins can occur in training aircraft.

9. What does Vy stand for in aircraft performance?

A. Best angle of climb

B. Best rate of climb

C. Stall speed with flaps

D. Speed at stall before structural damage

Vy stands for "best rate of climb" in aircraft performance. It is the speed at which an aircraft can gain the most altitude in a given amount of time. This speed is crucial for pilots to know, especially during takeoff and initial climb, as it allows them to maximize their climb performance to avoid obstacles and gain altitude effectively. By flying at Vy, the aircraft achieves a balance between lift and drag, ensuring the best vertical speed possible. Knowing this speed helps pilots optimize their climb in various conditions, contributing to both safety and efficiency during flight operations.

10. What is 'rudder trim' used for in aircraft?

A. To enhance engine performance

B. To maintain a constant altitude

C. A feature that helps the pilot maintain coordinated flight without constant input on the rudder pedals

D. To increase turn rate during maneuvers

Rudder trim is a crucial aerodynamic feature in aircraft that assists pilots in achieving and maintaining coordinated flight. Its primary purpose is to relieve the pilot from the necessity of applying continuous pressure on the rudder pedals to counteract yaw, which can arise from various factors, such as asymmetrical thrust or torque effects during flight. By adjusting the rudder trim, a pilot can set the aircraft's rudder in a way that offsets these tendencies, allowing for more comfortable and efficient flight management, especially during prolonged flight segments or when flying straight and level. This function is particularly beneficial during long flights or in conditions where the aircraft is subjected to consistent and steady forces that would otherwise require constant rudder input. By effectively trimming the rudder, pilots ensure that the aircraft maintains coordinated flight, which is essential for optimal performance and passenger comfort.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://presolowritten.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE