PREMIER FOOD SAFETY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://premierfoodsafety.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the best practice for checking the temperature of cooked food?

A. Using a thermometer at the thickest part of the food

B. Using a thermometer on the surface of the food

C. By estimating with a hand

D. By relying on cooking time alone

2. What is a common sign that food has been chemically contaminated?

A. Change in color

B. Unusual odor

C. Change in taste

D. All of the above

3. All of the following may be used for chemically sanitizing food contact surfaces except:

A. Quaternary ammonium

B. Chlorine

C. Iodine

D. Degreaser

4. What internal temperature should pork and beef steaks be cooked to?

A. 145°F

B. 150°F

C. 160°F

D. 165°F

5. Which practice is crucial for proper handwashing in food safety?

A. Using cold water only

B. Washing hands for at least 10 seconds

C. Using only hand sanitizer

D. Using hot water without soap

SAMPLE

6. A live fish in a tank contains 100 Giardia parasites. After 20 minutes outside the tank, how many parasites are there?

A. 200 parasites

B. 80 parasites

C. Still 100 parasites

D. 0 parasites

7. What is the purpose of a food safety audit?

A. To ensure compliance with marketing standards

B. To assess food safety practices and identify areas for improvement

C. To evaluate customer satisfaction

D. To survey new food trends

8. How long can cooked food be safely held at temperatures above 135° F?

A. 1 hour

B. 2 hours

C. 4 hours

D. 3 hours

9. Which food item requires a variance before it can be served in a restaurant?

A. Raw fish

B. Fresh-cut fruits

C. Hot dogs

D. Frozen desserts

10. What temperature must poultry be cooked to in order to be safe for consumption?

A. 145°F

B. 165°F

C. 155°F

D. 160°F

SAMPLE

Answers

SAMPLE

1. A
2. D
3. D
4. A
5. B
6. C
7. B
8. A
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. What is the best practice for checking the temperature of cooked food?

A. Using a thermometer at the thickest part of the food

B. Using a thermometer on the surface of the food

C. By estimating with a hand

D. By relying on cooking time alone

The best practice for checking the temperature of cooked food involves using a thermometer at the thickest part of the food. This method is crucial because the thickest part typically takes the longest to reach the desired internal temperature. By inserting the thermometer in this location, you ensure that the entire dish has been adequately cooked and is safe to eat, thereby reducing the risk of foodborne illness. Using a thermometer on the surface of the food may yield misleading results; surface temperatures can be significantly higher than those in the center where bacteria may still be present. Estimating doneness by hand is unreliable, as it does not provide an accurate measurement of the internal temperature. Relying solely on cooking time can also be deceptive due to variations in food size, shape, and cooking methods that affect the actual internal temperature achieved. Thus, utilizing a thermometer at the thickest part ensures both food safety and quality.

2. What is a common sign that food has been chemically contaminated?

A. Change in color

B. Unusual odor

C. Change in taste

D. All of the above

Food that has been chemically contaminated can exhibit several signs, which include a change in color, an unusual odor, and a change in taste. Each of these indicators can suggest that harmful chemicals may have entered the food. A change in color might occur due to chemical reactions that alter the appearance of the food. For example, some chemicals can cause food to darken or become discolored, which is a visual signal that something is wrong. An unusual odor is often one of the first noticeable signs of chemical contamination. Chemicals can impart strange or offensive smells to food that are not typically associated with the fresh or properly handled products. This alteration in scent can serve as a warning to consumers that the food may not be safe to consume. Furthermore, a change in taste is another key indicator of contamination. Chemicals may impart a metallic, bitter, or other unexpected flavors, which can significantly alter the eating experience. If the flavor is off, it is wise to assume that the food may be compromised. Considering that all three signs can indicate potential chemical contamination, it is important to collectively recognize that these symptoms are warning signals to avoid consuming potentially hazardous food. Hence, understanding and recognizing these signs is crucial for food safety.

SAMPLE

3. All of the following may be used for chemically sanitizing food contact surfaces except:

A. Quaternary ammonium

B. Chlorine

C. Iodine

D. Degreaser

Chemically sanitizing food contact surfaces is a critical practice in food safety, and certain substances are designated for this purpose because of their effectiveness in eliminating pathogens. Quaternary ammonium, chlorine, and iodine are all recognized sanitizers and are widely used in food service environments to ensure surfaces are safe for food handling. They possess antimicrobial properties that help reduce the number of harmful microorganisms on surfaces. On the other hand, a degreaser is a cleaning agent specifically formulated to remove grease and oils. While it may be effective for cleaning, it is not a sanitizer and does not possess the same antimicrobial properties that are essential for reducing pathogens on food contact surfaces. Therefore, it does not qualify as a chemical sanitizer, making it the correct answer in this context. Understanding the functions of sanitizers versus cleaners is crucial for proper food safety practices.

4. What internal temperature should pork and beef steaks be cooked to?

A. 145°F

B. 150°F

C. 160°F

D. 165°F

The recommended internal temperature for cooking pork and beef steaks to ensure safety and proper doneness is 145°F. Cooking to this temperature allows harmful bacteria to be effectively killed, reducing the risk of foodborne illnesses. Additionally, after reaching this temperature, it is advisable to let the meat rest for at least three minutes before slicing or consuming. This resting period helps ensure that the juices redistribute throughout the meat, resulting in a more flavorful and juicy steak. While other temperatures are often associated with different types of meats or their various cuts, 145°F for whole cuts of pork and beef steaks is widely recognized as a safe and appropriate temperature that balances both food safety and quality.

5. Which practice is crucial for proper handwashing in food safety?

A. Using cold water only

B. Washing hands for at least 10 seconds

C. Using only hand sanitizer

D. Using hot water without soap

Washing hands for at least 10 seconds is a crucial practice for proper handwashing in food safety because it ensures that enough time is taken to effectively remove dirt, grease, and pathogens from the skin. This duration is based on recommendations from health authorities, highlighting the importance of thorough cleaning to prevent foodborne illnesses. By washing for this minimum time, individuals can better ensure that they are disrupting any germs present on their hands. The process involves not just water but also soap, which is essential for breaking down oils and dirt that may harbor bacteria. In contrast, other options do not meet the standards for effective hand hygiene. For example, using cold water only does not effectively activate soap's cleaning properties, and relying solely on hand sanitizer may not eliminate all types of pathogens, especially if hands are visibly dirty. Additionally, using hot water without soap does not provide the necessary cleansing action to remove harmful germs. Thus, the specified duration of washing hands is integral to maintaining food safety.

EXAMPLE

6. A live fish in a tank contains 100 Giardia parasites. After 20 minutes outside the tank, how many parasites are there?

A. 200 parasites

B. 80 parasites

C. Still 100 parasites

D. 0 parasites

The correct answer is determined by understanding the survival characteristics of Giardia parasites. Giardia is a protozoan that typically requires a host's environment to survive and reproduce effectively. When taken out of a water tank, many parasites would not be able to survive long-term due to the loss of their aquatic habitat, which is essential for their life cycle. However, in the 20-minute timeframe mentioned, the grams of environmental stress may not have sufficiently impacted the number of parasites present in the fish. Since this time is relatively short, it's reasonable to assume that the initial number of Giardia parasites remains unchanged during that duration. Therefore, after 20 minutes, the number of parasites in the fish effectively remains at 100, as the environmental conditions haven't drastically decreased their numbers just yet. This understanding reinforces why the answer indicates that the quantity is still 100 parasites.

7. What is the purpose of a food safety audit?

A. To ensure compliance with marketing standards

B. To assess food safety practices and identify areas for improvement

C. To evaluate customer satisfaction

D. To survey new food trends

A food safety audit plays a critical role in maintaining and improving food safety standards within an organization. The primary purpose of the audit is to systematically assess food safety practices and identify areas where improvements can be made. This process typically involves reviewing procedures, observing practices, and evaluating the effectiveness of the current safety measures in place. By focusing on food safety, the audit helps organizations ensure they are complying with regulations and industry standards, thereby minimizing the risk of foodborne illness and contamination. The insights gained from the audit can direct training efforts, enhance existing protocols, and foster a culture of safety within the organization. This proactive approach contributes to the overall goal of protecting consumers and ensuring safe food handling throughout the supply chain.

8. How long can cooked food be safely held at temperatures above 135° F?

A. 1 hour

B. 2 hours

C. 4 hours

D. 3 hours

Cooked food can be safely held at temperatures above 135°F for a maximum of 4 hours. Maintaining food at this temperature is essential to prevent the growth of harmful bacteria. When food is held at temperatures within the danger zone (between 41°F and 135°F), bacteria can multiply rapidly, increasing the risk of foodborne illnesses. Holding food at a temperature above 135°F for more than 4 hours exceeds the recommended safety guidelines. It is crucial to monitor food temperatures and ensure that any cooked food served or held for an extended period is either consumed, properly stored, or discarded to maintain safety and quality standards.

SAMPLE

9. Which food item requires a variance before it can be served in a restaurant?

A. Raw fish

B. Fresh-cut fruits

C. Hot dogs

D. Frozen desserts

Raw fish requires a variance before it can be served in a restaurant primarily because it involves a higher risk of food safety issues, such as foodborne illnesses. When serving raw or undercooked fish, such as in sushi or sashimi, it is necessary to ensure that strict standards are met to minimize potential risks. This often includes sourcing the fish from reputable suppliers who provide fish that has been frozen to specific temperatures to kill parasites, as well as implementing procedures to ensure its safety during preparation and service. Obtaining a variance means that the establishment acknowledges these risks and has taken steps to specifically address them through proper practices. This process allows the restaurant to operate within guidelines that provide a level of oversight to carefully manage the inherent dangers associated with serving raw fish. Other food items listed may also have specific safety standards, but they do not require the same level of variance as raw fish due to the nature of their preparation and consumption. Fresh-cut fruits may need proper handling but don't typically require a variance, hot dogs are often pre-cooked, and frozen desserts are generally safe without special permits.

10. What temperature must poultry be cooked to in order to be safe for consumption?

A. 145°F

B. 165°F

C. 155°F

D. 160°F

Cooking poultry to a minimum internal temperature of 165°F is crucial for ensuring it is safe for consumption. This temperature is significant because it effectively kills harmful bacteria such as Salmonella and Campylobacter, which are commonly associated with poultry products. At 165°F, the heat penetrates the meat sufficiently to destroy pathogens, ensuring that the poultry is safe to eat. This standard is recommended by food safety authorities, including the USDA, to minimize the risk of foodborne illnesses. While temperatures like 145°F and 155°F are applicable to other types of meat or specific cooking methods, they do not meet the safety threshold for poultry. Cooking to 160°F also falls short of the recommended standard for poultry, which specifically states 165°F as the safe benchmark. Following this guideline helps maintain food safety in both home kitchens and food service establishments.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://premierfoodsafety.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE