PROGRAM FOR THE ASSESSMENT OF VETERINARY EDUCATION EQUIVALENCE (PAVE) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://pavevetedequivalence.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Marek's disease is caused by what type of virus?

A. Retrovirus

B. Herpesvirus

C. Adenovirus

D. Parvovirus

2. At what approximate day can placentomes be palpated in cows?

A. 30-35 days

B. 65-70 days

C. 45-50 days

D. 70-75 days

3. In which species are reticulocytes a reliable indicator of RBC regeneration?

A. Cats

B. Dogs

C. Cattle

D. Horses

4. What organ system is impacted by Senecio in cows?

A. Heart

B. Kidneys

C. Liver

D. Lungs

5. What is a common treatment approach for managing scurvy in guinea pigs?

A. Antibiotic therapy

B. Vitamin C supplementation

C. Increased fiber in the diet

D. Intensive hydration

6. Which drugs are commonly used for the treatment of Chronic Obstructive Pulmonary Disease (COPD) in horses?

A. Aminophylline and prednisone

B. Cephalexin and dexamethasone

C. Furosemide and albuterol

D. Fluticasone and metaproterenol

SAMPLE

7. What is the recommended course of action for a female cat with large stones in the bladder?

A. Administer antibiotic therapy

B. Perform a cystotomy

C. Provide a special diet

D. Use pain management alone

8. What age group of cattle is most frequently affected by Johne's disease?

A. Less than 1 year

B. 1-2 years

C. 2-4 years

D. 4-6 years

9. If a kitten found in a dumpster can eat and drink on its own with blue eyes and deciduous teeth coming in, what is its estimated age?

A. 3-4 weeks

B. 5-6 weeks

C. 2-3 weeks

D. 7-8 weeks

10. What is the medical term for a cow that has a "sunken spine"?

A. Lordosis

B. Scoliosis

C. Kyphosis

D. Flatback

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. C
5. B
6. A
7. B
8. C
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Marek's disease is caused by what type of virus?

A. Retrovirus

B. Herpesvirus

C. Adenovirus

D. Parvovirus

Marek's disease is indeed caused by a herpesvirus, specifically known as Gallid herpesvirus 2. This virus primarily affects chickens and leads to a variety of issues, including tumors and nerve damage. The characteristic features of Marek's disease include the development of lymphomas and generalized immunosuppression, which can significantly impact flock health and productivity. Herpesviruses are known for their ability to establish latent infections and can integrate into the host's genome, which contributes to their pathogenicity. In the case of Marek's disease, the virus can persist in the environment and spread easily among birds, even in a vaccinated population. The knowledge of its classification as a herpesvirus is essential for understanding its epidemiology, the development of vaccines, and effective disease management in poultry industries.

2. At what approximate day can placentomes be palpated in cows?

A. 30-35 days

B. 65-70 days

C. 45-50 days

D. 70-75 days

Placentomes, which are structures that develop from the placenta and the uterus in ruminants, can typically be palpated by the end of the first trimester of gestation. The correct timeframe for being able to identify these structures via rectal examination in cows is around 65-70 days post-conception. This corresponds with the development of the placentomes, as they become more prominent and easier to detect at this stage. Before this period, while early embryonic structures are present, they are not as well formed, making it difficult to palpate placentomes reliably. After 70 days, the structures continue to grow and become even more pronounced, but the optimal timeframe for palpation primarily lies within the 65-70 day window, marking it as a critical period for veterinarians assessing pregnancy in cows.

3. In which species are reticulocytes a reliable indicator of RBC regeneration?

A. Cats

B. Dogs

C. Cattle

D. Horses

In dogs, reticulocytes serve as a reliable indicator of red blood cell (RBC) regeneration. When an animal is experiencing anemia, the bone marrow responds by increasing the production of red blood cells, and reticulocyte counts are assessed to evaluate this regenerative response. In dogs, reticulocytes can be quantified relatively easily, and their presence in the bloodstream reflects the bone marrow's activity in producing new red blood cells following an anemic condition. This reliable measurement helps veterinarians determine whether an underlying disease is causing the anemia or if it is due to blood loss or destruction. In contrast, in species like cats, cattle, and horses, reticulocyte counts are not as reliable in assessing RBC regeneration. In cats, for example, the reticulocyte response may be less pronounced and can vary significantly. In cattle and horses, the regenerative response may be delayed or less pronounced altogether, making reticulocyte counts less useful as indicators of anemia recovery. Thus, the unique physiological response of dogs allows for an effective interpretation of reticulocyte counts as reflective of RBC regeneration.

SAMPLE

4. What organ system is impacted by Senecio in cows?

A. Heart

B. Kidneys

C. Liver

D. Lungs

Senecio plants contain pyrrolizidine alkaloids that become toxic after the compounds are metabolized in the liver. The liver's enzymes convert these alkaloids into reactive intermediates that damage hepatocytes, especially in the central areas of the liver lobules, leading to cell death, inflammation, and eventually fibrosis. This hepatic injury impairs detoxification and bile excretion, and can cause secondary issues like photosensitization when phylloerythrin builds up. Because the toxins require liver metabolism to become harmful and the liver is the site where this injury occurs, the liver is the primary organ system affected by Senecio in cows. The other organs aren't the main targets of this poisoning.

5. What is a common treatment approach for managing scurvy in guinea pigs?

A. Antibiotic therapy

B. Vitamin C supplementation

C. Increased fiber in the diet

D. Intensive hydration

The management of scurvy in guinea pigs primarily revolves around addressing their specific dietary needs, particularly because they require a source of vitamin C in their diet. Guinea pigs, unlike some other animals, cannot synthesize vitamin C on their own, making them particularly susceptible to deficiency diseases like scurvy. Vitamin C supplementation effectively combats this deficiency, alleviating symptoms such as lethargy, joint pain, and skin lesions. Administering vitamin C, whether through fortified food, supplements, or fresh fruits and vegetables high in this vitamin, directly addresses the underlying cause of scurvy and promotes recovery. While other options may address various health issues in guinea pigs, they do not directly target the specific cause of scurvy. Antibiotic therapy is typically used for bacterial infections and would not influence the vitamin C deficiency. Increased fiber is beneficial for digestive health but does not resolve scurvy. Intensive hydration is crucial for hydration status but does not address vitamin C levels. Thus, vitamin C supplementation is the most effective and appropriate treatment for managing scurvy in guinea pigs.

SAMPLE

6. Which drugs are commonly used for the treatment of Chronic Obstructive Pulmonary Disease (COPD) in horses?

A. Aminophylline and prednisone

B. Cephalexin and dexamethasone

C. Furosemide and albuterol

D. Fluticasone and metaproterenol

Aminophylline and prednisone are commonly used for the treatment of Chronic Obstructive Pulmonary Disease (COPD) in horses due to their specific action on the respiratory system. Aminophylline is a bronchodilator that helps improve airflow by relaxing the muscles of the airways, making it easier for horses to breathe. Prednisone, a corticosteroid, is effective in reducing inflammation in the airways, addressing one of the key problems associated with COPD. Together, these drugs help manage the symptoms of the disease and improve the overall respiratory function in affected horses. Other options include medications that may not specifically target the underlying issues of COPD or are used for different conditions. For example, while cephalexin is an antibiotic and dexamethasone is an anti-inflammatory, they do not directly address the bronchodilation necessary for COPD treatment. Furosemide, primarily a diuretic, is used in conditions such as pulmonary edema rather than for managing COPD. Fluticasone, while an inhaled corticosteroid, is paired with metaproterenol, which is a bronchodilator but not typically used in the context of COPD treatment in horses as it is more common in human medicine.

7. What is the recommended course of action for a female cat with large stones in the bladder?

A. Administer antibiotic therapy

B. Perform a cystotomy

C. Provide a special diet

D. Use pain management alone

In cases of a female cat with large stones in the bladder, performing a cystotomy is the recommended course of action. A cystotomy is a surgical procedure that involves making an incision into the bladder to remove the stones or calculi. This approach is often necessary when the stones are too large to pass through the urinary tract or if they are causing significant obstruction or irritation to the bladder lining. Removing the stones surgically is crucial because it addresses the immediate issue and alleviates pain and distress that the cat may be experiencing. Additionally, while other treatments such as diet modifications or antibiotics may play a role in management or prevention of future stones, they do not provide a solution to the immediate problem of large stones already present in the bladder. Pain management is also important for comfort but does not resolve the underlying issue of the stones themselves. Thus, cystotomy stands out as the most effective and decisive option to ensure the health and well-being of the affected cat.

SAMPLE

8. What age group of cattle is most frequently affected by Johne's disease?

A. Less than 1 year

B. 1-2 years

C. 2-4 years

D. 4-6 years

Johne's disease, caused by the bacterium Mycobacterium avium subspecies paratuberculosis, predominantly affects cattle that are between 2 to 4 years of age. This age group is particularly significant because the disease has a long incubation period, often taking several years post-infection for clinical signs to manifest. Young calves are usually exposed to the bacteria through contaminated feed or water and can remain asymptomatic for a long period. By the time the cattle reach the ages of 2 to 4 years, they are more likely to display the characteristic signs of the disease, such as chronic diarrhea and weight loss, which are indicative of advanced infection. As cattle continue to age, the likelihood of displaying symptoms increases, making the 2 to 4-year age group the most affected during the diagnostic assessment of Johne's disease. Consequently, understanding the typical age range for clinical manifestations can help in monitoring and managing herds, particularly for early intervention and control of the disease.

9. If a kitten found in a dumpster can eat and drink on its own with blue eyes and deciduous teeth coming in, what is its estimated age?

A. 3-4 weeks

B. 5-6 weeks

C. 2-3 weeks

D. 7-8 weeks

The estimated age of a kitten with blue eyes and deciduous teeth coming in, while also being able to eat and drink on its own, is best aligned with the 5-6 weeks age range. At around 5-6 weeks of age, kittens typically begin to show significant developmental milestones. Their blue eyes indicate that they are still in the early stages of life, as kittens at this age will still have blue eyes before they gradually change to their permanent color. Additionally, the presence of deciduous teeth suggests they are in the process of transitioning from nursing to consuming solid food, which generally occurs around this age. By 5-6 weeks, kittens are often able to eat wet food and drink water by themselves, indicating their readiness to become more independent. Kittens younger than this may still be reliant on their mother for nutrition and may not yet have developed the coordination or ability to eat and drink on their own. Therefore, based on these characteristics, the 5-6 weeks age estimate is the most accurate.

10. What is the medical term for a cow that has a "sunken spine"?

A. Lordosis

B. Scoliosis

C. Kyphosis

D. Flatback

Think about how the spine can bend in different directions. Kyphosis describes an abnormal outward curvature of the spine, giving the back a rounded or hunchbacked appearance. A description like a "sunken spine" fits best with this pattern because it implies a pronounced dorsal curvature rather than a straight or sideways bend. In contrast, lordosis is an exaggerated inward bend (swayback), scoliosis is a sideways curvature, and flatback describes a diminished or flattened thoracic curve. So the term that best matches a sunken, rounded-back appearance is kyphosis.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://pavevetedequivalence.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE