PROPHECY/RELIAS RN PHARMACOLOGY A PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://prophecyreliasrnpharmacologya.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which statement is correct regarding hydrochlorothiazide (HCTZ)?

A. I should take extra care when standing up or changing positions.

B. I can take this medication without regard to my diet.

C. This medication only affects my kidneys.

D. I do not need to monitor my blood pressure while on this medication.

2. A patient diagnosed with multiple myeloma has been prescribed cyclophosphamide (Cytoxan). What instruction should the nurse give?

A. Limit daily water intake

B. Increase daily water intake

C. Take medication on an empty stomach

D. Avoid fluids entirely

3. What is the correct infusion rate if MD orders 1000 mL of normal saline (NS) to be administered over 6 hours?

A. 125 mL/hr

B. 166.67 mL/hr

C. 200 mL/hr

D. 250 mL/hr

4. What is the most important action to prevent CLABSI in a patient receiving TPN via a central line?

A. Change the TPN solution daily

B. Perform correct sterile technique for dressing change at the CVC site

C. Limit the number of visitors to the patient

D. Monitor vital signs frequently

5. What is a black box warning?

A. A special alert issued by the FDA to indicate that a drug carries a significant risk of serious or even life-threatening adverse effects

B. A recommended dosage for a specific drug

C. A notice regarding the expiration date of a medication

D. A guideline for combining medications safely

SAMPLE

6. A patient frequently takes acetaminophen (Tylenol) at home. What should they pay attention to?

A. The expiration date of the medication

B. The strength of the medication

C. OTC drug labels to avoid excessive intake

D. The amount of water they drink with it

7. How can you ensure you have the correct patient before administering medication?

A. Ask them to say their name and DOB and compare it to the MAR and wrist band

B. Confirm their identity only with their wrist band

C. Only check the name on the medication label

D. Verify against the patient's medical records

8. What should you monitor after administering vancomycin for potential adverse reactions?

A. Blood pressure levels

B. Respiratory rate

C. Signs of infusion reactions

D. Electrolyte levels

9. Which of the following medications is commonly prescribed for the treatment of hypertension?

A. Amoxicillin

B. Lisinopril

C. Levothyroxine

D. Omeprazole

10. What important counseling point should patients be advised of when starting antihypertensive medications?

A. To monitor their blood glucose levels

B. To monitor their blood pressure and recognize signs of hypotension

C. To take the medication only when symptomatic

D. To avoid all physical activity

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. B
5. A
6. C
7. A
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which statement is correct regarding hydrochlorothiazide (HCTZ)?

A. I should take extra care when standing up or changing positions.

B. I can take this medication without regard to my diet.

C. This medication only affects my kidneys.

D. I do not need to monitor my blood pressure while on this medication.

Hydrochlorothiazide (HCTZ) is a thiazide diuretic commonly used to treat high blood pressure and fluid retention. One important aspect of taking HCTZ is the potential for orthostatic hypotension, which is a sudden drop in blood pressure that can occur when a person stands up or changes positions quickly. This can lead to dizziness, lightheadedness, or even fainting, particularly when starting the medication or after a dose increase. Therefore, it is essential for patients to take extra care when standing up or changing positions to avoid these adverse effects. The majority of the other statements present inaccuracies regarding the medication. For example, diet can play a role in managing certain side effects of HCTZ, such as potassium levels, indicating that dietary considerations are important. Additionally, HCTZ does not exclusively affect the kidneys; it works by influencing sodium and water retention in the body and can also have effects on other systems, including blood pressure regulation. Monitoring blood pressure is crucial while on this medication to ensure that it is effectively controlling hypertension and to avoid potential complications that could arise from uncontrolled blood pressure levels.

2. A patient diagnosed with multiple myeloma has been prescribed cyclophosphamide (Cytoxan). What instruction should the nurse give?

A. Limit daily water intake

B. Increase daily water intake

C. Take medication on an empty stomach

D. Avoid fluids entirely

A key consideration in the management of patients receiving cyclophosphamide, particularly those with multiple myeloma, is the importance of hydration. Cyclophosphamide is an alkylating agent that can lead to the formation of toxic metabolites, which may cause bladder irritation and potentially result in hemorrhagic cystitis. To mitigate this side effect, it is essential for patients to maintain adequate hydration. By increasing daily water intake, patients can help dilute the metabolites in the urine and flush them out of the bladder more effectively, thereby reducing the risk of urinary tract complications. This approach not only aims to protect the bladder but also enhances the overall excretion of the drug, which can help in minimizing toxicity. In contrast, limiting or avoiding fluids can lead to more concentrated urine, increasing the risk of irritation and complications associated with cyclophosphamide therapy. Additionally, taking the medication on an empty stomach is not a standard recommendation, as this may not be necessary and can increase gastrointestinal side effects for some patients.

SAMPLE

3. What is the correct infusion rate if MD orders 1000 mL of normal saline (NS) to be administered over 6 hours?

A. 125 mL/hr

B. 166.67 mL/hr

C. 200 mL/hr

D. 250 mL/hr

To determine the correct infusion rate for administering 1000 mL of normal saline over 6 hours, one must first convert the time into hours and then calculate the rate by dividing the total volume by the total time. In this scenario, the total volume to be infused is 1000 mL and the total time is 6 hours. The calculation can be performed as follows: Infusion rate = Total volume (mL) / Total time (hours) Infusion rate = 1000 mL / 6 hours = 166.67 mL/hr This calculation leads to the conclusion that the infusion rate should be set at 166.67 mL/hr to ensure that the entire volume is administered within the specified time frame of 6 hours. This corresponds with the correct choice, which reflects an accurate understanding of medication administration principles.

4. What is the most important action to prevent CLABSI in a patient receiving TPN via a central line?

A. Change the TPN solution daily

B. Perform correct sterile technique for dressing change at the CVC site

C. Limit the number of visitors to the patient

D. Monitor vital signs frequently

Performing correct sterile technique for dressing changes at the central venous catheter (CVC) site is the most important action to prevent central line-associated bloodstream infections (CLABSI) in patients receiving total parenteral nutrition (TPN) via a central line. The skin around the insertion site can act as a reservoir for bacteria, and any break in sterile technique during dressing changes can introduce pathogens into the bloodstream. By using proper sterile techniques, including hand hygiene, wearing sterile gloves, using antiseptics, and maintaining a sterile field, the risk of contamination is significantly reduced. This is critical since a central line is an open access point to the bloodstream, and maintaining strict adherence to infection control protocols is essential to prevent CLABSI. While changing the TPN solution daily is also important for TPN management and preventing complications of TPN itself, it is the sterile technique during dressing changes that directly impacts the risk of infection at the CVC site. Limiting the number of visitors and monitoring vital signs can be beneficial in certain contexts, but they do not directly prevent infection from occurring at the catheter insertion site. Therefore, focusing on correct sterile techniques is essential for safeguarding against CLABSI in this clinical setting.

SAMPLE

5. What is a black box warning?

A. A special alert issued by the FDA to indicate that a drug carries a significant risk of serious or even life-threatening adverse effects

B. A recommended dosage for a specific drug

C. A notice regarding the expiration date of a medication

D. A guideline for combining medications safely

A black box warning is indeed a special alert issued by the FDA to highlight that a drug carries a significant risk of serious or even life-threatening adverse effects. This warning is prominently displayed on the drug's labeling and serves as an important reminder to healthcare providers and patients about the potential dangers associated with the use of the medication. The purpose is to ensure that users are fully aware of the risks, allowing them to make informed decisions regarding the treatment. Black box warnings often accompany drugs that have been associated with severe side effects or outcomes, such as adverse reactions or increased mortality rates in certain populations. The other choices do not capture the essence of a black box warning. Recommended dosages, expiration dates, and guidelines for medication combinations focus on different aspects of drug safety and usage, but they do not involve the severe risk implications that a black box warning conveys.

6. A patient frequently takes acetaminophen (Tylenol) at home. What should they pay attention to?

A. The expiration date of the medication

B. The strength of the medication

C. OTC drug labels to avoid excessive intake

D. The amount of water they drink with it

Monitoring OTC drug labels to avoid excessive intake is crucial for anyone who frequently takes acetaminophen. Acetaminophen is an analgesic and antipyretic commonly used for pain relief and to reduce fever, but it has a well-defined maximum daily dosage. Taking more than the recommended amount can lead to serious liver damage and acute liver failure, particularly since acetaminophen is an active ingredient in many over-the-counter medications, including cold and flu remedies. Therefore, individuals should be vigilant in checking the labels of all medications they are taking to avoid unintentional overdosing. While being aware of the expiration date is generally important for medication safety, it does not address the immediate risks associated with acetaminophen misuse. Similarly, understanding the strength of the medication is relevant, but this consideration alone does not encompass the potential for accidental overdose from multiple sources of acetaminophen. The amount of water consumed with the medication could affect absorption but is not a major factor in the safety or effectiveness of acetaminophen use. Thus, focusing on drug labels to prevent excessive intake is the most critical aspect for the patient's health and safety.

SAMPLE

7. How can you ensure you have the correct patient before administering medication?

A. Ask them to say their name and DOB and compare it to the MAR and wrist band

B. Confirm their identity only with their wrist band

C. Only check the name on the medication label

D. Verify against the patient's medical records

To ensure that you have the correct patient before administering medication, asking the patient to state their name and date of birth, and then comparing that information to the medication administration record (MAR) and their wristband is the most effective approach. This method incorporates multiple verification steps, significantly reducing the risk of medication errors. By confirming both the name and date of birth, you are not only checking for accuracy against the medication label but also actively involving the patient in the identification process, which can serve as an additional safeguard. The wristband often contains crucial identification information; however, relying solely on the wristband does not fully engage the patient and can lead to errors if the band is incorrect or not matched with the medical record. Checking only the medication label risks misidentification if there are patients with similar names. Verifying against medical records alone is less practical at the moment of medication administration, as it may not be readily available or require additional time that could delay care. Thus, employing both the patient's verbal confirmation and written identifiers from the MAR and wristband is a comprehensive and well-rounded approach to ensuring the right patient receives the correct medication.

8. What should you monitor after administering vancomycin for potential adverse reactions?

A. Blood pressure levels

B. Respiratory rate

C. Signs of infusion reactions

D. Electrolyte levels

Monitoring for signs of infusion reactions is crucial after administering vancomycin due to the potential for an adverse reaction known as "red man syndrome." This condition can occur if the medication is infused too quickly and may include symptoms such as flushing, rash, and pruritus. These reactions are often dose-dependent and can be minimized by administering the drug more slowly. While blood pressure levels, respiratory rate, and electrolyte levels may be important for monitoring in certain clinical situations, they are not specific to vancomycin's associated adverse effects. Blood pressure may not necessarily indicate infusion-related issues, and respiratory rate typically does not change directly due to this medication. Additionally, although vancomycin can affect kidney function and potentially lead to electrolyte imbalances, monitoring signs of infusion reactions is the most immediate and relevant consideration in post-administration care. Hence, focusing on detecting infusion-related reactions ensures timely intervention and patient safety.

SAMPLE

9. Which of the following medications is commonly prescribed for the treatment of hypertension?

A. Amoxicillin

B. Lisinopril

C. Levothyroxine

D. Omeprazole

Lisinopril is commonly prescribed for the treatment of hypertension because it is an angiotensin-converting enzyme (ACE) inhibitor. Lisinopril works by relaxing blood vessels, which lowers blood pressure and improves blood flow. It is effective in managing hypertension and is often a first-line treatment option in many clinical guidelines. The other medications listed have different primary uses: Amoxicillin is an antibiotic used for bacterial infections, Levothyroxine is a thyroid hormone replacement used to treat hypothyroidism, and Omeprazole is a proton pump inhibitor that reduces stomach acid production. Thus, their primary indications do not include treating hypertension.

10. What important counseling point should patients be advised of when starting antihypertensive medications?

A. To monitor their blood glucose levels

B. To monitor their blood pressure and recognize signs of hypotension

C. To take the medication only when symptomatic

D. To avoid all physical activity

Patients starting antihypertensive medications should be advised to monitor their blood pressure and recognize signs of hypotension. This is crucial because antihypertensives are designed to lower blood pressure, and there is a risk that they may lower it too much, leading to hypotension. Patients should be educated on how to properly check their blood pressure at home and be aware of symptoms such as dizziness, fainting, or lightheadedness, which can indicate that their blood pressure has dropped to an unsafe level. This proactive approach helps in managing their condition effectively and preventing adverse effects associated with excessive blood pressure reduction.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://prophecyreliasrnpharmacologya.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE