PTCB COMPOUNDED STERILE PREPARATION TECHNICIAN (CSPT) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ptcbcspt.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What condition should be maintained to ensure effective use of a Class II BSC for hazardous drug compounding?

A. Stable temperature

B. Proper airflow and pressure

C. Regular maintenance checks

D. Clean surfaces at all times

2. When disposing of hazardous medications, which safety equipment is recommended?

A. Single gloves and a mask

B. Double chemotherapy gloves and gown

C. Regular disposable gloves and an apron

D. Only safety goggles

3. Which of the following is a hypertonic solution example?

A. 0.9% NS

B. 1/2 NS

C. 3% NS

D. D5W

4. What does genotoxicity describe?

A. It causes interference with reproduction.

B. It damages DNA and genetic information.

C. It leads to cancerous growth.

D. It has harmful effects on specific organs.

5. What is the primary purpose of the containment secondary engineering control (C-SEC)?

A. To provide a work surface for compounding

B. To store hazardous drugs safely

C. To contain potential hazards within the compounding room

D. To perform routine cleaning of the compounding area

SAMPLE

6. What is the main function of high-efficiency particulate air (HEPA) filters?

A. To circulate the air in the compounding area

B. To remove microbes greater than 0.3 micrometers

C. To regulate temperature and humidity

D. To prevent cross-contamination during compounding

7. Which of the following statements is true regarding face shields in hazardous compounding?

A. They should be worn exclusively for cleaning

B. They are to be reused after disinfecting

C. They are part of the PPE that should be removed last

D. They are optional if other PPE is used

8. What should be done before placing a drug in an IV bag?

A. Prep the IV tube

B. Check the expiration date

C. Administer the drug

D. Label the bag

9. What is one of the key components related to hazardous medications that personnel must learn?

A. Instructions for refrigeration

B. How to respond to spills

C. Inventory management techniques

D. External storage guidelines

10. What is a requirement for labels of batch produced CSP?

A. Expiration date

B. Control or lot number

C. Patient name

D. Storage temperature

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. B
5. C
6. B
7. C
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What condition should be maintained to ensure effective use of a Class II BSC for hazardous drug compounding?

A. Stable temperature

B. Proper airflow and pressure

C. Regular maintenance checks

D. Clean surfaces at all times

To ensure effective use of a Class II Biological Safety Cabinet (BSC) for hazardous drug compounding, maintaining proper airflow and pressure is critical. Class II BSCs are designed to provide personnel, product, and environmental protection from airborne contaminants, particularly when handling hazardous substances. These cabinet systems rely on specific airflow patterns and pressure differentials to create a sterile and safe environment. The airflow must be carefully managed; it helps to trap particulates and contaminants, preventing them from escaping into the work environment and ensuring that the air that enters the work zone is filtered and safe for the compounds being prepared. If the airflow or pressure is not maintained correctly, it can lead to an inadequate barrier against exposure, increasing the risk of contamination and exposure to hazardous drugs. While stable temperature, regular maintenance checks, and clean surfaces are important aspects of overall safety and cleanliness in a compounding environment, they do not directly impact the fundamental function of a Class II BSC as critically as maintaining the appropriate airflow and pressure does. Thus, focusing on the airflow and pressure ensures that the cabinet performs as intended when compounding hazardous drugs.

2. When disposing of hazardous medications, which safety equipment is recommended?

A. Single gloves and a mask

B. Double chemotherapy gloves and gown

C. Regular disposable gloves and an apron

D. Only safety goggles

The recommended safety equipment for disposing of hazardous medications includes double chemotherapy gloves and a gown. This is crucial because hazardous drugs can pose significant risks to health care workers if they come into contact with skin or mucous membranes. Double chemotherapy gloves provide an additional layer of protection, significantly reducing the risk of permeation or breakthrough by these medications. Chemotherapy gloves are specifically designed to resist the potentially harmful effects of hazardous agents, which regular gloves may not. Wearing a gown creates an additional barrier that protects the skin and personal clothing from contamination. In a situation where hazardous materials are handled, it's essential for the entire body to be shielded, not just the hands. This is particularly important in a sterile compounding environment where meticulous attention to safety is crucial due to the nature of the compounds involved. While the other options provide some level of protection, they do not meet the comprehensive safety standards required when handling hazardous medications. Regular disposable gloves lack the necessary resistance to hazardous drugs, and using only safety goggles does not offer adequate protection for the body or skin.

SAMPLE

3. Which of the following is a hypertonic solution example?

A. 0.9% NS

B. 1/2 NS

C. 3% NS

D. D5W

A hypertonic solution is defined as a solution that has a higher concentration of solutes compared to the fluid inside a cell. When a cell is placed in a hypertonic solution, water moves out of the cell, resulting in cell shrinkage. In this context, 3% Normal Saline (NS) is considered a hypertonic solution because it has a higher concentration of sodium chloride compared to the typical saline solution (0.9% NS), which is isotonic. The increased sodium chloride concentration in 3% NS creates a situation where it draws water out of cells when administered, increasing the osmotic pressure in the extracellular fluid. Other solutions listed, such as 0.9% NS and 1/2 NS (which refers to 0.45% saline), are either isotonic or hypotonic in relation to human cells. D5W (5% dextrose in water) is also isotonic when in the initial state but can act hypotonically once the dextrose is metabolized, leading to a dilution of solutes in the blood. Thus, 3% NS is correctly identified as a hypertonic solution due to its capacity to cause cellular shrinkage through osmotic pressure effects

4. What does genotoxicity describe?

A. It causes interference with reproduction.

B. It damages DNA and genetic information.

C. It leads to cancerous growth.

D. It has harmful effects on specific organs.

Genotoxicity specifically refers to the ability of certain substances to cause damage to DNA and genetic material within cellular structures. This can occur through various mechanisms, including breaks in DNA strands or the formation of DNA adducts, which can interfere with normal cellular processes. Damage to DNA is a critical concern because it can lead to mutations, which may ultimately increase the risk of various diseases, including cancer. While the concept of genotoxicity can be related to cancerous growth, as damaged DNA can promote the development of tumors, the primary focus remains on the genetic damage itself. Other phenomena like interference with reproduction or specific organ toxicity are separate concepts that do not solely encompass the definition of genotoxicity. Thus, identifying genotoxicity as the direct cause of DNA and genetic information damage is accurately reflected in the correct option, solidifying the understanding of its implications in toxicology and pharmacology.

SAMPLE

5. What is the primary purpose of the containment secondary engineering control (C-SEC)?

A. To provide a work surface for compounding

B. To store hazardous drugs safely

C. To contain potential hazards within the compounding room

D. To perform routine cleaning of the compounding area

The primary purpose of the containment secondary engineering control (C-SEC) is to contain potential hazards within the compounding room. The C-SEC is designed to minimize exposure to hazardous drugs and ensure that any potential spills or aerosols are effectively contained, thereby protecting both the pharmacy personnel and the surrounding environment. This is particularly critical when compounding sterile preparations involving hazardous substances, as effective containment measures help prevent contamination and ensure a safe working environment. The C-SEC often includes features such as negative pressure ventilation, which ensures that any hazardous airborne contaminants are drawn into the containment area. This function is crucial in maintaining a safe working environment while adhering to regulatory standards for handling hazardous drugs. While providing a work surface and storing hazardous drugs are important aspects of a compounding area, they do not encompass the primary function of the C-SEC, which focuses specifically on containment of potential hazards. Routine cleaning of the compounding area is also important for maintaining cleanliness and reducing contamination risks, but it is not the primary purpose of the C-SEC.

6. What is the main function of high-efficiency particulate air (HEPA) filters?

A. To circulate the air in the compounding area

B. To remove microbes greater than 0.3 micrometers

C. To regulate temperature and humidity

D. To prevent cross-contamination during compounding

The primary function of high-efficiency particulate air (HEPA) filters is to remove airborne particles, including microorganisms, from the air in compounding areas. HEPA filters are designed to capture particles that are 0.3 micrometers in size and larger with an efficiency of at least 99.97%. This capability is critical in environments like sterile compounding areas, where maintaining a clean and contaminant-free atmosphere is essential to ensure patient safety and the integrity of compounded sterile preparations. By effectively filtering out these particulates, HEPA filters help to reduce the risk of contamination during the preparation of sterile products, making them indispensable in pharmaceutical and healthcare settings where sterility is paramount.

SAMPLE

7. Which of the following statements is true regarding face shields in hazardous compounding?

A. They should be worn exclusively for cleaning

B. They are to be reused after disinfecting

C. They are part of the PPE that should be removed last

D. They are optional if other PPE is used

Face shields are an essential component of personal protective equipment (PPE) used in hazardous compounding environments, as they provide crucial protection for the facial area against spills, splashes, and other potentially harmful substances. Wearing a face shield is a best practice, especially when working with hazardous materials that could pose a risk to the eyes and face. The correct choice highlights that face shields should be removed last when the PPE is being removed. This is important because, during hazardous compounding, contaminants can be present on the outer surfaces of the PPE, including the face shield. Removing the face shield last helps to minimize the risk of contamination to the face and eyes, ensuring better safety and reducing the possibility of exposure to hazardous substances. Face shields should not be exclusively worn for cleaning, as they are necessary for protection during the entire compounding process. They are not intended for reuse without appropriate cleaning between uses, particularly if the face shield becomes contaminated. Additionally, face shields are not optional; rather, they are a crucial part of the PPE ensemble when handling hazardous compounds to ensure comprehensive protection of the healthcare worker.

8. What should be done before placing a drug in an IV bag?

A. Prep the IV tube

B. Check the expiration date

C. Administer the drug

D. Label the bag

Before placing a drug in an IV bag, it is crucial to prep the IV tube. Proper preparation involves ensuring that the IV administration set is ready and that procedures for connecting it to the IV bag are followed correctly. This step helps to maintain aseptic technique and ensures the drug can be administered safely and effectively, minimizing the risk of contamination or complications during the infusion. While checking the expiration date is essential in ensuring the drug's efficacy and safety, this action comes after the initial preparation of the IV bag and tubing. Administering the drug can only take place after it has been properly prepared and placed in the IV bag. Additionally, labeling the bag is a critical step for safety and must be completed before administration, but it follows the actual setting up of the IV bag and not a prior step to placing the drug inside. Thus, prepping the IV tube stands out as the foundational step necessary to ensure safe medication delivery.

SAMPLE

9. What is one of the key components related to hazardous medications that personnel must learn?

A. Instructions for refrigeration

B. How to respond to spills

C. Inventory management techniques

D. External storage guidelines

Understanding how to respond to spills is a critical component when working with hazardous medications. Personnel need to be trained on the appropriate procedures to minimize exposure and safely clean up any hazardous materials that may accidentally spill. This training typically covers using personal protective equipment (PPE), the proper tools and materials needed for a safe cleanup, and protocols to follow to ensure that the area is secured and the risk of contamination is mitigated. Safe handling of hazardous medications is paramount because these substances can pose significant health risks to both the personnel and the patients if not managed correctly. Knowing the correct response procedures enables technicians to act quickly and effectively in such situations, thereby protecting themselves and maintaining a safe working environment. Other options, while important in their own contexts, do not address the immediate health risks posed by hazardous medications in the same direct way. For instance, instructions for refrigeration and external storage guidelines typically relate to the stability and efficacy of medications rather than their hazards. Inventory management techniques are vital for ensuring proper stock levels but do not encompass the direct safety protocols necessary for handling spills. Thus, the training on responding to spills stands out as a vital aspect of hazardous medication management.

10. What is a requirement for labels of batch produced CSP?

A. Expiration date

B. Control or lot number

C. Patient name

D. Storage temperature

Batch-produced compounded sterile preparations (CSPs) require a control or lot number on their labels to ensure traceability and identification throughout their lifecycle. This number is essential for tracking and quality control, particularly in the event of a recall or investigation into product safety and efficacy. The lot number helps to identify the specific batch of CSP produced, facilitating proper management in case of any discrepancies. Including this information is critical in a compounding pharmacy setting to maintain compliance with regulatory standards and ensure that proper documentation and quality assurance processes are followed. It contributes to the overall safety and effectiveness of compounded medications, allowing healthcare providers to communicate specific details about each batch effectively. While other options, such as expiration dates and storage temperatures, may also be relevant in certain contexts, the requirement for a control or lot number is a fundamental aspect of labeling batch-produced CSPs that focuses on safety, traceability, and regulatory compliance.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ptcbcspt.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE