PTCB PHARMACY TECHNICIAN CERTIFICATION (PTCE) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ptcbptce.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How often is the temperature of controlled temperature areas recorded?

A. Hourly

B. Daily

C. Weekly

D. Monthly

2. Which program is designed to ensure safe isotretinoin use and pregnancy prevention?

A. iPLEDGE program

B. REMS program

C. HIPAA protocol

D. FDA tracking system

3. Which substances are hazardous waste?

A. Nitroglycerin, warfarin and some chemotherapy agents

B. Water

C. Vitamin C tablets

D. Saline solution

4. What is the name of the government agency that administers Medicare and Medicaid?

A. The Social Security Administration

B. The National Institutes of Health

C. The Department of Health and Human Services

D. Centers for Medicare and Medicaid Services

5. Which statement about the Food, Drug, and Cosmetic Act of 1938 is true?

A. It criminalizes misbranding and adulteration of drugs.

B. It allowed marketing of unsafe drugs.

C. It required pre-market efficacy trials for all drugs.

D. It restricted the FDA's authority to cosmetics.

SAMPLE

6. Most suspension antibiotics have a stability limit of how many days after opening unless indicated otherwise?

A. 14 days

B. 7 days

C. 30 days

D. 60 days

7. Which acronym stands for the Centers for Medicare and Medicaid Services?

A. Centers for Medicare and Medicaid Services

B. Centers for Medical and Medicare Services

C. Medicare and Medicaid Services Center

D. Centers for Health and Medical Services

8. How would 8:30 p.m. be expressed in military time?

A. 1930

B. 2130

C. 2030

D. 2230

9. What documentation should accompany the destruction of a returned vial?

A. A destruction record should be kept on file.

B. No documentation is required.

C. A patient consent form must be filed.

D. A packaging slip must be included.

10. Which vitamin is Niacin?

A. Niacin

B. Biotin

C. Folic acid

D. Ascorbic acid

SAMPLE

Answers

SAMPLE

1. B
2. A
3. A
4. D
5. A
6. A
7. A
8. C
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. How often is the temperature of controlled temperature areas recorded?

A. Hourly

B. Daily

C. Weekly

D. Monthly

Environmental monitoring is about keeping product quality by ensuring storage conditions stay within defined limits. For controlled temperature areas, the temperature is recorded daily to verify the space stays within the approved range. Daily checks strike a practical balance: they're frequent enough to catch shifts that could affect stability, yet not so frequent as to be unnecessarily burdensome. Recording more often isn't typically required for these areas, and recording less often could allow an excursion to go unnoticed. If a reading falls outside the acceptable range, the proper corrective actions—investigation, adjusting equipment, isolating any affected items, and documenting the event—are implemented promptly. In practice, daily temperature logging is the standard expectation, with more frequent monitoring only if specific SOPs or circumstances call for it.

2. Which program is designed to ensure safe isotretinoin use and pregnancy prevention?

A. iPLEDGE program

B. REMS program

C. HIPAA protocol

D. FDA tracking system

Isotretinoin carries a high risk of birth defects, so a strict safety program is required to prevent pregnancy and ensure proper use. The iPLEDGE program is the FDA-mandated REMS that specifically manages this risk for isotretinoin. It requires ongoing registration of patients, prescribers, and pharmacies, and it enforces pregnancy prevention through mandated contraception for those who can become pregnant along with regular pregnancy testing before and during treatment. Prescribers must verify and document these precautions, and dispensing is tightly controlled to ensure compliance and counseling. While REMS is a general category for risk mitigation, iPLEDGE is the specific program designed for isotretinoin. HIPAA governs patient privacy and does not address medication safety or pregnancy prevention, and there isn't a separate generic FDA tracking system used for this purpose.

3. Which substances are hazardous waste?

A. Nitroglycerin, warfarin and some chemotherapy agents

B. Water

C. Vitamin C tablets

D. Saline solution

Hazardous waste in a pharmacy setting includes substances that pose health or environmental risks due to toxicity, reactivity, or other dangerous properties. Nitroglycerin is highly unstable and can detonate under certain conditions, making it a hazardous material to handle and dispose of. Warfarin is a potent toxin with a narrow margin of safety, so improper exposure or disposal can cause serious harm. Some chemotherapy agents are classified as hazardous because they can be mutagenic, carcinogenic, or reproductive toxicants, presenting risks to workers and patients if not managed properly. These characteristics require special handling and disposal procedures. In contrast, water, vitamin C tablets, and saline solution do not present such risks and are disposed of through standard waste streams according to facility policies, not as hazardous waste.

SAMPLE

4. What is the name of the government agency that administers Medicare and Medicaid?

A. The Social Security Administration

B. The National Institutes of Health

C. The Department of Health and Human Services

D. Centers for Medicare and Medicaid Services

Centers for Medicare and Medicaid Services administers Medicare and Medicaid. This agency operates under the Department of Health and Human Services and handles the day-to-day rules, enrollment, and payment processes for these programs. Medicare is a federal health insurance program primarily for people 65 and older (and certain younger individuals with disabilities), with CMS setting coverage and payment policies and processing claims. Medicaid, while funded jointly by federal and state governments, is implemented through CMS in coordination with state agencies, providing federal standards and funds that states use to run their own programs. The other options don't administer these programs: the Social Security Administration handles Social Security benefits; the National Institutes of Health focuses on medical research; the Department of Health and Human Services is the parent department that houses CMS, not the agency that directly administers Medicare and Medicaid.

5. Which statement about the Food, Drug, and Cosmetic Act of 1938 is true?

A. It criminalizes misbranding and adulteration of drugs.

B. It allowed marketing of unsafe drugs.

C. It required pre-market efficacy trials for all drugs.

D. It restricted the FDA's authority to cosmetics.

Safety and proper labeling are the focus here. The Food, Drug, and Cosmetic Act of 1938 gave the FDA authority to regulate drugs to ensure their safety and to oversee how they are labeled. It made it a crime to misbrand or adulterate a drug—the labeling must be truthful and complete, and the product must meet quality standards. This act set up enforcement tools and penalties for violators, reflecting the goal of protecting the public from unsafe or misrepresented products. It did not allow marketing of unsafe drugs; it did not require pre-market efficacy trials for all drugs (that requirement came later, with the 1962 Kefauver-Harris Amendment). It also expanded FDA authority to cosmetics, not restrict it. So the statement that directly reflects these safety, labeling, and enforcement aspects is the true one.

6. Most suspension antibiotics have a stability limit of how many days after opening unless indicated otherwise?

A. 14 days

B. 7 days

C. 30 days

D. 60 days

After a liquid antibiotic suspension has been opened, its stability is limited because exposure to air, moisture, and bacteria can lead to degradation of the drug and growth of microbes. To protect safety and efficacy, manufacturers set a discard period for once-opened products. For most oral suspensions, this stability window is fourteen days unless the label indicates a different timeframe. That means, if the product isn't used within about two weeks after first opening or reconstitution, it should be discarded to ensure it remains effective and safe. Some formulations may have shorter periods when stored under specific conditions, but fourteen days is the common default the exam expects. Always follow the product's labeling if it specifies another period.

SAMPLE

7. Which acronym stands for the Centers for Medicare and Medicaid Services?

A. Centers for Medicare and Medicaid Services

B. Centers for Medical and Medicare Services

C. Medicare and Medicaid Services Center

D. Centers for Health and Medical Services

The acronym refers to the U.S. government agency under the Department of Health and Human Services that administers Medicare and Medicaid. Centers for Medicare and Medicaid Services is the standard expansion of CMS, and many contexts spell the name with an ampersand as Centers for Medicare & Medicaid Services. The essence is the same—this is the agency responsible for programs like Medicare and Medicaid. The other options alter the agency's name or swap words, which means they don't correctly identify the organization that oversees these programs. Understanding the exact expansion helps you recognize which agency handles these national health programs.

8. How would 8:30 p.m. be expressed in military time?

A. 1930

B. 2130

C. 2030

D. 2230

In military time, you use a 24-hour clock, and after noon you add 12 to the hour while keeping the minutes the same. So for 8:30 p.m., add 12 to the hour: 8 + 12 = 20, and the minutes stay 30. The result is 20:30. The other evening times would be 19:30 for 7:30 p.m., 21:30 for 9:30 p.m., and 22:30 for 10:30 p.m., which do not match 8:30 p.m.

9. What documentation should accompany the destruction of a returned vial?

A. A destruction record should be kept on file.

B. No documentation is required.

C. A patient consent form must be filed.

D. A packaging slip must be included.

The main concept is documenting the disposal of meds to ensure accountability and regulatory compliance. When a returned vial is destroyed, a destruction record should be kept on file. This record should include key details such as the drug name and strength, amount destroyed, date, method of destruction, and the names of those who supervised or witnessed the destruction, plus where the waste was disposed. Keeping this documentation creates an auditable trail that the medication was disposed of properly and cannot be diverted or misused. No documentation would leave gaps in inventory control and compliance. A patient consent form isn't typically required for destruction, and a packaging slip covers the return or shipping process rather than the final destruction record.

SAMPLE

10. Which vitamin is Niacin?

A. Niacin

B. Biotin

C. Folic acid

D. Ascorbic acid

Niacin is vitamin B3, a water-soluble B vitamin that acts as a coenzyme in energy-producing reactions through NAD and NADP. This role ties Niacin to overall metabolism, including glycolysis and the TCA cycle, as well as fatty acid synthesis. It's distinct from the other options: Biotin is vitamin B7 involved in carboxylation reactions; Folic acid is vitamin B9 essential for DNA synthesis and one-carbon metabolism; Ascorbic acid is vitamin C, an antioxidant important for collagen and other functions. So, the name Niacin identifies the B3 vitamin, setting it apart from the others listed.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ptcbptce.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE