QUALIFIED APPLICATOR LICENSE (QAL) PLANT AGRICULTURE PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://qalplantagriculture.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which application scenario would NOT typically use a broadcast method?**
   - A. Wide areas where precision is less critical
   - B. Dense foliage needing targeted treatment
   - C. Areas that demand even coverage
   - D. Emergency herbicide application

2. **Which pump is typically used for low-pressure applications in oil sprays or emulsifiable concentrates?**
   - A. Diaphragm
   - B. Roller
   - C. Gear
   - D. Centrifugal

3. **Which of the following is a host plant for the Southern green stink bug?**
   - A. Strawberry
   - B. Tomato
   - C. Rice
   - D. Cucumber

4. **Which pathogen causes cercospora leaf blight in carrots?**
   - A. Cercospora fructicola
   - B. Cercospora carotae
   - C. Cercospora beticola
   - D. Cercospora kikuchii

5. **What factor can contribute to excessive drift during spraying?**
   - A. Too low of a pressure setting
   - B. Wind speed being too low
   - C. Nozzles positioned too far from the target
   - D. Using an inappropriate nozzle type

SAMPLE

6. Which pathogen is responsible for impacting the strawberries' crown and stems?

A. Pythium violae

B. Phytophthora cactorum

C. Verticillium dahliae

D. Meloidogyne incognita

7. Which mite is commonly found on small grains?

A. Penthaleus major

B. Petrobia latens

C. Oligonychus pratensis

D. Empoasca fabae

8. What nematode is responsible for root knot disease in carrots?

A. Meloidogyne incognita

B. Paratrichodorus spp.

C. Longidorus africanus

D. Pythium sulcatum

9. What is the primary use of a turbulence chamber flood nozzle?

A. Herbicide applications

B. Drift-sensitive soil application

C. Pesticide fogging

D. Low volume applications

10. Which nematode is known for causing damage primarily to roots of carrots?

A. Root knot nematode

B. Stubby root nematode

C. Needle nematode

D. All of the above

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. B
5. C
6. B
7. C
8. A
9. B
10. D

SAMPLE

Explanations

SAMPLE

1. Which application scenario would NOT typically use a broadcast method?

A. Wide areas where precision is less critical

B. Dense foliage needing targeted treatment

C. Areas that demand even coverage

D. Emergency herbicide application

The application scenario that typically would not use a broadcast method is one where dense foliage requires a targeted treatment. In such cases, a broadcast application, which covers large areas uniformly, may not effectively penetrate the thick plant material to reach the intended targets. Instead, treatments in dense foliage usually necessitate a more precise application method that can direct the product specifically at the desired plants or pests, ensuring effectiveness while minimizing potential harm to non-target species. In dense foliage, factors like canopy cover limit the distribution and efficacy of broadcast applications, making it essential to utilize targeted methods such as spot treatments or directed sprays. These methods allow for treatment accuracy and minimize waste or non-target exposure, which is crucial in sensitive environments. The other scenarios — wide areas where precision is less critical, areas that demand even coverage, and emergency herbicide applications — are suitable for broadcast methods because they benefit from the uniform application over larger spaces. In such situations, the goal is to quickly and efficiently cover an area rather than focus on individual plants, making broadcast the appropriate choice.

2. Which pump is typically used for low-pressure applications in oil sprays or emulsifiable concentrates?

A. Diaphragm

B. Roller

C. Gear

D. Centrifugal

The pump typically used for low-pressure applications in oil sprays or emulsifiable concentrates is the gear pump. Gear pumps are well-suited for handling viscous fluids, such as oils and emulsions, due to their design that provides a continuous flow at a consistent pressure. They operate by using the meshing of gears to create a vacuum that draws the liquid into the pump and then forces it out, enabling effective handling of thicker fluids without shearing or breaking the emulsion. In agricultural applications, especially when dealing with pesticides or other chemical formulations that often require mixing with oils or emulsifiable concentrates, gear pumps excel at maintaining the desired flow rate and pressure. They can effectively manage the viscous nature of these products while delivering them at a low, steady rate, which is essential for ensuring a uniform application without damaging the integrity of the chemicals. Other pump types may not offer the same efficiency for these specific applications. For example, diaphragm pumps are more commonly used for applications that need a highly accurate flow measurement but may not be suited for high-viscosity products as effectively as gear pumps. Roller pumps can serve low-pressure applications, but they are better suited for transferring non-viscous liquids. Centrifugal pumps are generally used for clear liquids and are less

SAMPLE

3. Which of the following is a host plant for the Southern green stink bug?

A. Strawberry

B. Tomato

C. Rice

D. Cucumber

The Southern green stink bug, known scientifically as Nezara viridula, is primarily associated with a variety of agricultural crops, and among these, tomato is one of its key host plants. This pest feeds on the juices of the tomatoes, which can result in significant crop damage as it can affect fruit quality and yield. While the Southern green stink bug can also be found on other plants, such as those listed, tomatoes are especially conducive to its lifecycle and feeding habits, thus making them a primary host. Tomato plants provide the necessary nutrients and favorable conditions for the bug to thrive and reproduce. The other options, although they might also attract various pests, are not as closely associated with the Southern green stink bug as tomatoes are. This demonstrates the specific and crucial relationship between certain pests and their preferred host plants.

4. Which pathogen causes cercospora leaf blight in carrots?

A. Cercospora fructicola

B. Cercospora carotae

C. Cercospora beticola

D. Cercospora kikuchii

Cercospora leaf blight in carrots is specifically caused by Cercospora carotae. This pathogen is known for its ability to affect the foliage of carrot plants, leading to characteristic symptoms such as dark, sunken lesions on leaves, which can hinder photosynthesis and overall plant health. The other options represent different species of the Cercospora genus, but they are associated with specific diseases affecting other crops. Cercospora fructicola generally affects fruits, Cercospora beticola is known for its impact on beet plants, and Cercospora kikuchii primarily affects soybeans and is recognized for causing purple seed stain. Understanding the correct association of pathogens with their host plants is crucial for effective disease management and control strategies in agriculture.

5. What factor can contribute to excessive drift during spraying?

A. Too low of a pressure setting

B. Wind speed being too low

C. Nozzles positioned too far from the target

D. Using an inappropriate nozzle type

Excessive drift during spraying is significantly influenced by the positioning of nozzles relative to the target area. When nozzles are positioned too far from the target, the distance can cause the pesticide droplets to separate too much before they reach the intended surface. This dispersion may lead to more droplets being carried away by air currents, thereby increasing drift. The farther the nozzles are from the target, the greater the likelihood that environmental factors, such as wind, can take effect and carry the spray particles off course. In contrast, other factors like pressure settings, wind speed, and selecting the appropriate nozzle type play distinct roles but do not directly contribute to excessive drift as much as this particular factor. For example, too low of a pressure setting can affect the droplet size but may not inherently cause drift. Similarly, low wind speeds generally do not lead to drift, and using the correct nozzle type helps in managing droplet size and drift potential, not the positioning of the nozzles.

SAMPLE

6. Which pathogen is responsible for impacting the strawberries' crown and stems?

A. Pythium violae

B. Phytophthora cactorum

C. Verticillium dahliae

D. Meloidogyne incognita

The pathogen responsible for impacting the crowns and stems of strawberries is Phytophthora cactorum. This pathogen is a type of water mold and is well-known for causing serious diseases in various plants, particularly in strawberry crops. It thrives in conditions with poor drainage and can lead to crown rot, which is particularly detrimental to the plant as it affects the lower parts that are crucial for nutrient uptake and growth. Phytophthora cactorum infects the crown and stems, leading to wilting, yellowing of leaves, and ultimately plant decline. Effective management strategies often include promoting well-drained soils, practicing crop rotation, and using resistant cultivars when available to help mitigate the impact of this pathogen. Understanding this specific relationship between the pathogen and the symptoms it causes is essential for managing strawberry health effectively. The other options listed are associated with different types of plant diseases or conditions, impacting various other parts of the plants or other types of plants entirely.

7. Which mite is commonly found on small grains?

A. Penthaleus major

B. Petrobia latens

C. Oligonychus pratensis

D. Empoasca fabae

Oligonychus pratensis, commonly known as the pasture mite or small grain mite, is notably associated with small grain crops such as wheat and barley. This mite affects plant health by feeding on leaf tissue, leading to discoloration and reduced vigor in the plants. Accurate identification of this mite is essential for effective pest management in small grain agriculture, as it can severely impact crop yield and quality. The other mites and pests listed do not primarily affect small grains. For instance, Penthaleus major, known as the false spider mite, typically targets other plant types, focusing on broadleaf weeds rather than grains. Petrobia latens, often referred to as the brown wheat mite, does have some association with wheat but is not the most prevalent or recognized mite in small grain contexts. Empoasca fabae, known as the potato leafhopper, is more commonly associated with other crops like alfalfa and beans. Therefore, the association of Oligonychus pratensis with small grains uniquely identifies it as the most relevant mite for this context.

8. What nematode is responsible for root knot disease in carrots?

A. Meloidogyne incognita

B. Paratrichodorus spp.

C. Longidorus africanus

D. Pythium sulcatum

Meloidogyne incognita is the nematode species primarily responsible for root knot disease in carrots. This type of nematode is a plant-parasitic organism that specifically targets the roots of various plants, including carrots. When Meloidogyne incognita invades carrot roots, it induces the formation of galls or "knots," which can disrupt the vascular system of the plant, leading to nutrient and water uptake issues. This condition often results in stunted growth, yellowing leaves, and reduced yield. The other nematodes listed, such as Paratrichodorus spp. and Longidorus africanus, are associated with different plant pathologies and do not specifically cause root knot disease. Pythium sulcatum, on the other hand, is a water mold that causes damping-off disease in seedlings and young plants but is also unrelated to root knot disease. Understanding the specific roles of these organisms can help in managing and preventing disease in agricultural practices.

SAMPLE

9. What is the primary use of a turbulence chamber flood nozzle?

A. Herbicide applications

B. Drift-sensitive soil application

C. Pesticide fogging

D. Low volume applications

The primary use of a turbulence chamber flood nozzle is for drift-sensitive soil applications. This type of nozzle is designed to deliver a large volume of liquid at a low pressure, which helps in reducing the formation of fine droplets that are more susceptible to drift from wind. By creating a more uniform application, turbulence chamber flood nozzles minimize the chances of off-target movement, ensuring that the chemicals are applied directly to the soil where they are needed. This is particularly important when dealing with herbicides or other soil-active treatments as precision application is critical to their effectiveness and to minimize environmental impact. In contrast, the other options involve different application methods or objectives. Herbicide applications might require various nozzle types depending on the target plant and environmental conditions. Pesticide fogging is typically associated with high-pressure, fine droplet applications designed to penetrate vegetation and cover large areas, which is not the primary feature of turbulence chamber flood nozzles. Low volume applications can involve spraying techniques that are more suited to different nozzle designs that optimize coverage and coverage types rather than large volumes associated with turbulence chambers.

10. Which nematode is known for causing damage primarily to roots of carrots?

A. Root knot nematode

B. Stubby root nematode

C. Needle nematode

D. All of the above

The question addresses nematodes that cause damage to the roots of carrots, and the correct answer is that all of the listed nematodes can be responsible for such damage. The root knot nematode is known to form galls or "knots" on the roots of carrot plants, which can severely affect nutrient and water uptake. This leads to stunted growth and reduced yield. The stubby root nematode affects the root systems similarly, causing a shortened and stubby appearance in the roots, which can significantly impact the plant's health and ability to absorb water and nutrients. The needle nematode primarily feeds on root tips, leading to root necrosis and hindering root growth, consequently leading to decreased vigor and productivity of the carrot plants. Understanding the impact of these nematodes is crucial for managing root health in carrot cultivation, making it important to recognize that each of these nematodes can contribute to the overall damage observed in carrots.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://qalplantagriculture.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE