QUEENSLAND MINING LAW PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://qldmininglaw.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does "acceptable level" of risk mean in mining operations?

A. A risk level deemed negligible by management

B. A risk level within acceptable limits with regard to likelihood and severity

C. A risk level that has been legally mandated

D. A risk level which is often ignored if production is high

2. In which situation must the site senior executive inform the site safety and health representative?

A. New management personnel joining

B. High potential incident

C. Changes in coal market prices

D. Employee morale assessments

3. What must be included in a hot work Risk Assessment?

A. Training for all personnel on machinery operation

B. Stone dust must be maintained at 85% incombustible

C. Routine equipment performance evaluations

D. A list of previous accidents in the area

4. What is the protocol when gas monitoring is deemed inadequate?

A. The mine continues operations as usual

B. All personnel must evacuate immediately

C. Previous gas samples are disregarded

D. Compliance with SOPs is put on hold

5. What activities are permitted in an underground mine when only the escapeway is available for use?

A. Activities to restore the escapeway

B. Routine inspections of non-essential areas

C. Transporting equipment to the surface

D. Performing maintenance on machinery

SAMPLE

6. Who is primarily responsible for the safety and health obligations at coal mines?

A. Only government inspectors

B. Coal mine operators and those affecting safety

C. Workers without specific roles

D. Community representatives

7. Which of the following is a type of serious accident or high potential incident in coal mining?

A. An unplanned ignition of gas or dust

B. A routine safety inspection

C. Regular equipment maintenance

D. Routine workplace training

8. If an unsafe condition is identified that cannot be rectified immediately, what is the required action?

A. Inform only the affected workers

B. Implement a temporary repair

C. Stop operations and erect barriers

D. Leave the site and report later

9. When is live testing on electrical equipment permissible in an ERZ0?

A. Under special circumstances

B. When conducted by certified personnel

C. Only during emergency situations

D. Never

10. What process must the SSE follow in developing controls for hazards?

A. Consult with mine workers

B. Use a risk assessment process recognised by the mining industry

C. Implement controls based solely on personal experience

D. Review past incidents without current data

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. A
6. B
7. A
8. C
9. D
10. B

SAMPLE

Explanations

SAMPLE

1. What does "acceptable level" of risk mean in mining operations?

A. A risk level deemed negligible by management

B. A risk level within acceptable limits with regard to likelihood and severity

C. A risk level that has been legally mandated

D. A risk level which is often ignored if production is high

The concept of "acceptable level" of risk in mining operations refers to a risk level that has been evaluated and found to be within limits that are considered acceptable in terms of both the likelihood of an occurrence and the severity of its consequences. This definition underscores the importance of risk assessment in ensuring that mining operations can proceed safely while minimizing potential harm to workers, the environment, and the surrounding community. In practice, this means that management conducts thorough risk assessments, weighing both the probability of various hazards occurring and the potential impact those hazards could have. The aim is to strike a balance where risks are managed effectively, ensuring they do not exceed thresholds deemed acceptable based on regulatory standards, industry best practices, and internal policies. The correct choice emphasizes a comprehensive approach to risk management that focuses on both likelihood and severity rather than simply labeling risk as negligible, legally mandated, or disregarded for the sake of production. Such a balanced approach is essential in fostering a culture of safety within the mining industry.

2. In which situation must the site senior executive inform the site safety and health representative?

A. New management personnel joining

B. High potential incident

C. Changes in coal market prices

D. Employee morale assessments

The requirement for the site senior executive to inform the site safety and health representative is fundamentally linked to the pursuit of maintaining a safe work environment, particularly in the context of mining operations. A high potential incident represents a significant safety risk that could lead to serious injuries or fatalities. This scenario necessitates immediate communication and collaboration between management and safety representatives to ensure that all safety protocols are evaluated and reinforced. Addressing high potential incidents with urgency improves the overall safety culture on-site and allows for timely interventions, training, or changes in practices to prevent future occurrences. The emphasis on communication in such situations underscores the importance of proactive risk management in the mining industry, where safety is paramount. In contrast, while changes in management personnel, fluctuations in coal market prices, and employee morale assessments certainly have their relevance within an organization, they do not carry the immediate safety implications that a high potential incident does. The focus in safety law is primarily on preventing harm and ensuring adequate responses to risks, making scenarios related to safety incidents a priority for communication between site executives and safety representatives.

SAMPLE

3. What must be included in a hot work Risk Assessment?

A. Training for all personnel on machinery operation

B. Stone dust must be maintained at 85% incombustible

C. Routine equipment performance evaluations

D. A list of previous accidents in the area

A hot work Risk Assessment must include a thorough consideration of the environment in which the work is being conducted, particularly in relation to fire hazards and combustible materials. Maintaining stone dust at 85% incombustible is crucial because it helps to suppress potential dust explosions and minimizes the risk of ignition during hot work operations. This percentage reflects a standard that helps ensure safety by limiting the combustible material present, thereby protecting workers and the surrounding area from associated hazards. In contrast, the other options do not directly address the specific risks related to hot work. While training for personnel on machinery operation is important for overall safety, it does not pertain specifically to the risks presented by hot work activities. Routine equipment performance evaluations are critical for operational safety but are not specific to the fire and explosion risks inherent to hot work scenarios. A list of previous accidents in the area could provide context for risk but does not serve as a proactive measure to mitigate hazards associated with hot work directly. Therefore, maintaining stone dust at the specified incombustible level is the most relevant requirement for a hot work Risk Assessment.

4. What is the protocol when gas monitoring is deemed inadequate?

A. The mine continues operations as usual

B. All personnel must evacuate immediately

C. Previous gas samples are disregarded

D. Compliance with SOPs is put on hold

When gas monitoring is found to be inadequate, the appropriate course of action is for all personnel to evacuate immediately. This response is rooted in the principles of safety and risk management within mining operations. Inadequate gas monitoring can indicate a serious and immediate threat to the health and safety of all workers, as it may fail to detect hazardous conditions, leading to potentially life-threatening scenarios. Prioritizing the safety of personnel is paramount in mining operations, and an immediate evacuation ensures that all workers are removed from a potentially dangerous environment until the issue can be properly assessed and resolved. This emergency protocol underscores the mining industry's commitment to safeguarding the health and wellbeing of its workforce by taking swift action in the face of inadequate safety measures. Other approaches, such as allowing operations to continue, disregarding previous gas samples, or putting compliance with Standard Operating Procedures (SOPs) on hold, do not adequately prioritize safety and could increase risks to all personnel in the vicinity.

SAMPLE

5. What activities are permitted in an underground mine when only the escapeway is available for use?

A. Activities to restore the escapeway

B. Routine inspections of non-essential areas

C. Transporting equipment to the surface

D. Performing maintenance on machinery

The correct choice relates directly to the safety and accessibility requirements that are paramount in mining operations. When an underground mine has only the escapeway available for use, the main focus is on ensuring safe evacuation routes for personnel in the event of emergencies. Therefore, activities that are permitted during this condition are confined to those that maintain or restore the escapeway itself. Restoring the escapeway is essential because it ensures that the escape route remains in good condition and accessible for miners who may need to use it during an emergency. Maintaining the integrity and functionality of the escapeway is a critical safety measure, as failure to do so could jeopardize the safety of all personnel underground. In contrast, conducting routine inspections of non-essential areas could lead to unnecessary risks, as those areas might not have the same urgency or safety priority as maintaining the escapeway. Similarly, transporting equipment to the surface or performing maintenance on machinery could create hazards or block the escapeway, making it less safe for emergency egress. Thus, the allowance for activities is strictly limited to those that contribute to the safety and accessibility of the escapeway when it is the only passage available.

6. Who is primarily responsible for the safety and health obligations at coal mines?

A. Only government inspectors

B. Coal mine operators and those affecting safety

C. Workers without specific roles

D. Community representatives

The primary responsibility for safety and health obligations at coal mines lies with the coal mine operators and those who directly affect safety. This is grounded in the regulatory framework governing mining operations, which emphasizes that operators must ensure a safe working environment for all employees. Under Queensland mining legislation, coal mine operators are required to implement safety management systems, conduct risk assessments, provide adequate training, and ensure compliance with safety standards. They play a crucial role in establishing safety policies and maintaining the equipment and infrastructure necessary to promote health and safety on-site. Additionally, operators often engage with employees and other stakeholders in safety matters, which enhances the overall safety culture within the workplace. Their accountability includes monitoring compliance with safety regulations and taking proactive measures to prevent accidents or health hazards, demonstrating the importance of their leadership role in mining safety practices.

SAMPLE

7. Which of the following is a type of serious accident or high potential incident in coal mining?

A. An unplanned ignition of gas or dust

B. A routine safety inspection

C. Regular equipment maintenance

D. Routine workplace training

The type of serious accident or high potential incident in coal mining highlighted in this question is the unplanned ignition of gas or dust. This situation poses significant risks to the safety of workers and the integrity of the mining operation. In coal mining, gas emissions, particularly methane, and the accumulation of combustible dust are common hazards. An unplanned ignition can lead not only to catastrophic explosions but also to severe injuries or fatalities among workers. Therefore, such incidents are categorized as high potential due to their serious consequences and the need for stringent management measures to prevent them. In contrast, the other options involve standard operational procedures that are preventative in nature and do not represent immediate serious risks. Routine safety inspections, regular equipment maintenance, and workplace training are all essential for ensuring ongoing safety in the mining environment, but they do not qualify as serious accidents or high potential incidents since they are proactive measures rather than unintended events.

8. If an unsafe condition is identified that cannot be rectified immediately, what is the required action?

A. Inform only the affected workers

B. Implement a temporary repair

C. Stop operations and erect barriers

D. Leave the site and report later

When an unsafe condition is identified that cannot be rectified immediately, the necessary action is to stop operations and erect barriers. This approach is critical in ensuring the safety of all personnel in the vicinity. By halting operations, the risk of injury or further incidents is mitigated, as ongoing activities may exacerbate the unsafe condition or lead to accidents. Erecting barriers serves as a visual and physical warning to staff and others that they should stay away from the hazardous area, effectively controlling access and reducing the likelihood of exposure to the identified danger. This action aligns with the principles of hazard management in the mining industry, which prioritize the health and safety of workers above all else. In contrast, simply informing only the affected workers may leave others unaware of the danger, potentially leading to injuries. Implementing a temporary repair might not be sufficient, especially if the risk is significant; the condition may need immediate attention beyond what a temporary fix could provide. Leaving the site and reporting later does not address the immediate danger posed by the unsafe condition and could lead to serious consequences for anyone working nearby. Therefore, stopping operations and erecting barriers represents the most responsible course of action to safeguard health and safety in the workplace.

SAMPLE

9. When is live testing on electrical equipment permissible in an ERZ0?

A. Under special circumstances

B. When conducted by certified personnel

C. Only during emergency situations

D. Never

Live testing on electrical equipment in an Electricity Supply Industry (ESI) work environment, particularly within an Emergency Risk Zone 0 (ERZ0), is strictly prohibited. This restriction is primarily due to the high level of risk associated with working on live electrical equipment in areas where flammable gases, vapors, or dusts may be present. The conditions of an ERZ0 are defined as those that present an imminent danger of explosion if equipment becomes energised while hazardous materials are present. The rationale behind this prohibition is to protect personnel and equipment from catastrophic failures and to ensure safety protocols are adhered to within environments where any form of ignition could result in severe incidents. Thus, the designated regulations and safety standards strictly enforce "never" conducting live testing in such high-risk zones. This approach aligns with the overarching principle of maintaining a safe working environment and preventing accidents that could lead to harm or explosion.

10. What process must the SSE follow in developing controls for hazards?

A. Consult with mine workers

B. Use a risk assessment process recognised by the mining industry

C. Implement controls based solely on personal experience

D. Review past incidents without current data

The correct answer emphasizes the necessity for the Site Senior Executive (SSE) to utilize a risk assessment process that is recognized by the mining industry. This process is crucial as it sets a structured method for identifying, assessing, and mitigating risks associated with potential hazards in mining operations. Using a risk assessment that is validated and accepted within the industry helps to ensure that the controls put in place are based on systematic evaluation rather than anecdotal evidence or personal biases. This not only aligns with legal and safety obligations but also encourages a culture of safety by relying on established best practices and scientific data. Industry-recognized processes typically involve detailed analysis, effective communication, and documentation, thereby enhancing the overall safety management system. In contrast, other methods, such as solely relying on personal experience or reviewing past incidents without current data, do not adequately address the complexities and evolving nature of mining hazards. These alternatives might overlook important factors or new risks that a structured risk assessment would identify, ultimately compromising the safety of mine workers and the operation as a whole.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://qldmininglaw.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE