RADAR, AIRFIELD, AND WEATHER SYSTEMS (RAWS) CDC VOLUME 3 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://rawscdcvol3.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What eliminates second-time-around targets in the Primary Surveillance Radar (PSR)?

A. Staggering the coherent processing interval (CPI) and performing an M of N function

B. Increasing PRF

C. Switching to a different frequency

D. Reducing transmitter power

2. What term describes an aircraft becoming invisible to radar due to Doppler shift equal to the radar's PRF?

A. Doppler Null

B. Blind Speed

C. Cloaked Velocity

D. Shadow Speed

3. How does Convective SIGMET differ from a general SIGMET?

A. Convective SIGMET specifically warns of convective weather such as severe thunderstorms.

B. Convective SIGMET warns of volcanic ash clouds.

C. Convective SIGMET applies to icing conditions.

D. Convective SIGMET is a forecast issued every six hours.

4. What is the Localizer's function?

A. To illuminate the runway edge lights.

B. To align the aircraft with the runway centerline.

C. To provide vertical descent path guidance.

D. To identify the runway threshold.

5. Define wind shear and explain why it is critical during takeoff and landing.

A. A rapid change in wind speed or direction with altitude; can cause sudden loss/gain of airspeed and control issues during approach/departure.

B. A gradual increase in wind speed with altitude; improves lift.

C. A change in humidity with altitude; affects visibility.

D. A static wind condition with no variation.

SAMPLE

6. What describes ground clutter in radar displays?

A. The signal strength of precipitation

B. Random noise generated by the radar

C. Unwanted returns from terrain or objects near the radar; mitigated by clutter filters and elevation processing

D. A calibration error causing false wind data

7. Which statement accurately describes how a weather radar depicts precipitation intensity on its display?

A. Color shading or grayscale is not used for intensity

B. Intensity is shown only as numerical values without color

C. Precipitation intensity is represented by blinking patterns with no color change

D. Color shading or grayscale, with brighter or warmer colors indicating heavier precipitation

8. In a METAR, how is wind information reported and in what units?

A. As wind direction and speed (e.g., 18015G25KT); units are knots.

B. As wind velocity and gust rate; units are mph.

C. As wind direction and speed; units are meters per second.

D. As gusts only; units are knots.

9. Where is the terminal display workstation (TDW) monitor's brightness controlled?

A. Remote bright control box

B. Central power panel

C. Local brightness dial

D. Operator console knob

10. In SSR, altitude reporting provides precise vertical position data to maintain safe separation in airspace as which option?

A. It enables automatic altitude assignments from ground control.

B. It improves radar return strength for low visibility.

C. It provides precise vertical position data to maintain safe separation in airspace.

D. It helps locate the aircraft on a map.

SAMPLE

Answers

SAMPLE

1. A
2. B
3. D
4. B
5. A
6. C
7. D
8. A
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. What eliminates second-time-around targets in the Primary Surveillance Radar (PSR)?

A. Staggering the coherent processing interval (CPI) and performing an M of N function

B. Increasing PRF

C. Switching to a different frequency

D. Reducing transmitter power

Second-time-around echoes are false targets that appear when the return from a target arrives in a later processing cycle as if it were a new target in the current cycle. In PSR, coherent processing sums returns over a coherent processing interval, so a second trip can be reinforced if not managed. Staggering the CPI changes which pulses are combined in each processing interval so that a second-trip echo does not align coherently across CPIs. The M of N function then acts as a gate: a real target must appear in a minimum number of the staggered CPIs to be accepted. Since second-time-around echoes typically don't persist across the staggered CPIs, they fail the acceptance criteria and are rejected. This processing approach specifically targets and removes second-trip artifacts without needing to alter transmitter power or frequency.

2. What term describes an aircraft becoming invisible to radar due to Doppler shift equal to the radar's PRF?

A. Doppler Null

B. Blind Speed

C. Cloaked Velocity

D. Shadow Speed

In pulsed-Doppler radar, motion is detected by the Doppler shift of the returned signal, but the shift is measured modulo the radar's pulse repetition frequency (PRF) because the signal is sampled at that rate. The Doppler frequency shift is $fd = 2\,v\cos\theta / \lambda$. If the true Doppler shift equals an integer multiple of the PRF ($fd = n \times PRF$), the measured Doppler wraps around to zero. That makes the target's motion indistinguishable from stationary clutter in the Doppler processing, effectively rendering the target invisible to the Doppler filter at that speed. This situation is known as a blind speed. It depends on wavelength, PRF, and the aspect angle, and it explains why certain speeds hide in the Doppler spectrum. Other terms aren't the standard name for this effect.

3. How does Convective SIGMET differ from a general SIGMET?

A. Convective SIGMET specifically warns of convective weather such as severe thunderstorms.

B. Convective SIGMET warns of volcanic ash clouds.

C. Convective SIGMET applies to icing conditions.

D. Convective SIGMET is a forecast issued every six hours.

The main idea is that convective SIGMETs are issued for weather produced by convection—thunderstorms and their hazards—whereas general SIGMETs cover significant weather phenomena not tied to convection, such as icing, turbulence, volcanic ash, or dust. This is why the statement that convective SIGMET specifically warns of convective weather like severe thunderstorms best captures the difference. Convective SIGMETs are issued as needed when convective activity is present or expected, and they typically have a shorter valid period, reflecting the rapid changes often seen with thunderstorms. General SIGMETs, on the other hand, cover non-convective hazards and are issued on a broader, less frequent schedule with longer validity. The option that mentions a fixed six-hour issuance schedule does not describe how convective SIGMETs are produced.

SAMPLE

4. What is the Localizer's function?

A. To illuminate the runway edge lights.

B. To align the aircraft with the runway centerline.

C. To provide vertical descent path guidance.

D. To identify the runway threshold.

The Localizer provides horizontal guidance to align the aircraft with the runway centerline. It transmits signals from a ground antenna at the far end of the runway, creating a course that the airplane's navigation system can follow to stay centered on the runway path. The cockpit display shows whether you're left or right of that centerline, so you can intercept and fly the aircraft along the centerline as you approach and descend. Vertical guidance comes from the glideslope, which tells you how steeply to descend, so the localizer is solely about staying on the left–right path along the runway. Threshold identification and other cues are separate from the localizer, which is why its primary job is keeping you aligned laterally with the runway.

5. Define wind shear and explain why it is critical during takeoff and landing.

A. A rapid change in wind speed or direction with altitude; can cause sudden loss/gain of airspeed and control issues during approach/departure.

B. A gradual increase in wind speed with altitude; improves lift.

C. A change in humidity with altitude; affects visibility.

D. A static wind condition with no variation.

Wind shear is a rapid change in wind speed or direction over a short distance in the vertical, which creates abrupt changes in the aerodynamic forces on the aircraft. This is especially critical during takeoff and landing because those phases occur at low altitude and near the limits of safe airspeed and maneuverability. If a layer of air presents a sudden decrease in headwind (or a sudden tailwind), the aircraft can lose airspeed and lift faster than the crew expects, increasing the risk of a stall or an unstable approach. Conversely, a sudden gust or increase in headwind can push airspeed higher than desired, affecting pitch and power management. Because pilots have limited time and margin to respond during these phases, wind shear can lead to loss of control authority or an out-of-trim flight path if not handled promptly with proper speed adjustments and corrective actions. The other descriptions don't capture the rapid vertical variation or its immediate impact on airspeed and control during approach and departure.

6. What describes ground clutter in radar displays?

A. The signal strength of precipitation

B. Random noise generated by the radar

C. Unwanted returns from terrain or objects near the radar; mitigated by clutter filters and elevation processing

D. A calibration error causing false wind data

Ground clutter refers to unwanted echoes that come from terrain or objects near the radar, such as mountains, buildings, or trees, and these returns are not precipitation. They show up on the display as extraneous echoes near the ground and can hide or distort real weather signals. Radar systems minimize this by using clutter filters that suppress stationary or very slow-moving echoes and by applying elevation processing, which analyzes returns across different vertical angles to separate ground clutter from true weather echoes. This combination helps reveal actual precipitation more clearly. The other options describe weather signal strength, generic radar noise, or calibration errors, none of which are ground clutter.

SAMPLE

7. Which statement accurately describes how a weather radar depicts precipitation intensity on its display?

A. Color shading or grayscale is not used for intensity

B. Intensity is shown only as numerical values without color

C. Precipitation intensity is represented by blinking patterns with no color change

D. Color shading or grayscale, with brighter or warmer colors indicating heavier precipitation

Weather radar communicates how hard precipitation is falling by mapping echo strength to the display's brightness or color. The stronger the signal return from a rain column or storm, the higher the reflectivity value, and the display uses a color ramp or grayscale to show that; lighter or cooler tones indicate lighter precipitation, while brighter or warmer tones indicate heavier precipitation. This quick visual cue lets a forecaster see at a glance where the heaviest rain or strongest storm is occurring. While numerical dBZ values are available, the pictorial color/brightness representation is the primary way intensity is shown, which is why choices using color shading or grayscale with brighter/warmer colors best describe how radar displays depict precipitation intensity.

8. In a METAR, how is wind information reported and in what units?

A. As wind direction and speed (e.g., 18015G25KT); units are knots.

B. As wind velocity and gust rate; units are mph.

C. As wind direction and speed; units are meters per second.

D. As gusts only; units are knots.

Wind in a METAR is reported as the direction from which the wind is blowing and the speed in knots, with optional gust information. The format shows the wind direction in tens of degrees, followed by the speed in knots, and if gusts are present, a G and the gust speed before the KT unit. The example 18015G25KT means wind from 180 degrees at 15 knots, gusting to 25 knots. Knots are the standard aviation unit for wind in METARs, not mph or meters per second. This is why the other descriptions don't fit: wind is not reported as velocity or in mph/m/s, and gusts are only part of the data when they accompany a defined wind direction and speed.

9. Where is the terminal display workstation (TDW) monitor's brightness controlled?

A. Remote bright control box

B. Central power panel

C. Local brightness dial

D. Operator console knob

Brightness for the terminal display workstation monitor is controlled with a remote brightness control box. This setup lets a central device set and standardize the luminance for the TDW displays, ensuring consistent visibility across different consoles and ambient lighting conditions. It also prevents individual operators from tweaking brightness on a monitor, which could lead to uneven or unintentionally altered levels during critical operations. The other options don't fit this standard arrangement: a central power panel handles power, not brightness; a local brightness dial on the monitor would allow each user to change settings independently, hurting uniformity; and an operator console knob isn't the designated control path for this system.

SAMPLE

10. In SSR, altitude reporting provides precise vertical position data to maintain safe separation in airspace as which option?

A. It enables automatic altitude assignments from ground control.

B. It improves radar return strength for low visibility.

C. It provides precise vertical position data to maintain safe separation in airspace.

D. It helps locate the aircraft on a map.

Altitude reporting in SSR provides precise vertical position data that ATC uses to maintain safe vertical separation in airspace. The aircraft's transponder encodes altitude (Mode C/Mode S) and transmits it with each SSR reply, so controllers know exactly how high the aircraft is. This vertical position information is what allows clean, reliable separation even when pilots are visually or radar-tracking conditions aren't ideal. Other options focus on radar return strength, map location, or automatic assignments, none of which capture the primary purpose of altitude reporting: to support safe vertical spacing.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://rawscdcvol3.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE