RADIOLOGY PHYSICS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://radiologyphysics.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Who is credited with the discovery of x-ray?

A. Thomas Edison

B. Albert Einstein

C. Conrad Wilhelm Roentgen

D. Wilhelm Röntgen

2. What is one of the benefits of using a rotating anode?

A. Higher tube currents

B. Increased film density

C. Longer exposure times

D. Lower contrast

3. In radiology, what does the term "density" refer to?

A. The thickness of the radiographic film

B. The amount of radiation absorbed by the tissues

C. The brightness of the image on the monitor

D. The spatial resolution of the imaging device

4. What does the term "retrograde pyelography" describe?

A. A procedure that visualizes the bronchial tubes

B. A non-invasive method for assessing cardiac health

C. A radiographic procedure using contrast to visualize the urinary tract

D. A technique for examining the gastrointestinal tract

5. Which two effects are most commonly observed in long-term radiation workers?

A. Skin burns and respiratory issues

B. Cataracts and carcinogenesis

C. Nausea and vomiting

D. Hair loss and fatigue

SAMPLE

6. In terms of cell radiosensitivity, what is a key factor according to the Law of Bergonie and Tribondeau?

A. The cell's division rate

B. The cell's genetic makeup

C. The environment of the cell

D. The location of the cell's nucleus

7. Which two electrodes are found within the evacuated glass envelope?

A. Cathode and neutron

B. Anode and filament

C. Cathode and anode

D. Cathode and semiconductor

8. Which type of interactions do not reach the image receptor but provide diagnostic information by representing anatomic structures?

A. Compton scattering

B. Pair production

C. Photoelectric effect

D. Photodisintegration

9. What principle underlies computed tomography (CT) imaging?

A. It uses sound waves to create images

B. It uses X-ray equipment to produce cross-sectional images of the body

C. It creates images using magnetic resonance

D. It captures images through thermal radiation

10. What is the minimum lead equivalent required for a lead drape?

A. 0.15 mm

B. 0.25 mm

C. 0.35 mm

D. 0.45 mm

SAMPLE

Answers

SAMPLE

1. C
2. A
3. B
4. C
5. B
6. A
7. C
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Who is credited with the discovery of x-ray?

A. Thomas Edison

B. Albert Einstein

C. Conrad Wilhelm Roentgen

D. Wilhelm Röntgen

The discovery of x-rays is attributed to Wilhelm Röntgen, a German physicist, who made this groundbreaking finding in 1895. Röntgen was conducting experiments with cathode rays when he observed a strange glow emanating from a nearby screen coated with barium platinocyanide. He realized that the invisible rays produced could pass through various materials, including human tissue, but not through denser substances like bone. Röntgen's discovery opened the door to a new field of medical imaging, dramatically impacting diagnostics and treatment in medicine. His meticulous documentation and the subsequent presentation of his findings to the scientific community were critical in establishing the significance of x-rays. The terminology "x-ray" itself acknowledges the unknown nature of the radiation at the time of his discovery, with the "x" denoting an unknown variable. This pioneering work earned Röntgen the first Nobel Prize in Physics in 1901, solidifying his legacy in the field of medical imaging and physics.

2. What is one of the benefits of using a rotating anode?

A. Higher tube currents

B. Increased film density

C. Longer exposure times

D. Lower contrast

Using a rotating anode provides the benefit of higher tube currents, which directly relates to the efficiency and effectiveness of x-ray production. The rotating anode spreads out the heat generated during high tube currents over a larger surface area, allowing for the use of higher exposure factors without damaging the anode. This ability to handle higher tube currents means that more electrons can be accelerated and collided with the target material, resulting in increased x-ray production per unit time. Consequently, this boosts the overall efficiency of the x-ray tube and improves the quality of images by allowing for shorter exposure times and reduced motion blur. The other options do not accurately reflect the primary advantages of using a rotating anode. Increased film density and lower contrast are more influenced by factors such as kVp and exposure time, while longer exposure times would generally not be desirable, as they can introduce motion artifacts and increase the patient's dose unnecessarily.

3. In radiology, what does the term "density" refer to?

A. The thickness of the radiographic film

B. The amount of radiation absorbed by the tissues

C. The brightness of the image on the monitor

D. The spatial resolution of the imaging device

In the context of radiology, "density" specifically refers to the amount of radiation absorbed by the tissues being imaged. When x-rays are transmitted through the body, different types of tissues absorb varying amounts of radiation based on their composition and density. For example, denser tissues like bone will absorb more x-rays, resulting in a lighter appearance on the radiographic image, while less dense tissues, such as muscles or fat, absorb fewer x-rays and appear darker. This concept of density is crucial for interpreting radiographic images because it helps radiologists differentiate between various types of tissue and identify abnormalities or lesions based on how much radiation they absorb. Understanding tissue density is essential for accurate diagnosis and effective treatment planning in radiology.

SAMPLE

4. What does the term "retrograde pyelography" describe?

A. A procedure that visualizes the bronchial tubes

B. A non-invasive method for assessing cardiac health

C. A radiographic procedure using contrast to visualize the urinary tract

D. A technique for examining the gastrointestinal tract

The term "retrograde pyelography" refers specifically to a radiographic procedure that involves the use of contrast dye to visualize the urinary tract, particularly the renal pelvis and ureters. In this procedure, contrast material is introduced in a retrograde manner, meaning it is injected into the urinary system through the urethra and bladder, allowing for detailed images of the kidneys and urinary tract structures to be obtained. This imaging technique is especially useful for diagnosing conditions such as obstructions, stones, tumors, or any anatomical abnormalities within the urinary system. The other choices do not pertain to the urinary tract. Visualization of bronchial tubes is achieved through bronchography, not retrograde pyelography. Non-invasive methods for assessing cardiac health are more aligned with echocardiography or nuclear stress tests, neither of which involves the urinary tract. Lastly, techniques that examine the gastrointestinal tract would involve modalities like fluoroscopy or endoscopy, which are unrelated to retrograde pyelography. Thus, the correct choice accurately encapsulates the specific function of retrograde pyelography within the field of medical imaging.

5. Which two effects are most commonly observed in long-term radiation workers?

A. Skin burns and respiratory issues

B. Cataracts and carcinogenesis

C. Nausea and vomiting

D. Hair loss and fatigue

Cataracts and carcinogenesis are indeed the two effects most commonly observed in long-term radiation workers. Prolonged exposure to ionizing radiation can lead to the development of cataracts, which are opacities that form in the lens of the eye, affecting vision. This condition is particularly significant among radiation workers, as the eyes can be directly exposed to radiation during various medical or industrial procedures. Additionally, carcinogenesis, or the initiation of cancer formation, is a well-documented risk associated with long-term exposure to radiation. Ionizing radiation can cause damage to the DNA in cells, leading to mutations that may result in cancer over time. The risk of developing various types of cancers increases with higher cumulative doses of radiation, making both cataracts and cancer significant concerns for those working in fields with regular radiation exposure. In contrast, while skin burns and respiratory issues can result from certain types of radiation exposure or specific incidents, they are not typically the predominant long-term effects seen in workers exposed to low doses of radiation over extended periods. Nausea and vomiting are acute effects that usually occur as immediate responses to high doses of radiation rather than chronic effects. Hair loss and fatigue can occur due to other medical conditions or treatment regimens but do not specifically correlate as

SAMPLE

6. In terms of cell radiosensitivity, what is a key factor according to the Law of Bergonie and Tribondeau?

A. The cell's division rate

B. The cell's genetic makeup

C. The environment of the cell

D. The location of the cell's nucleus

The Law of Bergonie and Tribondeau states that the radiosensitivity of cells is influenced primarily by their rate of division and their degree of differentiation. The more rapidly a cell divides, the more sensitive it is to radiation. This is because cells that are actively dividing have a higher likelihood of being impacted by radiation during critical phases of the cell cycle, particularly during mitosis. In rapidly dividing cells, such as those found in tissues with high turnover rates (like bone marrow or skin), the chances of radiation causing damage to the DNA increase, leading to cell death or malfunction. Conversely, cells that are differentiated or not actively dividing tend to be more resistant to radiation because they are not as vulnerable during the cell cycle. Thus, the cell's division rate plays a crucial role in determining its radiosensitivity, aligning perfectly with the conclusions drawn from the Law of Bergonie and Tribondeau.

7. Which two electrodes are found within the evacuated glass envelope?

A. Cathode and neutron

B. Anode and filament

C. Cathode and anode

D. Cathode and semiconductor

Within the evacuated glass envelope of an x-ray tube, the two key electrodes present are the cathode and the anode. The cathode is responsible for emitting electrons when heated, which occurs through a process called thermionic emission. This assembly typically includes a filament, which is heated to create a cloud of electrons around it. The anode, on the other hand, serves as the target for the electrons emitted by the cathode. When these high-speed electrons collide with the anode, the kinetic energy is converted into x-rays as well as heat. The design of the x-ray tube, specifically the presence of these two electrodes, is fundamental to the production of x-rays in medical imaging. The other combinations provided include elements such as neutrons and semiconductors, which do not belong to the functions of the electrodes within the x-ray tube. Neutrons are neutral particles found in atomic nuclei and play no role in the creation of x-rays. Similarly, semiconductors, while important in various electrical applications, do not function as electrodes in this context. Thus, the correct pairing of electrodes in the evacuated glass envelope of an x-ray tube is indeed the cathode and anode.

SAMPLE

8. Which type of interactions do not reach the image receptor but provide diagnostic information by representing anatomic structures?

A. Compton scattering

B. Pair production

C. Photoelectric effect

D. Photodisintegration

The photoelectric effect is the correct choice because it is the interaction that occurs when an incoming photon is completely absorbed by an inner-shell electron of an atom, typically in biological tissue. In this process, the photon transfers all of its energy to the electron, allowing the electron to overcome the binding energy and be ejected from its shell. This results in the emission of secondary electrons and leads to ionization of the atom. The photoelectric effect is instrumental in generating contrast in medical imaging, especially in radiography, where it provides diagnostic information by contrasting different tissue densities. Tissues with higher atomic numbers and densities, like bone, will absorb more photons, appearing white on the radiographic image. In contrast, softer tissues absorb fewer photons and appear darker. Although the interaction does not directly produce radiation that reaches the image receptor, it contributes to the differential absorption of photons in various tissues, enabling the formation of an image that displays anatomical structures. In contrast, other types of interactions mentioned, such as Compton scattering, pair production, and photodisintegration, typically involve different mechanisms that may not serve the same illustrative purpose in diagnostic imaging. Compton scattering can cause photons to scatter and reach the image receptor, affecting image quality. Pair production occurs only at

9. What principle underlies computed tomography (CT) imaging?

A. It uses sound waves to create images

B. It uses X-ray equipment to produce cross-sectional images of the body

C. It creates images using magnetic resonance

D. It captures images through thermal radiation

Computed tomography (CT) imaging is fundamentally based on the use of X-ray technology to generate detailed cross-sectional images of the body. In a CT scan, an X-ray beam rotates around the patient, capturing numerous two-dimensional images from different angles. A computer then processes these images to create a three-dimensional representation of the internal structures, allowing for enhanced visualization of various tissues and organs. This method is particularly beneficial as it provides more information than traditional X-ray imaging, as it can differentiate between various types of tissues and detect abnormalities that may not be visible in standard X-ray images. CT imaging is widely utilized due to its speed and the clarity of the images it produces, making it a valuable tool in diagnosis and treatment planning. In contrast, the other options refer to different imaging modalities. Sound waves are utilized in ultrasound imaging, magnetic resonance imaging employs magnetic fields and radio waves, and thermal radiation does not play a role in conventional imaging techniques for medical diagnosis.

SAMPLE

10. What is the minimum lead equivalent required for a lead drape?

A. 0.15 mm

B. 0.25 mm

C. 0.35 mm

D. 0.45 mm

The minimum lead equivalent required for a lead drape is 0.25 mm. This level of lead equivalency is established based on safety standards to adequately protect against ionizing radiation during various diagnostic and therapeutic procedures in radiology. Lead drapes are an essential component in minimizing radiation exposure to both patients and medical staff. The 0.25 mm lead equivalent is deemed sufficient for absorbing low-energy X-rays and gamma rays, which are commonly encountered in radiological environments. This protection level balances the need for effective shielding while also maintaining flexibility and usability for medical professionals during procedures. Higher levels of lead equivalency may provide additional protection but are often less practical in terms of weight and mobility, making the 0.25 mm standard a widely accepted minimum in practice.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://radiologyphysics.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE