
# RED CROSS ADULT, CHILD AND BABY FIRST AID/CPR/AED PRACTICE TEST (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://
redcrossadultchildbabyfirstaidcpraed.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 16


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. What technique should be used when performing CPR on an unresponsive choking infant?**

A. Standard CPR technique

B. Encircling thumbs CPR technique

C. One-handed CPR technique

D. Two-handed chest compressions

**2. What happens if you give a breath that is too forceful during CPR?**

A. The chest may not rise

B. The airway may become obstructed

C. The person may vomit

D. The heart rate may increase

**3. What technique should be used for CPR on an unresponsive choking infant?**

A. Two-handed technique

B. Encircling thumbs technique

C. Abdominal thrusts technique

D. One-handed technique

**4. Which is a sign of a heart attack?**

A. Pain in the stomach

B. Persistent coughing

C. Stabbing pain in the eye

D. Sudden leg cramps

**5. At what age does a child transition to being considered as an adult in CPR protocols?**

A. At the age of 10

B. At 12 years old

C. At the onset of puberty

D. At 18 years old

SAMPLE

**6. During an interview using SAM, a person reports severe pain in their left arm. What should you do next?**

A. Call for help immediately.

B. Provide comfort and wait for help.

C. Perform a focused check of their left arm.

D. Ask them more general questions.

**7. What is the compression-to-breath ratio for CPR in children?**

A. 15:2

B. 30:2

C. 5:1

D. 10:2

**8. What should Benjamin do to help manage Cole's well-being while waiting for EMS?**

A. Encourage Cole to move around

B. Maintain Cole's body temperature

C. Immediately give Cole food

D. Leave Cole unattended

**9. What should you do first when approaching a child who is choking, after checking the scene for safety?**

A. Perform the Heimlich maneuver immediately.

B. Obtain consent from the parent.

C. Ask the child if they can speak.

D. Begin CPR right away.

**10. What action demonstrates effective communication during the Call step in an emergency?**

A. Yell across the room for help.

B. Indicate multiple people to call for help.

C. Look directly at one person and give clear instructions.

D. Assume someone else will call.

SAMPLE

# Answers

SAMPLE

1. B
2. A
3. B
4. A
5. C
6. C
7. B
8. B
9. B
10. C

SAMPLE

# Explanations

SAMPLE

## 1. What technique should be used when performing CPR on an unresponsive choking infant?

A. Standard CPR technique

B. Encircling thumbs CPR technique

C. One-handed CPR technique

D. Two-handed chest compressions

*The encircling thumbs CPR technique is the correct approach for performing CPR on an unresponsive choking infant because it addresses the specific airway management needs of a small child while also providing effective chest compressions. This technique involves positioning both of the caregiver's hands around the infant's chest, using the thumbs to deliver compressions and the fingers to support the back of the infant. Using the encircling thumbs method allows for better stabilization of the infant's body and facilitates easier access to the thoracic region while ensuring that the airway remains clear and accessible for rescue breaths, especially important in a choking situation. In contrast, standard CPR techniques may not be immediately applicable to infants due to their anatomical differences compared to older children and adults. One-handed CPR techniques and two-handed compressions are generally more relevant for older children and adults and may not be safe or effective for infants, as they can lead to excessive force and potential injury.*

## 2. What happens if you give a breath that is too forceful during CPR?

A. The chest may not rise

B. The airway may become obstructed

C. The person may vomit

D. The heart rate may increase

*When administering CPR, providing a breath that is too forceful can lead to a couple of concerning outcomes, but the primary issue is that the chest may not rise effectively. This indicates that the air is not being delivered properly into the lungs, which is essential for effective ventilation. If the air is forced in too aggressively, it can lead to inadequate pressure and uneven distribution of the air, preventing the necessary rise of the chest that signals effective breathing. While the other outcomes, such as vomiting and airway obstruction, can potentially occur due to forceful breaths, they are not the primary immediate concern in relation to the effectiveness of CPR. Furthermore, while an increase in heart rate can occur during CPR, it is not a direct result of giving a breath that is too forceful. The priority is always to ensure that breaths are delivered at a gentle, controlled rate to allow for sufficient air exchange in the lungs without causing complications.*

SAMPLE

## 3. What technique should be used for CPR on an unresponsive choking infant?

A. Two-handed technique

B. Encircling thumbs technique

C. Abdominal thrusts technique

D. One-handed technique

*The encircling thumbs technique is appropriate for administering CPR to an unresponsive choking infant because it combines chest compressions with rescue breaths while maintaining the infant's airway. This technique involves encircling the infant's chest with both hands, using the thumbs to compress the sternum while the fingers provide support to the back. It allows for proper compressions that are both effective and safe, given the fragility of an infant's body. To clarify the context of the other options: The two-handed technique is generally used for adults and older children and may not be suitable for infants due to their small size. The abdominal thrusts technique is not recommended for infants who are unresponsive and choking because it could cause further injury. The one-handed technique is not standard practice for CPR on infants, as it would not provide the necessary support and stabilization needed during the procedure. In summary, the encircling thumbs technique is specifically designed for infants experiencing choking that has led to unresponsiveness, ensuring a balance of effective compressions and the possibility of delivering rescue breaths.*

## 4. Which is a sign of a heart attack?

A. Pain in the stomach

B. Persistent coughing

C. Stabbing pain in the eye

D. Sudden leg cramps

*A sign of a heart attack can indeed be pain in the stomach. This occurs because the heart and stomach share nerve pathways, leading to referred pain. Individuals experiencing a heart attack might feel discomfort or pain that radiates to the stomach area, which can sometimes be mistaken for digestive issues. This symptom is particularly notable in women, who often exhibit atypical signs of a heart attack compared to men. The other options, such as persistent coughing, stabbing pain in the eye, and sudden leg cramps, do not directly correlate with heart attack symptoms. While coughing could be associated with other respiratory or cardiac issues, it is not a classic sign of a heart attack. Similarly, stabbing pain in the eye is unrelated to heart functions, and sudden leg cramps are generally connected to musculoskeletal conditions rather than heart issues. Understanding the varied symptoms can help in recognizing a heart attack promptly and seeking appropriate medical help.*

SAMPLE

**5. At what age does a child transition to being considered as an adult in CPR protocols?**

A. At the age of 10

B. At 12 years old

C. At the onset of puberty

D. At 18 years old

*In CPR protocols, the transition from child to adult is generally recognized at the onset of puberty. This is because puberty signifies significant physiological and anatomical changes that often align with a child's capability to perform or respond to CPR in a manner similar to that of an adult. The American Heart Association and other guidelines indicate that once a child reaches puberty, their body has developed enough to merit the different considerations and techniques used in adult CPR, particularly regarding chest compression depth and the physiological response to cardiac events. While there are age benchmarks for various stages of development, simply reaching a specific age without considering developmental milestones may not accurately reflect a child's ability to respond to emergencies. Therefore, identifying the onset of puberty as the transition point reflects a more nuanced understanding of the developmental stages that influence physical capability and emergency response effectiveness. Other specified ages, such as 10, 12, or 18, do not align with the physiological developments that establish a more appropriate ability for adult CPR techniques.*

**6. During an interview using SAM, a person reports severe pain in their left arm. What should you do next?**

A. Call for help immediately.

B. Provide comfort and wait for help.

C. Perform a focused check of their left arm.

D. Ask them more general questions.

*The appropriate action in this scenario is to perform a focused check of the person's left arm. This step is essential because the individual is reporting severe pain specifically in that area, which may indicate an injury or a potential medical emergency, such as a heart-related issue, especially if they are also exhibiting symptoms that could suggest a heart attack. Conducting a focused check allows you to assess the arm for any visible signs of injury, such as deformities, swelling, or cuts, and also helps determine the nature and extent of the pain. Understanding the specifics of the pain and any associated symptoms is critical in providing the right care or making informed decisions about the need for further medical assistance. This focused assessment can guide your next steps, whether it involves providing comfort, calling for help, or taking additional actions based on what you discover during your assessment.*

SAMPLE

## 7. What is the compression-to-breath ratio for CPR in children?

A. 15:2

B. 30:2

C. 5:1

D. 10:2

*For pediatric CPR, the correct compression-to-breath ratio is 30 compressions followed by 2 breaths. This ratio is based on the guidelines established for performing CPR on children, emphasizing the importance of compressions in maintaining blood circulation and oxygenation. The 30:2 ratio for children aligns with the adult CPR technique when performed by a single rescuer, reflecting the need for efficient chest compressions to effectively circulate oxygenated blood until advanced medical help arrives. In practice, these compressions should be delivered at a rate of 100 to 120 per minute, and the breaths should be given after every 30 compressions to ensure a proper oxygen exchange. This is crucial for minimizing the risk of brain damage or other complications due to insufficient oxygen during cardiac arrest. Other ratios, such as 15:2 or 10:2, are not standard for single rescuer scenarios in children, and 5:1 is not recognized by CPR guidelines for any age group. These alternative ratios might create confusion or lead to ineffective CPR, as they do not emphasize the necessary amount of compressions required to adequately support circulation. Therefore, knowing and applying the correct ratio of 30:2 is vital for effective cardiac arrest management in children.*

## 8. What should Benjamin do to help manage Cole's well-being while waiting for EMS?

A. Encourage Cole to move around

B. Maintain Cole's body temperature

C. Immediately give Cole food

D. Leave Cole unattended

*Maintaining Cole's body temperature is crucial for his well-being while waiting for emergency medical services (EMS). Temperature regulation is a key component of first aid because hypothermia or hyperthermia can complicate a person's condition. Keeping Cole warm, if he is cold, helps prevent shock and ensures that his body can better manage any injuries or medical issues he may be experiencing. Operationally, if Cole is feeling unwell, moving around could lead to increased stress or exacerbate his condition, and offering food could be inappropriate if he's experiencing nausea or a serious medical issue. Leaving him unattended would also be unsafe, as he may require immediate assistance or monitoring. Hence, maintaining his body temperature reflects an understanding of basic first aid principles focused on stabilization and comfort until professional help arrives.*

SAMPLE

**9. What should you do first when approaching a child who is choking, after checking the scene for safety?**

A. Perform the Heimlich maneuver immediately.

B. Obtain consent from the parent.

C. Ask the child if they can speak.

D. Begin CPR right away.

*The correct approach when encountering a choking child, after ensuring the environment is safe, starts with obtaining consent from the parent or guardian. This step is crucial because it respects the rights of the caregiver and ensures that they are informed and supportive of the actions being taken to assist the child. It is a foundational aspect of first aid to ensure consent is given before administering any medical assistance, especially with children. Once consent is obtained, the appropriate techniques for addressing the choking incident can be deployed. This will typically include assessing the child's condition and determining the best course of action, which may involve performing the Heimlich maneuver if the child is unable to speak or breathe properly. It's essential to approach the situation methodically and with respect for the child's and parent's wishes, ensuring that the response is both effective and ethical. Engaging the child by asking if they can speak is helpful but not the first action to take immediately after checking for safety, as consent should be prioritized. Performing CPR is only necessary if the child becomes unresponsive and cannot breathe after other interventions. Therefore, obtaining consent forms the critical first step in providing assistance.*

**10. What action demonstrates effective communication during the Call step in an emergency?**

A. Yell across the room for help.

B. Indicate multiple people to call for help.

C. Look directly at one person and give clear instructions.

D. Assume someone else will call.

*The response that emphasizes looking directly at one person and giving clear instructions reflects effective communication during the Call step in an emergency scenario. This approach is crucial because clear, directed communication helps to eliminate confusion and ensures that the intended individual understands their specific role in getting help. When someone is called upon directly, it instills a sense of responsibility in that person, which can prompt a more timely and organized response. Effective communication in emergencies is essential as it minimizes the potential for miscommunication or delay. By focusing your instructions on a single person, you can clarify what needs to be done without overwhelming others or creating ambiguity. This targeted method also fosters accountability; the individual receiving the instructions is more likely to take immediate action rather than waiting for someone else to step up. In contrast, yelling across a room can lead to misunderstandings and may not effectively motivate anyone to take action. Indicating multiple people to call for help can create disorganization and confusion about who is responsible for which action. Assuming someone else will call can lead to critical inaction, which is especially dangerous in emergencies where quick responses are vital.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://redcrossadultchildbabyfirstaidcpraed.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE