REGISTERED NURSE (RN) ENDOCRINE LICENSURE PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://registerednurse-endocrine.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the primary physiological disturbance in DKA?

A. Hyperglycemia

B. Hyponatremia

C. Hypokalemia

D. Lactic acidosis

2. Which patient is at a higher risk for developing Syndrome of Inappropriate Anti-diuretic Hormone (SIADH)?

A. A patient diagnosed with small cell lung cancer

B. A patient whose kidney tubules are failing to reabsorb water

C. A patient with a tumor on the anterior pituitary gland

D. A patient taking Declomycin

3. What is adrenal insufficiency?

A. A condition where the adrenal glands produce too much cortisol

B. A condition where the adrenal glands do not produce enough cortisol

C. A condition resulting from excessive cortisol production

D. A condition affecting adrenal gland size and shape

4. What health history should lead a nurse to question a doctor's order for Inderal in a patient with thyroid storm?

A. History of mental illness.

B. History of asthma.

C. History of tachycardia.

D. History of cancer.

5. What is the normal range for fasting blood glucose levels?

A. 50-70 mg/dL

B. 70-99 mg/dL

C. 100-125 mg/dL

D. 126-140 mg/dL

SAMPLE

6. What is the primary cause of secondary adrenal insufficiency?

A. Decreased levels of cortisol

B. Lack of adrenocorticotropic hormone (ACTH) production

C. Pathological adrenal gland enlargement

D. Overproduction of adrenal catecholamines

7. Which hormonal imbalance occurs in SIADH?

A. Excess production of glucagon

B. Excess production of insulin

C. Excess production of anti-diuretic hormone

D. Deficiency of corticosteroids

8. What does the hemoglobin A1c test measure?

A. Current blood glucose levels

B. Average blood glucose levels over the past 2-3 months

C. Insulin production levels

D. Cholesterol levels

9. High levels of which substance are typically found in the blood of a person with diabetes?

A. Insulin

B. Glucose

C. Cortisol

D. Glycogen

10. What is the function of oxytocin in the body?

A. Stimulating uterine contractions during childbirth

B. Increasing heart rate during stress

C. Regulating sleep-wake cycles

D. Stimulating milk production in breastfeeding

SAMPLE

Answers

SAMPLE

1. A
2. A
3. B
4. B
5. B
6. B
7. C
8. B
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What is the primary physiological disturbance in DKA?

A. Hyperglycemia

B. Hyponatremia

C. Hypokalemia

D. Lactic acidosis

In diabetic ketoacidosis (DKA), the primary physiological disturbance is hyperglycemia. In this condition, patients typically experience elevated blood glucose levels due to insufficient insulin, which is necessary for glucose uptake by cells. Without adequate insulin, the body cannot effectively utilize glucose for energy, leading to an accumulation of glucose in the bloodstream. As the glucose levels rise, the body begins to break down fat as an alternative energy source, resulting in the production of ketone bodies. This metabolic process contributes to the ketoacidosis aspect of the condition, where the accumulation of ketones leads to a decrease in blood pH. Although other imbalances, such as electrolyte abnormalities and possible metabolic acidosis, can occur as a result of DKA, hyperglycemia is the foundational disturbance that initiates the cascade of events leading to the clinical presentation of DKA.

2. Which patient is at a higher risk for developing Syndrome of Inappropriate Anti-diuretic Hormone (SIADH)?

A. A patient diagnosed with small cell lung cancer

B. A patient whose kidney tubules are failing to reabsorb water

C. A patient with a tumor on the anterior pituitary gland

D. A patient taking Declomycin

Patients with small cell lung cancer are at a higher risk for developing the Syndrome of Inappropriate Anti-diuretic Hormone (SIADH) due to the ectopic production of antidiuretic hormone (ADH) often associated with this type of cancer. In these cases, cancer cells in the lungs can produce substances that mimic ADH, leading to water retention, dilutional hyponatremia (low sodium levels), and the hallmark features of SIADH. This pathological mechanism highlights the connection between certain malignancies and hormonal dysregulation, particularly the inappropriate secretion of ADH, which disrupts normal fluid balance in the body and can lead to severe complications. In contrast, other indicated choices may involve different medical issues that do not directly correlate with the inappropriate secretion of ADH.

3. What is adrenal insufficiency?

A. A condition where the adrenal glands produce too much cortisol

B. A condition where the adrenal glands do not produce enough cortisol

C. A condition resulting from excessive cortisol production

D. A condition affecting adrenal gland size and shape

Adrenal insufficiency is characterized by the inadequate production of cortisol by the adrenal glands. Cortisol is a crucial hormone that helps the body respond to stress, regulate metabolism, and maintain blood pressure, among other functions. When the adrenal glands fail to produce sufficient levels of this hormone, it can lead to various symptoms, including fatigue, weakness, weight loss, low blood pressure, and a craving for salt. Understanding adrenal insufficiency involves recognizing its difference from other conditions related to cortisol levels. For instance, while excess cortisol production leads to conditions such as Cushing's syndrome, adrenal insufficiency specifically refers to the lack of production. This distinction is vital for diagnosing and managing patients effectively, as the treatment approaches for adrenal insufficiency differ significantly from those for conditions associated with excess cortisol. Thus, the correct definition emphasizes the adrenal glands' failure to produce adequate cortisol, which is crucial for maintaining many bodily functions.

SAMPLE

4. What health history should lead a nurse to question a doctor's order for Inderal in a patient with thyroid storm?

A. History of mental illness.

B. History of asthma.

C. History of tachycardia.

D. History of cancer.

Inderal, also known as propranolol, is a non-selective beta-blocker commonly used to manage symptoms of conditions such as hypertension and anxiety, but it is particularly relevant in the management of thyroid storm due to its ability to quickly reduce heart rate and alleviate symptoms like tachycardia. However, its use in patients with a history of asthma is problematic. Non-selective beta-blockers can cause bronchoconstriction by blocking beta-2 adrenergic receptors, which can exacerbate respiratory conditions like asthma. This adverse effect makes the use of Inderal in patients with a history of asthma a significant concern, as it could potentially lead to acute respiratory distress. While a history of mental illness, tachycardia, or cancer might warrant careful monitoring or consideration in the context of prescribing Inderal, they do not present as direct contraindications to the drug's use as it pertains to its mechanisms of action and potential side effects. Thus, the presence of asthma is critical in evaluating the appropriateness of administering Inderal in a patient experiencing thyroid storm.

5. What is the normal range for fasting blood glucose levels?

A. 50-70 mg/dL

B. 70-99 mg/dL

C. 100-125 mg/dL

D. 126-140 mg/dL

The normal range for fasting blood glucose levels is 70-99 mg/dL. This range signifies that the body's mechanism for regulating blood sugar is functioning properly, effectively utilizing glucose for energy without being indicative of insulin resistance or diabetes. Fasting blood glucose levels below 70 mg/dL may be considered hypoglycemic, which can lead to symptoms such as dizziness and confusion, making it an important range for clinicians to monitor. Levels from 100 to 125 mg/dL indicate a state known as prediabetes, where the body's insulin sensitivity is reduced, and there's an increased risk of developing type 2 diabetes, but it does not yet define diabetes itself. Levels at or above 126 mg/dL on two separate occasions confirm a diagnosis of diabetes, marking a critical threshold for patient management and treatment interventions. Understanding these ranges is essential for nurses and healthcare providers in diagnosing and managing patients with conditions related to glucose metabolism.

SAMPLE

6. What is the primary cause of secondary adrenal insufficiency?

A. Decreased levels of cortisol

B. Lack of adrenocorticotropic hormone (ACTH) production

C. Pathological adrenal gland enlargement

D. Overproduction of adrenal catecholamines

The primary cause of secondary adrenal insufficiency is indeed linked to a lack of adrenocorticotropic hormone (ACTH) production. This condition occurs when the pituitary gland, which is responsible for secreting ACTH, fails to produce sufficient amounts of this hormone. ACTH plays a crucial role in stimulating the adrenal glands to produce cortisol. Without adequate levels of ACTH, the adrenal cortex is unable to respond properly, leading to decreased cortisol production and, consequently, symptoms associated with adrenal insufficiency. In contrast, decreased cortisol levels are a consequence of this lack of ACTH rather than a primary cause. Pathological adrenal gland enlargement typically refers to primary adrenal disorders, such as adrenal tumors, that produce excess hormones. Overproduction of adrenal catecholamines relates to other endocrine disorders and does not directly impact cortisol production in the context of adrenal insufficiency. Understanding the role of ACTH and its relationship with cortisol production is essential for grasping the dynamics of secondary adrenal insufficiency.

7. Which hormonal imbalance occurs in SIADH?

A. Excess production of glucagon

B. Excess production of insulin

C. Excess production of anti-diuretic hormone

D. Deficiency of corticosteroids

In the context of Syndrome of Inappropriate Antidiuretic Hormone secretion (SIADH), the key feature is the excess production of antidiuretic hormone (ADH), also known as vasopressin. This hormone plays a critical role in regulating the body's water balance by controlling the amount of water reabsorbed by the kidneys. In SIADH, there is an inappropriate release of ADH despite normal or low plasma osmolality, which leads to increased water reabsorption in the kidneys, dilutional hyponatremia (low sodium levels in the blood), and other electrolyte imbalances. This condition can lead to symptoms such as headache, confusion, seizures, and in severe cases, coma, due to the rapid shifts in fluid balance. Understanding this hormonal imbalance is crucial for appropriate diagnosis and management of SIADH. The other options presented do not pertain to the condition: glucagon and insulin are related to carbohydrate metabolism and might be implicated in other endocrine disorders, while deficiency of corticosteroids is not relevant to SIADH. The focus remains on the inappropriate excess of ADH that characterizes SIADH.

SAMPLE

8. What does the hemoglobin A1c test measure?

A. Current blood glucose levels

B. Average blood glucose levels over the past 2-3 months

C. Insulin production levels

D. Cholesterol levels

The hemoglobin A1c test specifically measures the average blood glucose levels over the past 2-3 months. This is achieved by evaluating the percentage of hemoglobin proteins in the blood that have glucose attached to them. Since red blood cells typically have a lifespan of about 120 days, the A1c test provides a reliable estimate of average blood sugar levels during that time frame. Understanding this test is especially crucial for managing diabetes, as it helps healthcare providers gauge how well an individual's blood glucose has been controlled over time. A higher percentage indicates worse blood glucose control and a greater risk of diabetes-related complications. This test does not reflect current blood glucose levels; rather, it indicates longer-term glucose trends and management effectiveness. Insulin production levels and cholesterol levels are unrelated to the hemoglobin A1c test, making them irrelevant in this context. Thus, the emphasis on average blood glucose levels is the key aspect of the A1c test's significance in clinical practice.

9. High levels of which substance are typically found in the blood of a person with diabetes?

A. Insulin

B. Glucose

C. Cortisol

D. Glycogen

In individuals with diabetes, high levels of glucose are typically found in the blood. This condition, known as hyperglycemia, occurs because the body either does not produce enough insulin or cannot effectively use the insulin it produces. Insulin is the hormone responsible for facilitating the uptake of glucose into cells for energy, and when its action is impaired, glucose remains in the bloodstream, leading to elevated levels. When diabetes is poorly managed or uncontrolled, this excess glucose can cause various complications over time, including cardiovascular disease, nerve damage, kidney issues, and vision problems. Therefore, monitoring blood glucose levels is a critical aspect of diabetes management and helps in determining the effectiveness of treatment strategies. In contexts unrelated to diabetes, the other options do have their own roles in metabolism and physiological function but are not typically linked to high blood levels in the context of diabetes specifically. For instance, while cortisol levels can be elevated in stress and certain conditions, they do not relate directly to the glucose irregularities characteristic of diabetes. Glycogen, on the other hand, is a stored form of glucose in the liver and muscles and is not found in elevated blood levels. Insulin, conversely, is usually low or insufficient in diabetes when glucose levels are high.

SAMPLE

10. What is the function of oxytocin in the body?

A. Stimulating uterine contractions during childbirth

B. Increasing heart rate during stress

C. Regulating sleep-wake cycles

D. Stimulating milk production in breastfeeding

Oxytocin plays a crucial role in several physiological processes, with one of its primary functions being the stimulation of uterine contractions during childbirth. This hormone is produced in the hypothalamus and released by the posterior pituitary gland. During labor, oxytocin levels increase, leading to stronger and more frequent contractions as the body works to facilitate the delivery of the baby. In addition to its role in childbirth, oxytocin is also known for its involvement in promoting social bonding and maternal behaviors, as well as facilitating the milk ejection reflex during breastfeeding. However, while it does play a part in breastfeeding, particularly in the ejection of milk from the breast rather than initiating milk production itself, the main function related to the question pertains to its role in childbirth. Other functions associated with the other options—such as increasing heart rate during stress or regulating sleep-wake cycles—are primarily governed by different hormones and physiological mechanisms, making them less relevant to oxytocin's main actions. Thus, the connection between oxytocin and uterine contractions is a significant aspect of its function in the reproductive system.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://registerednurse-endocrine.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE