REGISTERED RESPIRATORY THERAPIST CSE PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://regrespiratorytherapistcse.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which of the following radiographic findings is associated with cystic fibrosis?

A. Translucent (dark) lung fields

B. Depressed/flattened diaphragms

C. Right ventricular enlargement

D. Areas of atelectasis and fibrosis

2. Which respiratory pattern is most commonly associated with pulmonary embolism?

A. Wheezing and crackles

B. Sudden onset

C. SOB, tachypnea

D. Possible hemoptysis

3. Pneumonia initially often mimics which condition?

A. It often mimics a cold/flu.

B. Headache and neck stiffness.

C. Rheumatoid arthritis symptoms.

D. Leg swelling.

4. In assessing Peripheral Vascular Disease, which signs may be present?

A. Numbness, pain, pallor, high blood pressure

B. Cough and fever

C. Jaundice

D. Hair loss on scalp

5. Which thrombolytic agent is used in the treatment of pulmonary embolism?

A. Streptokinase

B. Urokinase

C. Warfarin

D. Oxygen

SAMPLE

6. What diagnostic test is used to evaluate sleep apnea?

A. Chest radiograph

B. Arterial blood gas

C. Polysomnography

D. Pulmonary function tests

7. Which of the following is a long-term controller medication class for asthma?

A. Short-acting beta-agonists

B. Inhaled corticosteroids

C. Oxygen therapy

D. Oral antibiotics

8. Stroke risk factors and etiologies include which of the following?

A. Cerebral thrombi/emboli

B. Atherosclerosis

C. Hypertension

D. All of the above

9. Which oxygen delivery method is commonly used in CHF with pulmonary edema?

A. High flow oxygen via NRB mask or HFNC

B. Nasal cannula at 2 L/min

C. Room air

D. Simple face mask

10. Which findings are associated with head trauma assessment?

A. Irregular rhythm, Cheyne-Stokes or Biot breathing, altered LOC, abnormal pupillary response

B. Regular rhythm, normal breathing, stable LOC

C. Hypoxemia only

D. Normal pupils only

SAMPLE

Answers

SAMPLE

1. D
2. C
3. A
4. A
5. B
6. C
7. B
8. D
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. Which of the following radiographic findings is associated with cystic fibrosis?

A. Translucent (dark) lung fields

B. Depressed/flattened diaphragms

C. Right ventricular enlargement

D. Areas of atelectasis and fibrosis

Cystic fibrosis leads to thick mucus that blocks airways, causing recurrent infections and inflammation that damage the small airways. Over time this results in obstruction, air trapping, and fibrotic scarring. The radiographic appearance that best reflects this chronic, obstructive and scar-forming process is areas of atelectasis and fibrosis—linear or patchy densities where air has collapsed and scar tissue has formed. You may also see bronchial thickening and signs of bronchiectasis with ongoing disease, but the key pattern that ties directly to CF's chronic airway obstruction is these atelectatic and fibrotic changes. Hyperinflation and flattened diaphragms can occur in CF, but they aren't as specific to the disease, and right heart enlargement is a possible late consequence rather than a typical early radiographic feature.

2. Which respiratory pattern is most commonly associated with pulmonary embolism?

A. Wheezing and crackles

B. Sudden onset

C. SOB, tachypnea

D. Possible hemoptysis

Pulmonary embolism most commonly shows a pattern of shortness of breath with rapid breathing. When a clot blocks a pulmonary artery, it creates a sudden ventilation-perfusion mismatch and increases physiologic dead space, leading to hypoxemia. The body responds by increasing respiratory drive, so breathing becomes faster and the patient feels short of breath. While other signs like chest discomfort or occasional coughing up blood can occur, the combination of dyspnea and tachypnea is the hallmark respiratory pattern. Wheezing or crackles aren't typical for PE and reflect other conditions; the timing being sudden fits many PE episodes but isn't itself the pattern.

3. Pneumonia initially often mimics which condition?

A. It often mimics a cold/flu.

B. Headache and neck stiffness.

C. Rheumatoid arthritis symptoms.

D. Leg swelling.

Pneumonia's early presentation often mirrors a common cold or flu because it starts with nonspecific respiratory symptoms that overlap with viral upper respiratory infections. Cough, fever, malaise, fatigue, and body aches are common to both, making the initial stage hard to distinguish from a cold or influenza. As it evolves, lung-specific signs and imaging help differentiate pneumonia. The other choices describe conditions that aren't typical early features of pneumonia—headache with neck stiffness points to meningitis, rheumatoid arthritis symptoms to a joint disease, and leg swelling to circulatory or venous issues.

SAMPLE

4. In assessing Peripheral Vascular Disease, which signs may be present?

A. Numbness, pain, pallor, high blood pressure

B. Cough and fever

C. Jaundice

D. Hair loss on scalp

Peripheral vascular disease presents with signs from arterial insufficiency in the limbs. Numbness or tingling, pain that occurs with activity (intermittent claudication), and pallor of the limb when elevated are classic indicators that blood flow to the extremities is compromised. Hypertension commonly coexists with vascular disease as a risk factor, so it can be found in these patients, while other systemic signs like cough and fever, jaundice, or scalp hair loss do not reflect limb arterial perfusion issues. The option that includes numbness, pain, pallor, and hypertension best matches the vascular signs you'd expect to assess.

5. Which thrombolytic agent is used in the treatment of pulmonary embolism?

A. Streptokinase

B. Urokinase

C. Warfarin

D. Oxygen

Pulmonary embolism treatment with a thrombolytic focuses on dissolving the clot quickly to restore blood flow in the lungs. Urokinase does this by directly converting plasminogen to plasmin, an enzyme that breaks down fibrin and dissolves clots. That direct plasminogen activation is why urokinase is used to lyse the embolus in PE. Oxygen helps with oxygenation but does not dissolve the clot. Warfarin is an anticoagulant that prevents new clots from forming but doesn't acutely dissolve the existing embolus. Streptokinase is another thrombolytic and can be used, but urokinase is the agent identified here for clot dissolution in PE.

6. What diagnostic test is used to evaluate sleep apnea?

A. Chest radiograph

B. Arterial blood gas

C. Polysomnography

D. Pulmonary function tests

Polysomnography is the diagnostic study used to evaluate sleep apnea because it monitors multiple physiological signals throughout sleep, capturing the events that define sleep-disordered breathing. It records brain activity to determine sleep stages, eye movements, and muscle tone, while also tracking respiratory effort, airflow, oxygen saturation, heart rate, and often limb movements. This comprehensive data allows you to identify apneas and hypopneas, determine whether airway obstruction is present, and calculate the apnea-hypopnea index to assess severity. Other tests like chest radiography, arterial blood gas, or pulmonary function tests measure static anatomy or gas exchange and do not reveal the nighttime breathing disturbances that occur during sleep, so they aren't suitable for diagnosing sleep apnea.

SAMPLE

7. Which of the following is a long-term controller medication class for asthma?

A. Short-acting beta-agonists

B. Inhaled corticosteroids

C. Oxygen therapy

D. Oral antibiotics

Long-term control of asthma hinges on medicines that dampen the chronic airway inflammation, not just relieve symptoms. Inhaled corticosteroids do exactly that: they reduce inflammatory activity in the airways, decrease swelling and mucous production, and lower the frequency of exacerbations when used regularly. Because of their anti-inflammatory effect, they're taken daily to maintain control and prevent symptoms over time, rather than providing immediate relief. That's what sets them apart from rescue meds. Short-acting beta-agonists are bronchodilators that rapidly relieve acute bronchospasm and are used as needed for sudden symptoms, not for daily control. Oxygen therapy is supplemental support for patients with low blood oxygen levels and is not a regular controller for asthma. Oral antibiotics target infections and are not a standard method for controlling the underlying inflammatory process of asthma. So, the best choice for long-term controller therapy is inhaled corticosteroids, since they address the root inflammatory component and help sustain control with consistent, daily use.

8. Stroke risk factors and etiologies include which of the following?

A. Cerebral thrombi/emboli

B. Atherosclerosis

C. Hypertension

D. All of the above

Stroke can result from both blocked vessels and ruptured vessels. Cerebral thrombi and emboli are direct causes of ischemic stroke, where blood flow is suddenly obstructed in a vessel supplying the brain. Atherosclerosis sets the stage by thickening and narrowing arteries; these plaques can rupture or erode, leading to thrombosis or embolization that cuts off blood flow. Hypertension damages vessel walls and makes them prone to rupture, a key mechanism for intracerebral hemorrhage, while also driving small-vessel disease that can produce lacunar ischemic strokes. Because each factor contributes to stroke risk or its underlying mechanisms, the best choice is all of the above. Controlling hypertension, in particular, has a major impact on reducing overall stroke risk.

SAMPLE

9. Which oxygen delivery method is commonly used in CHF with pulmonary edema?

A. High flow oxygen via NRB mask or HFNC

B. Nasal cannula at 2 L/min

C. Room air

D. Simple face mask

In CHF with pulmonary edema, the main goal is to rapidly improve oxygenation because fluid-filled airspaces impair gas exchange and increase the work of breathing. Delivering the highest possible FiO2 reliably is the most effective way to raise arterial oxygen levels. A nonrebreather mask can provide near-maximum FiO2 when fitted properly and flows are adequate, making it a common initial choice to correct hypoxemia in this situation. High-flow nasal cannula also delivers high FiO2 with the added benefit of heated, humidified gas at high flow and a small amount of positive airway pressure, which helps keep airways open and reduces the work of breathing. A nasal cannula at 2 L/min offers only a modest FiO2 and may be insufficient for significant hypoxemia. Room air provides no supplemental oxygen. A simple face mask can deliver more than a nasal cannula but typically does not achieve as high or as consistent FiO2 as a nonrebreather, and it lacks the positive pressure benefits of NRB or HFNC. Thus, the approach most commonly used to rapidly correct hypoxemia in this scenario is high-flow oxygen via a nonrebreather mask or high-flow nasal cannula.

10. Which findings are associated with head trauma assessment?

A. Irregular rhythm, Cheyne-Stokes or Biot breathing, altered LOC, abnormal pupillary response

B. Regular rhythm, normal breathing, stable LOC

C. Hypoxemia only

D. Normal pupils only

Head trauma assessment looks for signs of brainstem dysfunction and intracranial injury, which show up as changes in consciousness, respiration, autonomic function, and pupil reactiveness. Irregular heart rhythm points to autonomic instability that can accompany severe brain injury. Abnormal breathing patterns such as Cheyne-Stokes or Biot indicate disruption of brainstem respiratory control or rising intracranial pressure. A decreased or altered level of consciousness reflects global brain dysfunction, and an abnormal pupillary response signals involvement of the optic and oculomotor pathways with possible increased intracranial pressure. Together, these findings strongly suggest significant intracranial injury from head trauma. The other options miss several of these critical neuro signs (for example, normal rhythm and breathing with stable LOC; hypoxemia alone; or normal pupils alone), so they don't align with the typical constellation seen in head trauma.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://regrespiratorytherapistcse.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE