RELIAS NURSING MANAGEMENT OF HYPERTENSIVE DISORDERS IN PREGNANCY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://
reliasnursmgmthtndisordersinpregnancy.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What blood pressure reading is considered hypertensive in the context of pregnancy?**

   A. 120/80 mmHg

   B. 130/85 mmHg

   C. 140/90 mmHg

   D. 150/95 mmHg

2. **At what gestational age does the development of severe features in pregnancy prompt consideration for delivery?**

   A. 32 weeks

   B. 34 weeks

   C. 36 weeks

   D. 38 weeks

3. **What should be the next step if a patient with known hypertension presents with a significantly elevated BP reading of 156/98 mm Hg?**

   A. Immediate discharge

   B. Assessment for possible superimposed preeclampsia

   C. Initiate a medication regimen

   D. Schedule for a follow-up appointment

4. **Which type of hypertensive disorder in pregnancy is characterized by a patient with a long history of high blood pressure and normal initial lab work?**

   A. Preeclampsia with severe features

   B. Gestational hypertension

   C. Chronic hypertension

   D. Transient hypertension

5. **Which of the following is a contraindication for using labetalol in hypertensive pregnant patients?**

   A. Asthma

   B. Hypotension

   C. Severe vasospasm

   D. Gestational diabetes

SAMPLE

6. What should be monitored hourly in a patient receiving magnesium sulfate?

A. Blood pressure stability

B. Signs of magnesium toxicity

C. Fluid intake

D. Fetal heart rate

7. What is the primary risk associated with untreated chronic hypertension during pregnancy?

A. The likelihood of maternal anemia

B. The potential for fetal growth restriction and placental abruption

C. The risk of gestational diabetes

D. The possibility of preterm labor

8. Which statement is true regarding the symptoms of HELLP syndrome?

A. Hypertension is always present

B. Patients frequently present with nausea

C. Most patients experience right upper quadrant pain

D. Symptoms improve rapidly

9. During a follow-up appointment, which of the following should be a priority health topic for a patient with a history of preeclampsia?

A. Family planning options

B. Long-term blood pressure management

C. Child development milestones

D. Home safety assessments

10. What vital sign reading would classify a patient as experiencing hypertension during pregnancy?

A. 120/80 mm Hg

B. 140/90 mm Hg

C. 150/95 mm Hg

D. 160/100 mm Hg

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. C
5. B
6. B
7. B
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What blood pressure reading is considered hypertensive in the context of pregnancy?

A. 120/80 mmHg

B. 130/85 mmHg

C. 140/90 mmHg

D. 150/95 mmHg

In the context of pregnancy, a blood pressure reading of 140/90 mmHg or higher is considered hypertensive. This threshold aligns with the guidelines for diagnosing hypertension in pregnant individuals, which have been established to identify those at risk for hypertensive disorders such as gestational hypertension, preeclampsia, or chronic hypertension exacerbated by pregnancy. The distinction of 140/90 mmHg as the cutoff is crucial because it assists healthcare providers in determining the appropriate management and monitoring strategies for both the mother and the fetus. Hypertension during pregnancy can lead to significant complications if left unaddressed, thus timely identification is essential for ensuring better maternal and fetal outcomes. The other blood pressure readings fall below this threshold, indicating levels that are generally considered to be within normal limits or mild elevation, but do not classify as hypertension according to established medical criteria for pregnant patients. Recognizing this distinction ensures early interventions and monitoring, which are vital in managing and preventing potential complications associated with elevated blood pressure during pregnancy.

2. At what gestational age does the development of severe features in pregnancy prompt consideration for delivery?

A. 32 weeks

B. 34 weeks

C. 36 weeks

D. 38 weeks

The consideration for delivery due to severe features of hypertension in pregnancy typically arises around 34 weeks of gestation. Severe features may indicate a risk for complications not only for the mother but also for the fetus, thus necessitating timely intervention. At 34 weeks, the fetus is usually developed enough to survive outside the womb with appropriate medical support, and the risks associated with prolonged exposure to the severe hypertensive state often outweigh the risks of early delivery. Delivering at this point can help prevent potential severe outcomes such as eclampsia, placental abruption, and other complications of severe hypertension. Therefore, the decision to deliver around 34 weeks aligns with guidelines and practices aimed at optimizing both maternal and fetal health outcomes.

SAMPLE

3. What should be the next step if a patient with known hypertension presents with a significantly elevated BP reading of 156/98 mm Hg?

A. Immediate discharge

B. Assessment for possible superimposed preeclampsia

C. Initiate a medication regimen

D. Schedule for a follow-up appointment

When a patient with known hypertension presents with a significantly elevated blood pressure reading, it is crucial to assess for possible superimposed preeclampsia. Preeclampsia is a serious condition that can develop in women with chronic hypertension during pregnancy and is characterized by the new development of hypertension and proteinuria after 20 weeks of gestation. An elevated blood pressure reading, particularly one that exceeds the normal range, may indicate that the patient is experiencing deterioration in her hypertensive state or could potentially be progressing toward preeclampsia. By conducting an assessment for superimposed preeclampsia, healthcare providers can evaluate for additional signs such as the presence of protein in the urine, elevated liver enzymes, or symptoms of end-organ dysfunction. This assessment is vital to ensure that appropriate interventions are made to protect both the mother and fetus from potential complications associated with the condition. While other options such as initiating a medication regimen or scheduling a follow-up appointment might seem relevant, they do not address the immediate need to rule out the more severe condition of preeclampsia, which requires urgent evaluation and management. Discharging the patient without further evaluation would also be inappropriate considering the elevated blood pressure reading, as it does not ensure that the

4. Which type of hypertensive disorder in pregnancy is characterized by a patient with a long history of high blood pressure and normal initial lab work?

A. Preeclampsia with severe features

B. Gestational hypertension

C. Chronic hypertension

D. Transient hypertension

Chronic hypertension is characterized by the presence of high blood pressure that precedes pregnancy or is diagnosed before the 20th week of gestation. This condition is marked by a patient's long-standing history of hypertension, which distinguishes it from other hypertensive disorders that may arise during pregnancy. Normal initial lab work further supports that the hypertension is pre-existing rather than a complication related to pregnancy. In cases of chronic hypertension, there may be no signs of renal or hepatic dysfunction, and the patient does not display the other systemic manifestations typically associated with disorders that develop as a consequence of pregnancy. This clear differentiation is essential for appropriate management and monitoring, as chronic hypertension requires distinct considerations compared to conditions like preeclampsia or gestational hypertension, which often involve additional complications or changes in laboratory results during pregnancy.

SAMPLE

5. Which of the following is a contraindication for using labetalol in hypertensive pregnant patients?

A. Asthma

B. Hypotension

C. Severe vasospasm

D. Gestational diabetes

Labetalol is a medication commonly used to manage hypertension in pregnant patients, primarily because of its ability to lower blood pressure while maintaining adequate blood flow to the placenta. However, one of the critical contraindications for its use is hypotension. When a patient is hypotensive, the administration of labetalol, which can further lower blood pressure, poses significant risks such as inadequate perfusion of vital organs and the placenta. This can lead to serious complications for both the mother and the developing fetus. Therefore, it is crucial to ensure that the patient's blood pressure is adequately elevated before considering the use of labetalol to manage hypertension. The other options listed, such as asthma, severe vasospasm, and gestational diabetes, may warrant careful consideration and monitoring but are not absolute contraindications for the use of labetalol. For example, although beta-blockers can cause bronchospasm in asthmatic patients, labetalol is a selective agent that may be used cautiously under close supervision. Hence, hypotension remains the most significant contraindication when it comes to the safe use of labetalol in treating hypertensive disorders during pregnancy.

6. What should be monitored hourly in a patient receiving magnesium sulfate?

A. Blood pressure stability

B. Signs of magnesium toxicity

C. Fluid intake

D. Fetal heart rate

Monitoring for signs of magnesium toxicity in a patient receiving magnesium sulfate is crucial because this medication is often used for conditions such as pre-eclampsia and eclampsia during pregnancy. Magnesium sulfate works as a central nervous system depressant and can help prevent seizures; however, it can also lead to toxicity if not properly managed. Signs of magnesium toxicity include respiratory depression, diminished reflexes, hypotension, and altered mental status. Monitoring for these signs is essential to ensure the safety of both the mother and the fetus. Frequent assessment helps identify early signs of toxicity, allowing for prompt intervention such as adjusting the dosage or discontinuing the medication if necessary. While other factors like blood pressure stability, fluid intake, and fetal heart rate are important in the overall management of a patient on magnesium sulfate, the direct concern for this medication's safety profile makes hourly monitoring for signs of magnesium toxicity a priority. This proactive approach helps mitigate potential risks associated with the treatment.

SAMPLE

7. What is the primary risk associated with untreated chronic hypertension during pregnancy?

A. The likelihood of maternal anemia

B. The potential for fetal growth restriction and placental abruption

C. The risk of gestational diabetes

D. The possibility of preterm labor

The primary risk associated with untreated chronic hypertension during pregnancy is the potential for fetal growth restriction and placental abruption. Chronic hypertension can lead to several serious complications for both the mother and the fetus. Specifically, elevated blood pressure can compromise blood flow to the placenta, resulting in insufficient nutrient and oxygen delivery to the fetus. This can cause fetal growth restriction, where the developing fetus does not grow adequately, leading to potential developmental issues and an increased risk of stillbirth. Additionally, chronic hypertension is associated with an increased risk of placental abruption, a condition where the placenta separates prematurely from the uterine wall. This can lead to significant maternal and fetal complications, including heavy bleeding, preterm birth, and adverse outcomes for the fetus. In contrast, maternal anemia, gestational diabetes, and preterm labor, while still relevant to pregnancy management, are not the primary complications directly resulting from untreated chronic hypertension. Thus, the emphasis on fetal growth restriction and placental abruption highlights the critical need for careful monitoring and management of chronic hypertension during pregnancy.

8. Which statement is true regarding the symptoms of HELLP syndrome?

A. Hypertension is always present

B. Patients frequently present with nausea

C. Most patients experience right upper quadrant pain

D. Symptoms improve rapidly

In HELLP syndrome, right upper quadrant pain is a common symptom experienced by most patients. This pain is typically associated with liver inflammation or distension and may result from increased liver enzymes and associated conditions like thrombocytopenia, which can cause swelling of the liver capsule. It is essential to recognize this symptom, as it often prompts further evaluation and may lead to timely intervention, which is critical in managing this serious condition. The presence of right upper quadrant pain helps healthcare providers identify the potential severity of the situation, as patients with HELLP syndrome may be at risk for liver rupture or other complications. This symptom is part of the classic triad of symptoms associated with HELLP syndrome, which also includes hemolysis and elevated liver enzymes. Recognizing these symptoms allows for appropriate monitoring and management to improve maternal and fetal outcomes.

SAMPLE

9. During a follow-up appointment, which of the following should be a priority health topic for a patient with a history of preeclampsia?

A. Family planning options

B. Long-term blood pressure management

C. Child development milestones

D. Home safety assessments

For a patient with a history of preeclampsia, focusing on long-term blood pressure management is crucial because preeclampsia is associated with an increased risk of developing chronic hypertension and cardiovascular diseases later in life. Proper management of blood pressure can help mitigate these long-term risks and improve overall health outcomes. After experiencing preeclampsia, women may need to monitor their blood pressure regularly and adopt lifestyle changes or medications as necessary to maintain healthy levels. This follow-up care is vital to prevent complications that can arise from uncontrolled hypertension, such as heart disease or stroke. Therefore, emphasizing long-term blood pressure management during follow-up appointments supports proactive health care and underscores the importance of continuous monitoring for patients with past hypertensive disorders in pregnancy.

10. What vital sign reading would classify a patient as experiencing hypertension during pregnancy?

A. 120/80 mm Hg

B. 140/90 mm Hg

C. 150/95 mm Hg

D. 160/100 mm Hg

The classification of hypertension during pregnancy is primarily based on blood pressure readings. In pregnancy, hypertension is defined as having blood pressure readings at or above 140/90 mm Hg. The reading of 140/90 mm Hg matches the diagnostic criteria for hypertension. Blood pressure is measured in millimeters of mercury (mm Hg) and consists of two numbers: systolic pressure (the first number) and diastolic pressure (the second number). A systolic reading of 140 or higher, or a diastolic reading of 90 or higher, indicates that a patient is considered to have hypertension, which can pose risks to both the mother and fetus. Higher readings, such as 150/95 mm Hg or 160/100 mm Hg, also indicate hypertension but are not the lowest threshold for diagnosis. Meanwhile, a reading of 120/80 mm Hg is considered normal for adults and does not indicate hypertension. The focus on these thresholds is important for timely intervention and management of hypertensive disorders in pregnancy to improve outcomes for both mother and child.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://reliasnursmgmthtndisordersinpregnancy.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE