REPUBLIC AIRWAYS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://republicairways.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What does a sign next to the runway with a black background and a white numeral indicate?

A. Runway closure

B. Runway distance remaining in thousands of feet

C. Altitude requirements for approach

D. Landing zone shifts

2. What occurs when an aircraft exceeds the critical angle of attack?

A. It experiences adverse yaw

B. It enters a stall

C. It immediately gains altitude

D. It increases speed

3. Which of the following is a consideration when rejecting a takeoff beyond V2?

A. Weather conditions

B. Runway overrun

C. Fuel consumption

D. Passenger comfort

4. What is a recommended strategy to maintain safety during landing behind a larger aircraft?

A. Ascend to a higher altitude before landing

B. Wait for a longer gap between landings

C. Execute a longer final approach

D. Stay above the larger aircraft's path and land beyond its touchdown

5. What is the speed limit in a procedure turn?

A. 250 KIAS

B. 200 KIAS

C. 180 KIAS

D. 220 KIAS

SAMPLE

6. What does the term "takeoff decision speed" refer to?

A. The point at which the pilot must commit to takeoff
B. The optimal speed for the best climb performance
C. The maximum speed allowed on the runway
D. The speed at which a takeoff can no longer be safely rejected

7. How can a pilot illuminate pilot-controlled lighting?

A. By switching on the landing lights
B. Keying the mic on the appropriate frequency
C. Using a handheld flashlight
D. By making a verbal request to ATC

8. Which type of fog forms when warm moist air rises over a sloping terrain?

A. Advection fog.
B. Radiation fog.
C. Upslope fog.
D. Ground fog.

9. How many nautical miles does the MSA extend?

A. 10 nm
B. 15 nm
C. 20 nm
D. 25 nm

10. When should a pilot begin to slow down for an assigned holding fix?

A. 1 minute before
B. 2 minutes before
C. 3 minutes before
D. 5 minutes before

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. D
5. B
6. D
7. B
8. C
9. D
10. C

SAMPLE

Explanations

SAMPLE

1. What does a sign next to the runway with a black background and a white numeral indicate?

A. Runway closure

B. Runway distance remaining in thousands of feet

C. Altitude requirements for approach

D. Landing zone shifts

A sign next to the runway that features a black background with white numerals indicates the runway distance remaining in thousands of feet. This type of signage is crucial for pilots as it provides important information about how much distance is left before they reach the runway threshold. Knowing the remaining distance helps pilots make informed decisions about landing, particularly in terms of speed and approach. Other options, such as runway closure or landing zone shifts, are indicated by different signs or signals, which may include a different color scheme or additional symbols. Altitude requirements for approach are typically communicated through navigation charts and not via runway signs. Thus, the specific characteristics of the black background with white numerals distinctly point to the information about runway distance.

2. What occurs when an aircraft exceeds the critical angle of attack?

A. It experiences adverse yaw

B. It enters a stall

C. It immediately gains altitude

D. It increases speed

When an aircraft exceeds the critical angle of attack, it enters a stall. The critical angle of attack is the point at which the airflow over the wings can no longer remain smooth and starts to separate from the wing surface. This results in a significant loss of lift because the wings are no longer generating enough aerodynamic force to support the aircraft's weight. In a stall condition, the aircraft may experience a rapid decrease in lift and may start to descend, potentially resulting in a loss of control if not recovered properly. Understanding this concept is crucial for pilots, as it emphasizes the importance of maintaining appropriate angles of attack during flight to ensure safe and effective handling of the aircraft. The other options do not accurately describe the situation when an aircraft exceeds the critical angle of attack. For instance, adverse yaw is a phenomenon associated with differential drag during turns and is not directly linked to exceeding the critical angle of attack. Gaining altitude and increasing speed are also not outcomes of exceeding the critical angle, as such actions would typically require controlled lift and thrust, which are compromised during a stall.

SAMPLE

3. Which of the following is a consideration when rejecting a takeoff beyond V2?

A. Weather conditions

B. Runway overrun

C. Fuel consumption

D. Passenger comfort

Rejecting a takeoff beyond V2 is a critical decision in aviation, particularly because V2 is the minimum safe speed in the event of an engine failure after takeoff. At this speed, the aircraft is capable of sustaining controlled flight, so rejecting a takeoff past this point can lead to a loss of control. The consideration of a runway overrun becomes paramount in this scenario. If the aircraft encounters an emergency situation beyond V2, it must continue its course, as stopping safely on the remaining runway could be impossible. This consideration is essential because the chances of safely aborting the takeoff decrease significantly once V2 is reached; the aircraft is in a position where it needs to either continue flying or risk catastrophic outcomes, such as crashing if it attempts an unsuccessful stop. While weather conditions, fuel consumption, and passenger comfort are all important factors in flight operations, they do not take precedence in the context of rejecting a takeoff beyond V2. Weather can affect visibility and conditions for takeoff but does not directly impact the immediate mechanical and aerodynamic concerns in this scenario. Fuel consumption is typically more of a concern during flight rather than in deciding whether to reject a takeoff at this speed. Passenger comfort, while vital to overall flight management, is not

4. What is a recommended strategy to maintain safety during landing behind a larger aircraft?

A. Ascend to a higher altitude before landing

B. Wait for a longer gap between landings

C. Execute a longer final approach

D. Stay above the larger aircraft's path and land beyond its touchdown

The recommended strategy of staying above the larger aircraft's path and landing beyond its touchdown zone is grounded in safety considerations related to wake turbulence. Larger aircraft generate significant wake vortices, which can create hazardous flying conditions for smaller aircraft if they encounter these turbulent air currents during landing or takeoff. By ensuring that you remain above the flight path of the larger aircraft and touch down further along the runway, you effectively reduce the risk of turbulence-induced incidents. This strategy allows for a safer transition to landing, as you will be well past the area where the larger aircraft's vortices would be most influential. Executing a longer final approach, while it may provide some time to assess conditions, does not directly mitigate the effects of wake turbulence as effectively as landing beyond the larger aircraft's touchdown point. Waiting for a longer gap between landings can help create separation, but it may not always be practical or possible in busy airspace. Ascending to a higher altitude before landing is not a viable strategy as it complicates the approach and may lead to noncompliance with standard landing procedures. Therefore, the most effective strategy is to land beyond the larger aircraft's touchdown to ensure safety during landing operations.

SAMPLE

5. What is the speed limit in a procedure turn?

A. 250 KIAS

B. 200 KIAS

C. 180 KIAS

D. 220 KIAS

In a procedure turn, the speed limit is established to ensure that aircraft can safely and efficiently navigate the maneuver without risking excessive bank angles or stall margins. The maximum speed for a procedure turn is set at 200 knots indicated airspeed (KIAS). This limit helps maintain the aircraft's handling characteristics within safe operational parameters while executing the turn, particularly in reducing the risk of overshooting the intended course or being unable to complete the turn in a controlled manner. The importance of adhering to this speed limit is highlighted in the regulations and guidance provided for instrument approaches and procedure turns. By keeping the speed at or below 200 KIAS, pilots ensure that they have sufficient control authority and time to complete the turn without straining the aircraft's performance or complicating the approach. Other speed limits like 250 KIAS, 180 KIAS, or 220 KIAS do not apply in the context of a procedure turn, as they exceed the standardized maximum speed set forth for this specific maneuver.

6. What does the term "takeoff decision speed" refer to?

A. The point at which the pilot must commit to takeoff

B. The optimal speed for the best climb performance

C. The maximum speed allowed on the runway

D. The speed at which a takeoff can no longer be safely rejected

Takeoff decision speed is a critical point in the takeoff sequence, particularly in the context of jet operations. This term designates the speed beyond which the aircraft can no longer safely abort the takeoff without risking an accident. Once the aircraft reaches this speed, the pilot must determine whether to continue with the takeoff or conduct an abort; however, if a malfunction occurs after this speed, the aircraft must proceed with the takeoff due to insufficient runway remaining to stop safely. Understanding this speed is vital for ensuring the safety of the flight and maintaining effective decision-making procedures during the takeoff phase. This is an essential concept in aviation safety training, as it highlights the importance of pilot awareness and decisive action in critical moments of flight operations.

7. How can a pilot illuminate pilot-controlled lighting?

A. By switching on the landing lights

B. Keying the mic on the appropriate frequency

C. Using a handheld flashlight

D. By making a verbal request to ATC

To illuminate pilot-controlled lighting, the appropriate method is to key the microphone on the designated frequency. This is a common practice in aviation where the pilot transmits a short communication (usually a few key presses) on the radio frequency associated with the lighting system. When the pilot does this, it activates the lights, allowing for enhanced visibility during takeoff or landing, especially at airports that do not have permanent lighting systems. The other methods described do not effectively activate such lighting. For instance, switching on the landing lights does not control the specific lighting systems referred to as pilot-controlled lights. Similarly, using a handheld flashlight does not accomplish the task of illuminating runway or taxiway lights, as these systems are specifically designed to respond to radio signals. Lastly, making a verbal request to Air Traffic Control (ATC) would not directly trigger the lighting systems; instead, it may only serve to inform ATC of the pilot's need without having the intended effect of illuminating the controlled lights. Therefore, keying the mic on the appropriate frequency is the correct and effective method for a pilot to illuminate pilot-controlled lighting.

SAMPLE

8. Which type of fog forms when warm moist air rises over a sloping terrain?

A. Advection fog.

B. Radiation fog.

C. Upslope fog.

D. Ground fog.

The type of fog that forms when warm moist air rises over a sloping terrain is upslope fog. This phenomenon occurs as the warm, moisture-laden air ascends the slope, causing it to cool as it moves to higher elevations. As the air cools, it reaches its dew point, leading to condensation and the formation of fog. This type of fog is particularly common in mountainous or hilly regions where the elevation change allows for sufficient cooling of the air mass. In contrast, advection fog is created when warm moist air moves horizontally over a cooler surface, radiation fog develops on clear, calm nights when the ground cools rapidly, and ground fog forms close to the surface due to thermal radiation cooling. Each of these other types of fog arises from different mechanisms and conditions, making upslope fog distinct in its association with elevation changes and moist air rising.

9. How many nautical miles does the MSA extend?

A. 10 nm

B. 15 nm

C. 20 nm

D. 25 nm

The Minimum Safe Altitude (MSA) is a crucial component in aviation, specifically for ensuring safe navigation and obstacle clearance in a designated area. The correct answer indicates that the MSA extends for 25 nautical miles. This distance is generally established to provide adequate buffer space around obstacles, ensuring that aircraft can safely navigate without risk of terrain or object impact during the approach or departure phases of flight. A 25 nautical mile radius allows pilots to maintain situational awareness and have a sufficient margin of safety while flying at lower altitudes. This measurement is particularly important in areas where there may be mountainous terrain or other significant obstacles that could pose hazards to aircraft operations. The other options, while they may seem reasonable, do not reflect the standard practices established in aeronautical information, which typically adheres to a 25 nautical mile standard for safety in MSA. The consistency of this distance across many aviation references and regulations reinforces its importance in ensuring pilot safety and effective navigation.

10. When should a pilot begin to slow down for an assigned holding fix?

A. 1 minute before

B. 2 minutes before

C. 3 minutes before

D. 5 minutes before

A pilot should begin to slow down for an assigned holding fix approximately 3 minutes before reaching it. This timing is important as it allows for a smooth transition to the necessary approach speed and configuration for entering the holding pattern. The 3-minute guideline helps to ensure that the aircraft can comfortably decelerate and set up for the proper entry into the holding pattern. This standardization provides pilots with enough time to manage the aircraft's speed and configuration without rushing, which is especially crucial in busy airspace or complex situations. Pilots use this time to prepare for the maneuvers involved in holding, including adjusting speeds and configurations, ensuring they can enter the hold safely and in compliance with air traffic instructions. This approach not only supports safety but also enhances overall operational efficiency.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://republicairways.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE