REPUBLIC CADET INTERVIEW PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://republiccadetinterview.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. If the alternator dies, how long will your battery last?

A. 30 minutes

B. 60 minutes

C. 15 minutes

D. 45 minutes

2. How is the highest obstacle on an approach plate identified?

A. Jeppesen charts include a conspicuous arrow pointing toward the obstacle

B. A circled cross near the obstacle

C. A thick shaded area around the obstacle

D. A bold label listing the obstacle height

3. RVR stands for?

A. Runway Visual Range

B. Runway Visibility Range

C. Range Visual Runway

D. Reading Visual Range

4. Which prompt asks you to provide a real-world example of decision-making under time pressure?

A. Describe the electrical system on the aircraft you fly?

B. Tell me about a time you had to make a quick decision.

C. What three words describe yourself?

D. What is the radius of a TAF?

5. What does MSA stand for in aviation?

A. Minimum Safe Altitude: provides 1000 ft of obstacle clearance within a 25 nm radius

B. Maximum Safe Altitude: provides 1000 ft of obstacle clearance within a 25 nm radius

C. Minimum Standard Altitude: provides 1000 ft of obstacle clearance within a 25 nm radius

D. Minimum Safe Altitude: provides 2000 ft of obstacle clearance within a 25 nm radius

SAMPLE

6. What must you hear from ATC to begin an approach?

A. Turn right heading 270

B. Cleared for the approach

C. Descend and maintain

D. Contact approach, 120.3

7. Which statement about microbursts is accurate?

A. They involve a strong downward and outward air flow from thunderstorms.

B. They only involve downward air with no horizontal movement.

C. They occur only at night.

D. They last several hours.

8. On a nonprecision approach with a published Visual Descent Point (VDP), what action is permitted if you have the required visual references?

A. Continue along the published descent path to the MDA

B. Descend from the MDA to the runway if the required visual references are in sight

C. Initiate a missed approach immediately

D. Maintain altitude until the Missed Approach Point

9. In the event frost is observed on wings and FIKI is approved, what action is typically required before takeoff?

A. Proceed as planned, no action

B. De-ice the aircraft

C. Increase takeoff speed

D. Land immediately

10. What are the standard holding speed restrictions by altitude?

A. 0–6,000 ft: 200 knots; 6,000–14,000 ft: 230 knots; 14,000 ft and above: 265 knots

B. 0–6,000 ft: 180 knots; 6,000–14,000 ft: 200 knots; 14,000 ft+: 230 knots

C. 0–6,000 ft: 250 knots; 6,000–14,000 ft: 270 knots; 14,000 ft+: 300 knots

D. 0–6,000 ft: 210 knots; 6,000–14,000 ft: 240 knots; 14,000 ft+: 260 knots

SAMPLE

Answers

SAMPLE

1. A
2. A
3. A
4. B
5. A
6. B
7. A
8. B
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. If the alternator dies, how long will your battery last?

A. 30 minutes

B. 60 minutes

C. 15 minutes

D. 45 minutes

When the alternator dies, the battery becomes the sole power source for the car's electrical systems. The time you can run before the battery is too discharged depends on how much load you put on it and how healthy the battery is. With a typical, reasonably fresh battery and normal electrical usage, you'll generally have about 30 minutes before the battery runs out of power enough to keep the engine running and essential systems functioning. If you turn off nonessential loads—like the headlights or extensive accessories—you can stretch that window a little, but it's still a limited time. Real-world variation exists, but 30 minutes is a common, practical estimate to keep in mind. If you're in this situation, it's wise to seek a safe place and address the issue rather than continue driving.

2. How is the highest obstacle on an approach plate identified?

A. Jeppesen charts include a conspicuous arrow pointing toward the obstacle

B. A circled cross near the obstacle

C. A thick shaded area around the obstacle

D. A bold label listing the obstacle height

On Jeppesen approach charts, the highest obstacle along the approach path is highlighted with a conspicuous arrow aimed at the obstacle. This visual cue makes it quick and easy to spot the most restrictive obstruction you must consider when planning the final approach and verifying obstacle clearance. The arrow directs attention to the critical obstacle so you can cross-check it against required minimums and altitude restrictions. Other visual marks aren't used for this purpose on Jeppesen plates. A circled cross, a thick shaded area, or a bold height label are not the standard means of identifying the highest obstacle, so they wouldn't reliably indicate which obstacle poses the greatest risk along the approach.

3. RVR stands for?

A. Runway Visual Range

B. Runway Visibility Range

C. Range Visual Runway

D. Reading Visual Range

RVR focuses on how far a pilot can see along a specific runway, which is crucial for safe landings and takeoffs in low-visibility conditions. It's measured using sensors placed along the runway that report the visual range from the touchdown zone outward, usually in meters. The standard expansion is Runway Visual Range, reflecting that it's the visual reach specific to that runway. The other phrasings don't match the established aviation term, either by swapping words or using a wording that isn't used in flight operations. Understanding RVR helps determine if a runway is usable for landing or takeoff under current visibility.

SAMPLE

4. Which prompt asks you to provide a real-world example of decision-making under time pressure?

A. Describe the electrical system on the aircraft you fly?

B. Tell me about a time you had to make a quick decision.

C. What three words describe yourself?

D. What is the radius of a TAF?

Describing a real-world decision under time pressure is what this prompt aims to elicit. The best option asks you to tell me about a time you had to make a quick decision, which invites a concrete example showing how you recognize urgency, weigh options, and act under a deadline. This kind of narrative demonstrates judgment, prioritization, and calmness in a fast-moving situation—qualities interviewers want to see in high-stakes environments. The other prompts focus on technical knowledge (describing an aircraft's electrical system), personal description (three words), or a specific factual detail (radius of a TAF), none of which reveal how you perform under pressure in real scenarios.

5. What does MSA stand for in aviation?

A. Minimum Safe Altitude: provides 1000 ft of obstacle clearance within a 25 nm radius

B. Maximum Safe Altitude: provides 1000 ft of obstacle clearance within a 25 nm radius

C. Minimum Standard Altitude: provides 1000 ft of obstacle clearance within a 25 nm radius

D. Minimum Safe Altitude: provides 2000 ft of obstacle clearance within a 25 nm radius

MSA stands for Minimum Safe Altitude. It represents the lowest altitude that provides at least 1,000 feet of obstacle clearance within a 25-nautical-mile radius of the chosen navigation aid or airport. This safety buffer helps ensure you stay clear of terrain and obstacles if you're uncertain of your exact position or during the early phases of navigation. It's a safety measure, not a target for normal flight levels. The standard figure is 1,000 feet of clearance within the 25 NM radius, though in some mountainous areas higher clearance (such as 2,000 feet) might be used. That's why the description stating Minimum Safe Altitude with 1,000 feet of obstacle clearance inside 25 NM best captures the concept.

6. What must you hear from ATC to begin an approach?

A. Turn right heading 270

B. Cleared for the approach

C. Descend and maintain

D. Contact approach, 120.3

To begin an instrument approach you must receive explicit clearance from ATC to fly the approach. When you hear "cleared for the approach," you're authorized to execute the published procedure, including the final approach, and to descend within the restrictions shown on the approach chart as coordinated with ATC. Without that clearance, you stay on your current clearance or follow any vectors ATC provides. The other phrases don't authorize starting the approach. A heading instruction is used to guide you onto the approach path but doesn't grant permission to commence the approach. A descent clearance by itself might tell you to lower to a certain altitude, but it doesn't specifically authorize beginning the approach procedure. And a frequency change to contact approach is simply switching to the controller handling the approach; it doesn't by itself grant the approach clearance.

SAMPLE

7. Which statement about microbursts is accurate?

A. They involve a strong downward and outward air flow from thunderstorms.

B. They only involve downward air with no horizontal movement.

C. They occur only at night.

D. They last several hours.

Microbursts are intense, small-scale downdrafts that occur in or beneath thunderstorms. As the air rushes downward, it hits the ground and spreads outward rapidly in all directions, creating a strong outward flow of air at the surface. This combination of a violent downward motion followed by a rapid horizontal outflow is what makes a microburst hazardous and is the defining feature of the phenomenon. They are short-lived, typically lasting seconds to a couple of minutes, and can occur any time thunderstorms are present, not just at night. That outward surface wind is why the statement about horizontal movement is correct—the air doesn't just fall straight down; it fans out at ground level. The other points aren't accurate: microbursts aren't restricted to nighttime, and they don't persist for hours.

8. On a nonprecision approach with a published Visual Descent Point (VDP), what action is permitted if you have the required visual references?

A. Continue along the published descent path to the MDA

B. Descend from the MDA to the runway if the required visual references are in sight

C. Initiate a missed approach immediately

D. Maintain altitude until the Missed Approach Point

A Visual Descent Point marks the point on a nonprecision approach where you may begin a normal descent from the minimum descent altitude to the runway, but only if the required visual references are in sight. When you have those references, you're allowed to descend from the MDA to the runway and continue visually to land, following the published descent path. So, with the required visuals, descending from the MDA to the runway aligns with how a VDP is intended to be used. If you don't have the visual references, you must stay at the MDA until you either acquire them or reach the missed approach point and execute a missed approach. Initiating a missed approach immediately or maintaining altitude without the visuals would not be appropriate when the visual cues are available.

9. In the event frost is observed on wings and FIKI is approved, what action is typically required before takeoff?

A. Proceed as planned, no action

B. De-ice the aircraft

C. Increase takeoff speed

D. Land immediately

Frost on the wings creates a rough, irregular surface that disrupts the smooth airflow needed to generate lift, which raises the stall speed and reduces handling. Even with FIKI approval, you don't take off with frost present—the aircraft must be de-iced so the wings are clean and aerodynamically smooth before departure. De-icing fixes the fundamental problem by restoring lift and predictable performance; simply increasing takeoff speed won't remove the aerodynamic roughness, and the option to land immediately isn't the required step when frost is observed before takeoff. After de-icing, verify the wings are frost-free and only then proceed with takeoff.

SAMPLE

10. What are the standard holding speed restrictions by altitude?

A. 0–6,000 ft: 200 knots; 6,000–14,000 ft: 230 knots; 14,000 ft and above: 265 knots

B. 0–6,000 ft: 180 knots; 6,000–14,000 ft: 200 knots; 14,000 ft+: 230 knots

C. 0–6,000 ft: 250 knots; 6,000–14,000 ft: 270 knots; 14,000 ft+: 300 knots

D. 0–6,000 ft: 210 knots; 6,000–14,000 ft: 240 knots; 14,000 ft+: 260 knots

Holding speeds are chosen to keep hold patterns predictable and safe across different altitudes. The standard values are set in knots indicated airspeed so pilots of various aircraft can follow the same rules without worrying about their true airspeed changing the hold geometry with altitude. Up to 6,000 feet, 200 knots is used to keep turns tight and spacing manageable in busy low-level airspace. From 6,001 to 14,000 feet, 230 knots increases efficiency while still allowing safe turn radii. At 14,000 feet and above, 265 knots accommodates higher-altitude traffic and the different performance characteristics, while keeping the hold geometry practical. These three tiers—200 knots, 230 knots, and 265 knots in the respective altitude ranges—are why the first option is the correct one. The other sets would either be too slow to handle higher-altitude traffic safely or too fast to maintain workable turns and spacing at lower altitudes.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://republiccadetinterview.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE