RESPIRATORY THERAPY CRT PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://respiratorycrt.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What adjustment can be made to correct either respiratory alkalosis or acidosis?**

   A. Change the inspiratory pressure settings

   B. Decrease the tidal volume or rate

   C. Change the tidal volume or rate

   D. Increase the set pressure settings

2. **What is the first step in managing airway obstruction in a patient?**

   A. Administering oxygen

   B. Checking vital signs

   C. Positioning the patient appropriately

   D. Intubation

3. **What role does positive end-expiratory pressure (PEEP) play in mechanical ventilation?**

   A. It increases tidal volume delivery

   B. It facilitates oxygenation by maintaining alveolar recruitment

   C. It decreases dead space ventilation

   D. It reduces the work of breathing

4. **Which medication could potentially cause respiratory alkalosis?**

   A. Bronchodilators

   B. Corticosteroids

   C. Salicylates

   D. Diuretics

5. **Which clinical sign may indicate a patient is experiencing hypoxia?**

   A. Cyanosis

   B. Fever

   C. Palpitations

   D. Confusion

SAMPLE

6. In a patient undergoing mechanical ventilation, what might contribute to respiratory alkalosis?

A. Decreased lung compliance

B. Hyperventilation

C. Increased PCO2

D. Hypoventilation

7. What pressure is maintained for above-the-cuff suctioning to continuously suction?

A. 10 mmHg

B. 20 mmHg

C. 30 mmHg

D. 40 mmHg

8. Which parameter is critical to monitor when suctioning a patient?

A. Heart rate

B. Blood pressure

C. Respiratory rate

D. Oxygen saturation

9. Which of the following is an effective way to assess lung function in patients?

A. Pulse oximetry monitoring

B. Peak flow measurement

C. Chest X-ray analysis

D. All of the above

10. What is the most common etiology of community-acquired pneumonia?

A. Escherichia coli

B. Streptococcus pneumoniae

C. Haemophilus influenzae

D. Mycoplasma pneumoniae

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. C
5. A
6. B
7. B
8. A
9. D
10. B

SAMPLE

Explanations

SAMPLE

1. What adjustment can be made to correct either respiratory alkalosis or acidosis?

A. Change the inspiratory pressure settings

B. Decrease the tidal volume or rate

C. Change the tidal volume or rate

D. Increase the set pressure settings

The adjustment that can be made to address either respiratory alkalosis or acidosis is to change the tidal volume or rate. In cases of respiratory alkalosis, which occurs due to excessive ventilation, reducing the tidal volume or rate can help retain carbon dioxide (CO_2) in the body. This increase in CO_2 can help normalize the blood pH towards a more balanced state. Conversely, in the situation of respiratory acidosis, where there is inadequate ventilation leading to CO_2 retention, increasing the tidal volume or rate is often necessary to enhance gas exchange and facilitate the elimination of CO_2. Therefore, adjusting these ventilatory parameters plays a crucial role in managing the acid-base balance in the body effectively. The other adjustments, such as changing the inspiratory pressure settings or increasing set pressure settings, may primarily assist in improving mechanical ventilation but do not directly address the underlying issues of CO_2 levels affecting respiratory acidosis or alkalosis.

2. What is the first step in managing airway obstruction in a patient?

A. Administering oxygen

B. Checking vital signs

C. Positioning the patient appropriately

D. Intubation

Positioning the patient appropriately is a crucial first step in managing airway obstruction because the position can significantly influence airway patency and the ability to breathe. For instance, placing the patient in a slightly forward-leaning position can facilitate breathing by allowing gravity to assist in keeping the airway open and relieving pressure on the thoracic cavity. By positioning the patient correctly, the respiratory therapist can help optimize airflow and improve the chances of resolving the obstruction without resorting to more invasive measures. This step is essential before considering other interventions such as intubation or administering oxygen. Proper positioning may alleviate some of the airway restrictions caused by anatomical or foreign object obstructions. Therefore, ensuring the patient's position is optimal lays the foundation for subsequent interventions if necessary.

SAMPLE

3. What role does positive end-expiratory pressure (PEEP) play in mechanical ventilation?

A. It increases tidal volume delivery

B. It facilitates oxygenation by maintaining alveolar recruitment

C. It decreases dead space ventilation

D. It reduces the work of breathing

Positive end-expiratory pressure (PEEP) plays a crucial role in mechanical ventilation primarily by facilitating oxygenation through maintaining alveolar recruitment. When PEEP is applied, it helps to prevent the collapse of alveoli at the end of expiration, thereby increasing the surface area available for gas exchange. This recruitment of more alveoli enhances oxygen uptake, improves ventilation-perfusion matching, and can lead to better overall oxygenation in patients with conditions such as Acute Respiratory Distress Syndrome (ARDS) or other forms of hypoxemic respiratory failure. By keeping alveoli open, PEEP also helps to reduce shunting and improve the efficiency of gas exchange, enabling more oxygen to enter the bloodstream and carbon dioxide to be expelled effectively. This is especially important in patients whose alveoli may be compromised or filled with fluid, as PEEP assists in re-expanding these units and optimizing lung function. Understanding the specific function of PEEP in enhancing oxygenation underscores its importance in the management of patients requiring mechanical ventilation and highlights its role beyond just adjusting tidal volume or reducing the work of breathing.

4. Which medication could potentially cause respiratory alkalosis?

A. Bronchodilators

B. Corticosteroids

C. Salicylates

D. Diuretics

Respiratory alkalosis occurs when there is an increase in blood pH due to hyperventilation, which can happen with various underlying conditions or influences. Salicylates, particularly in the form of aspirin overdose or toxicity, can directly stimulate the respiratory center in the brain, leading to increased respiratory rate and depth. This hyperventilation causes excessive elimination of carbon dioxide (CO_2), resulting in a decrease in carbonic acid and thus an increase in blood pH, manifesting as respiratory alkalosis. In contrast, the other medications listed would not typically lead to respiratory alkalosis. Bronchodilators are primarily used to relieve bronchospasm and may have an indirect positive effect on ventilation without causing significant changes in blood pH. Corticosteroids are often used to reduce inflammation and have various effects on metabolism, but they are not directly responsible for altering respiratory drive to the extent that would cause alkalosis. Diuretics can cause electrolyte imbalances and may lead to metabolic alkalosis, but they do not impact respiratory function directly in a way that would induce respiratory alkalosis.

SAMPLE

5. Which clinical sign may indicate a patient is experiencing hypoxia?

A. Cyanosis

B. Fever

C. Palpitations

D. Confusion

Cyanosis is a clinical sign that indicates a patient is experiencing hypoxia, which is a deficiency of oxygen in the tissues. It usually presents as a bluish discoloration of the skin and mucous membranes, particularly evident in the lips, fingers, and toes. This phenomenon occurs when deoxygenated hemoglobin levels in the blood increase, reflecting inadequate oxygenation, which can happen in conditions such as respiratory failure, severe anemia, or significant pulmonary issues. The presence of cyanosis serves as a critical visual cue for healthcare providers to assess the patient's oxygen saturation and overall respiratory status. It is important to differentiate this sign from other symptoms such as fever, palpitations, or confusion, which may arise from a variety of non-hypoxic-related issues but do not directly indicate a lack of oxygen in the body.

6. In a patient undergoing mechanical ventilation, what might contribute to respiratory alkalosis?

A. Decreased lung compliance

B. Hyperventilation

C. Increased PCO2

D. Hypoventilation

Hyperventilation is a significant contributor to respiratory alkalosis during mechanical ventilation. When a patient hyperventilates, the respiratory rate and/or tidal volume are increased, leading to an excessive expulsion of carbon dioxide (CO2) from the body. This reduction in CO2 concentration results in an increase in blood pH, leading to a state of alkalosis. In mechanical ventilation settings, this can occur if the ventilator settings are too aggressive or if the patient's natural breathing drive is stimulating excessive breath rate. Understanding this process is critical for respiratory therapists, as managing ventilation settings and monitoring the patient's response is essential to maintaining acid-base balance. In cases where respiratory alkalosis occurs, it may be necessary to adjust the ventilator settings to allow for CO2 retention and correct the pH imbalance.

7. What pressure is maintained for above-the-cuff suctioning to continuously suction?

A. 10 mmHg

B. 20 mmHg

C. 30 mmHg

D. 40 mmHg

For above-the-cuff suctioning in respiratory therapy, a pressure of 20 mmHg is utilized to ensure effective suction without causing damage to the airway or surrounding tissues. This pressure is sufficient to clear secretions safely while minimizing the risk of trauma. Maintaining this level of suction can effectively remove mucus and prevent airway obstruction, which is crucial in managing patients who require airway clearance techniques. Higher pressures, such as 30 mmHg or 40 mmHg, while they may seem effective for suctioning, increase the risk of injury to the trachea and surrounding structures, causing unnecessary harm to the patient. A suction pressure of 10 mmHg is often too low to be effective in clearing secretions, making it unsuitable for this procedure. Thus, 20 mmHg strikes the appropriate balance between effectiveness and safety in above-the-cuff suctioning.

SAMPLE

8. Which parameter is critical to monitor when suctioning a patient?

A. Heart rate

B. Blood pressure

C. Respiratory rate

D. Oxygen saturation

When suctioning a patient, monitoring heart rate is crucial because suctioning can induce stress and irritation in the airway, potentially leading to vagal responses. These responses may result in bradycardia or tachycardia, depending on the patient's reaction to the procedure. Observing changes in heart rate enables the healthcare provider to detect any adverse effects promptly. An increase in heart rate may indicate hypoxia or distress, while a decrease could signify vagal stimulation, which may necessitate intervention. While blood pressure, respiratory rate, and oxygen saturation are also important indicators of a patient's overall condition, they may not reflect immediate changes due to the suctioning process as directly as heart rate does. Monitoring heart rate provides immediate feedback that can guide the clinician's actions during suctioning.

9. Which of the following is an effective way to assess lung function in patients?

A. Pulse oximetry monitoring

B. Peak flow measurement

C. Chest X-ray analysis

D. All of the above

Assessing lung function is crucial for diagnosing respiratory conditions and monitoring the effectiveness of treatment. Among the methods mentioned, all of them play a role in evaluating aspects of lung function. Pulse oximetry monitoring is beneficial as it provides a quick measurement of oxygen saturation in the blood. This non-invasive technique helps assess how well oxygen is being delivered to the tissues, which is essential for understanding the respiratory status of a patient. Peak flow measurement specifically evaluates the ability to exhale air out of the lungs, which helps in assessing airway function. This is especially useful in conditions like asthma, where measuring the peak expiratory flow rate can indicate the severity of airway obstruction and guide management strategies. Chest X-ray analysis complements the assessment of lung function by providing visual information about lung structure, presence of infections, or other structural abnormalities. While it doesn't measure lung function directly in the same way as the other two methods, it is invaluable in establishing the presence of underlying conditions that may impact lung function. Each method contributes unique and important information regarding a patient's respiratory health, making the combination of these assessments a comprehensive approach to evaluating lung function. Therefore, the inclusion of all these methods reflects a well-rounded strategy for understanding and managing respiratory issues.

SAMPLE

10. What is the most common etiology of community-acquired pneumonia?

A. Escherichia coli

B. Streptococcus pneumoniae

C. Haemophilus influenzae

D. Mycoplasma pneumoniae

Streptococcus pneumoniae is recognized as the most common cause of community-acquired pneumonia (CAP). This bacterium is a gram-positive cocci that is a part of the normal flora in the upper respiratory tract of many individuals. Under certain conditions, it can invade the lungs and lead to pneumonia, particularly in populations such as the very young, elderly, or immunocompromised individuals. The prevalence of Streptococcus pneumoniae as a pathogen in CAP is supported by numerous epidemiological studies, which consistently demonstrate its dominance over other bacteria in this context. This organism can cause severe pneumonia, presenting with typical symptoms like fever, cough, and pleuritic chest pain, along with physical examination findings of lobar consolidation. In contrast, while other organisms such as Escherichia coli, Haemophilus influenzae, and Mycoplasma pneumoniae can also cause pneumonia, they are not as frequently implicated in community-acquired cases. Patients with pneumonia due to these organisms might present with different clinical features or risk factors. For example, E. coli is more commonly associated with healthcare-acquired infections, while Mycoplasma pneumoniae typically causes atypical pneumonia, which is often characterized by a more gradual onset and milder symptoms.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://respiratorycrt.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE