RHEL LINUX - RED HAT SYSTEM ADMINISTRATION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://rhellinux-redhatsystemadministration.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which command would you use to change the ownership of a file in Linux?

A. chown

B. chmod

C. chgrp

D. rename

2. Which command would you use to search for files in the filesystem?

A. locate

B. search

C. find

D. grep

3. To create a remote interactive shell as the current user, which command should you use?

A. ssh remotehost

B. ssh remoteuser@remotehost

C. ssh remoteuser@remotehost hostname

D. none of the above

4. To protect longer character strings in the BASH shell, use:

A. "

B. " "

C. " or " "

D. none of the above

5. Which command would you use to change the ownership of a file to a new user?

A. chown

B. chmod

C. passwd

D. chgrp

SAMPLE

6. Which command is used to extract files from a tar archive?

A. tar -xf

B. tar -cvf

C. tar -cf

D. tar -rzf

7. Which command allows you to switch to another user in a Linux environment?

A. su

B. sudo

C. chown

D. pass

8. Which option should be used with the groupadd command to create a system group?

A. -r

B. -g

C. -s

D. -t

9. Which command is typically used to shut down a Linux system?

A. shutdown

B. halt

C. poweroff

D. exit

10. Which command creates a new directory in the current path?

A. md

B. mkdir

C. makedir

D. newdir

SAMPLE

Answers

SAMPLE

1. A
2. C
3. A
4. C
5. A
6. A
7. A
8. A
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Which command would you use to change the ownership of a file in Linux?

A. chown

B. chmod

C. chgrp

D. rename

To change the ownership of a file in Linux, the appropriate command to use is "chown." This command enables users to change the owner of a file or directory, along with the group associated with that file or directory if specified. The syntax typically looks like this: "chown new_owner:new_group filename" or just "chown new_owner filename" if you only want to change the owner. Using "chmod" is related but serves a different purpose; it is used to change the permissions of a file or directory, not the ownership. "chgrp" specifically changes the group ownership of a file, which is a different aspect of file ownership. "rename" is related to changing the name of a file and does not affect ownership at all. Thus, "chown" is the correct command for changing the ownership of files and directories in the Linux system as it directly addresses the ownership attribute of the files.

2. Which command would you use to search for files in the filesystem?

A. locate

B. search

C. find

D. grep

The command used to search for files in the filesystem is 'find'. This command is incredibly powerful and versatile, enabling users to search through directory trees for files based on various criteria such as name, type, size, modification date, and more. For instance, you can run `find /path/to/directory -name "filename"` to search for a file with a specific name starting from a designated directory. The flexibility of the 'find' command allows for complex searches, such as searching for files of a specific type or those that have been modified within a certain timeframe. It can even execute commands on the files it finds, making it a valuable tool for system administrators. While 'locate' can also be used to find files, it relies on a pre-built database and may not always reflect the most current state of the filesystem. Other options like 'search' are not standard commands in Linux, and 'grep', while useful for searching through text within files, does not serve the purpose of locating files in the filesystem itself. Thus, 'find' remains the primary command for searching files effectively.

SAMPLE

3. To create a remote interactive shell as the current user, which command should you use?

A. ssh remotehost

B. ssh remoteuser@remotehost

C. ssh remoteuser@remotehost hostname

D. none of the above

The correct choice for creating a remote interactive shell as the current user is to simply use the command "ssh remotehost." This command allows you to connect to a remote machine using SSH (Secure Shell) while defaulting to the currently logged-in user on your local machine. If you are currently logged in as user "bob" on your local machine and you execute "ssh remotehost," you will be logged into the remote machine as "bob," assuming the user exists on that machine and has SSH access. Choosing a different command, such as "ssh remoteuser@remotehost," specifies a different username for the remote system explicitly. While this can be useful if you want to log in as a different user, it does not fulfill the requirement of connecting as the current user. The option "ssh remoteuser@remotehost hostname" is unnecessary because appending "hostname" would not create an interactive shell as desired. Instead, this syntax may lead to confusion and is incorrect for establishing a straightforward SSH connection. Therefore, simply using "ssh remotehost" is the correct and most efficient method for establishing a remote interactive shell session with the same username you are using locally.

4. To protect longer character strings in the BASH shell, use:

A. "

B. " "

C. " or " "

D. none of the above

Using double quotes in the BASH shell allows you to protect longer character strings that contain spaces and special characters. When you wrap a string within double quotes, BASH interprets everything inside the quotes as a single argument, which is particularly useful when working with strings that include words separated by spaces or contain punctuation that would normally be interpreted differently by the shell. For instance, a command like `echo "Hello World!"` correctly outputs the full phrase "Hello World!" instead of splitting it into two separate arguments. This is essential for ensuring that commands and scripts function as intended, especially when dealing with variable names or string outputs that may include spaces. This behavior becomes crucial when passing strings to functions, commands, or scripts; without quoting, the shell could misinterpret the input. Thus, when longer character strings need protection from being broken up, enclosing them in double quotes is the standard and effective approach in the BASH environment.

SAMPLE

5. Which command would you use to change the ownership of a file to a new user?

A. chown

B. chmod

C. passwd

D. chgrp

The command used to change the ownership of a file to a new user is "chown." This command allows users with the appropriate permissions (typically the root user) to modify the ownership of files and directories. The basic syntax involves specifying the new owner's username followed by the filename. For example, if you want to change the ownership of a file named "example.txt" to a user called "john," the command would be `chown john example.txt`. This effectively grants John the ownership rights over that file, allowing him to read, write, or execute it according to the permissions assigned. Other options serve different purposes: "chmod" is used to change the permissions of a file or directory, allowing you to set who can read, write, or execute the file. "passwd" is used for changing user passwords, and "chgrp" is meant for changing the group ownership of a file rather than the user ownership. Understanding the distinct functions of these commands is essential for effective file management and security within a Linux system.

6. Which command is used to extract files from a tar archive?

A. tar -xf

B. tar -cvf

C. tar -cf

D. tar -rzf

The command used to extract files from a tar archive is indeed "tar -xf". In this command, "tar" refers to the tape archive utility, while the "x" option stands for extracting the files from the archive. The "f" option indicates that the next argument is the filename of the archive from which the files will be extracted. When you run "tar -xf filename.tar", it will unpack the contents of the specified tar archive into the current directory, preserving the original directory structure and file permissions as they were in the archive. This command is essential for accessing files stored in a tar format, which is a common way to compress and bundle files in Unix and Linux systems. The other commands presented do not fit the context of extracting files. For instance, the "tar -cvf" command is used for creating a tar archive, where "c" signifies create and "v" stands for verbose mode, showing the progress. The "tar -cf" also relates to creating an archive, lacking the verbose option. Lastly, "tar -rzf" combines compression with gzip for creating an archive rather than extracting one, as indicated by the "z" option for gzip compression. Understanding these distinctions helps in effectively managing

SAMPLE

7. Which command allows you to switch to another user in a Linux environment?

A. su

B. sudo

C. chown

D. pass

The command that allows you to switch to another user in a Linux environment is "su," which stands for "substitute user." When you execute this command followed by the username, it allows you to access the system with the privileges of that user, provided you have the necessary permissions (usually the password for the target user). This command is often used for administrative tasks, as it enables an ordinary user to temporarily elevate their permissions to perform tasks that require superuser access. By default, if no username is specified, it switches to the root user. The other commands serve different functions. "sudo" is used to run commands with the privileges of another user, typically the root user, without fully switching to that user's account, and it allows for fine-grained control over user permissions. The "chown" command is utilized for changing the owner of a file or directory, while "pass" does not pertain to user switching in any known context in Linux. Therefore, "su" is the most appropriate command for switching users in a Linux environment.

8. Which option should be used with the groupadd command to create a system group?

A. -r

B. -g

C. -s

D. -t

To create a system group using the groupadd command, the -r option is used. When this option is specified, it instructs the system to create a group with a GID (Group Identifier) that is within the range typically reserved for system groups. System groups are generally those groups with GIDs from 0 to 999 (or depending on the system configuration, possibly up to 1999), which are distinguished from regular user groups that usually have higher GIDs starting from 1000. This is particularly important for managing user permissions and ensuring that groups associated with system-level processes and services operate under the correct privileges. By using the -r option, you ensure that the created group is treated as a system group, which can help in organizing and managing permissions for services that require these specific group configurations. The other options serve different purposes. For instance, the -g option is used to specify a particular GID for the new group, rather than creating it as a system group. The -s option does not apply in the context of group creation since it pertains to shell assignment for users. Lastly, -t is not a valid option with the groupadd command. Understanding the distinction of these options is critical for effective user and

SAMPLE

9. Which command is typically used to shut down a Linux system?

A. shutdown

B. halt

C. poweroff

D. exit

The command used to shut down a Linux system is "shutdown." This command is designed to safely bring down a system, allowing processes to exit cleanly and ensuring that all data is written to disk before powering off or rebooting. When executing the shutdown command, administrators can specify whether they want to halt the system immediately, set a specific time for the shutdown, or even send warning messages to logged-in users. While there are other commands available for shutting down a system, such as "halt" and "poweroff," these commands may not provide the same level of safety and gracefulness as "shutdown." The "halt" command stops all processes immediately but does not guarantee that data is saved properly, while "poweroff" explicitly turns off the power without the option to schedule or warn users. The "exit" command, on the other hand, is used to close terminal sessions and does not perform any shutdown operation. Thus, "shutdown" is the preferred and most comprehensive command for shutting down a Linux system safely and effectively.

10. Which command creates a new directory in the current path?

A. md

B. mkdir

C. makedir

D. newdir

The command that creates a new directory in the current path is "mkdir." This command is a standard utility in Unix and Linux systems and is derived from the phrase "make directory." When executed, mkdir takes the specified directory name as an argument and creates a new directory under the current working directory or in the specified path. For example, running "mkdir newfolder" will create a directory named "newfolder" in the directory where the command is executed. This command can also be used with options to create parent directories if they do not exist, by using "mkdir -p path/to/directory," which will create the entire directory path specified. The other choices do not correspond to recognized commands for creating directories in Linux systems. "md" is a command associated with DOS and some Windows environments, "makedir" is not a valid command in Unix/Linux, and "newdir" does not exist as a command to create directories. Hence, among all the provided options, "mkdir" is the only valid command for this task in the context of Red Hat Linux administration.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://rhellinux-redhatsystemadministration.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE