RHEUMATOLOGIC DISORDERS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://rheumatologicdisorders.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Urate-lowering therapy such as allopurinol is typically considered after which scenario?

A. Immediately after the first gout attack

B. After several years with no symptoms

C. After recurrent flares and persistent hyperuricemia

D. If serum uric acid is normal

2. How do C-reactive protein and erythrocyte sedimentation rate typically behave during active inflammation?

A. CRP rises slowly; ESR rises quickly

B. CRP rises and falls quickly; ESR rises slowly and reflects chronic inflammation

C. Both CRP and ESR rise quickly

D. CRP remains normal while ESR rises quickly

3. What radiographic change is characteristic of advanced axial spondyloarthritis?

A. Bamboo spine with syndesmophyte formation and sacroiliitis

B. Erosions of MCP joints

C. Banana-shaped vertebrae

D. Widened joint spaces in spine

4. Which statement about calcium pyrophosphate dihydrate crystals is correct?

A. They are needle-shaped and strongly negative birefringent

B. They are rhomboid-shaped and weakly positively birefringent

C. They are plate-like and strongly negative birefringent

D. They are rhomboid-shaped and strongly positive birefringent

5. Which statements about articular signs of rheumatoid arthritis are true?

A. Symmetric and polyarticular involvement

B. Affected MCP, PIP, wrists, knees, MTP, and cervical spine

C. Both statements are true

D. None of the above

SAMPLE

6. Which of the following statements is a characteristic of scleroderma?

A. Skin is fibrotic and thickened

B. Subdermal structures are easily movable

C. Affects males more than females

D. It never affects the skin

7. Which feature is characteristic of osteoarthritis radiographically?

A. Joint space narrowing with osteophyte formation

B. Periarticular erosions with marginal bone loss

C. Erosions with symmetric joint involvement

D. Subchondral bone destruction with large cysts

8. If NSAIDs are contraindicated, which alternative is commonly used for an acute gout attack?

A. Colchicine

B. Corticosteroids

C. Antibiotics

D. Allopurinol

9. Which feature is part of the clinical presentation of psoriatic arthritis?

A. Spondylitis

B. Symmetric arthritis

C. DIP inflammation and stiffness

D. Mutilans

10. When diagnosing ankylosing spondylitis, the diagnosis should primarily be based on which of the following?

A. X-ray shows bamboo spine

B. History and physical exam

C. Squared-off vertebra in imaging

D. All of the above

SAMPLE

Answers

SAMPLE

1. C
2. B
3. A
4. B
5. C
6. A
7. A
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Urate-lowering therapy such as allopurinol is typically considered after which scenario?

A. Immediately after the first gout attack

B. After several years with no symptoms

C. After recurrent flares and persistent hyperuricemia

D. If serum uric acid is normal

Urate-lowering therapy is used to prevent future gout attacks by lowering the long-term serum urate level. It's typically reserved for patients who have recurrent gout flares or persistent hyperuricemia (elevated uric acid on repeated measurements, with or without tophi or uric acid stones). The idea is that lowering urate reduces crystal formation and helps dissolve existing deposits, thereby reducing attack frequency and complications. Importantly, initiating urate lowering is usually done when the patient is not having an acute flare, and sometimes with short-term prophylaxis to prevent new attacks during the transition. In this scenario, the combination of recurrent flares and persistent hyperuricemia makes urate-lowering therapy the appropriate next step. Starting after a single gout attack isn't typically indicated, nor is it pursued if uric acid levels are normal.

2. How do C-reactive protein and erythrocyte sedimentation rate typically behave during active inflammation?

A. CRP rises slowly; ESR rises quickly

B. CRP rises and falls quickly; ESR rises slowly and reflects chronic inflammation

C. Both CRP and ESR rise quickly

D. CRP remains normal while ESR rises quickly

In active inflammation, CRP and ESR behave very differently, reflecting their different kinetics as inflammatory markers. CRP is a fast responder produced by the liver in response to IL-6; it begins to rise within hours, peaks within about 24–48 hours, and falls quickly as the inflammation resolves (half-life around 19 hours). ESR, on the other hand, rises more slowly because it tracks changes in blood viscosity and plasma proteins like fibrinogen and immunoglobulins; it typically increases over days and remains elevated longer, often reflecting more chronic or smoldering inflammation and other factors like anemia or age. Therefore, the statement that CRP rises and falls quickly while ESR rises slowly and reflects chronic inflammation best captures their behavior during active inflammation. The other ideas—CRP rising slowly, or ESR rising quickly, or CRP staying normal—don't fit the known kinetics of these markers.

SAMPLE

3. What radiographic change is characteristic of advanced axial spondyloarthritis?

A. Bamboo spine with syndesmophyte formation and sacroiliitis

B. Erosions of MCP joints

C. Banana-shaped vertebrae

D. Widened joint spaces in spine

In advanced axial spondyloarthritis, the spine undergoes a distinctive pattern called a bamboo spine. This results from chronic inflammation at the entheses (where ligaments attach to bone) stimulating new bone formation, forming syndesmophytes that grow upward and bridge adjacent vertebrae. As these bridging osteophytes fuse the vertebral bodies, the spine becomes rigid and the normal intervertebral spaces narrow, giving the characteristic "bamboo" appearance on radiographs. Sacroiliitis is also a key feature in axial spondyloarthritis, reflecting inflammation of the sacroiliac joints. Over time this can lead to sclerosis, erosions, and eventual ankylosis of the SI joints, which further supports the diagnosis in radiographs. Other options don't fit as well because they show patterns more typical of other diseases or non-advancing changes: erosions of the MCP joints are classic for rheumatoid arthritis, banana-shaped vertebrae aren't a hallmark of axial SpA, and widened spinal joint spaces do not describe the progressive fusion seen with syndesmophyte formation and bamboo spine.

4. Which statement about calcium pyrophosphate dihydrate crystals is correct?

A. They are needle-shaped and strongly negative birefringent

B. They are rhomboid-shaped and weakly positively birefringent

C. They are plate-like and strongly negative birefringent

D. They are rhomboid-shaped and strongly positive birefringent

In crystal-induced arthritis, recognizing the shape and how crystals bend light under polarized microscopy is key to identifying the type of crystal causing inflammation. Calcium pyrophosphate dihydrate crystals are classically rhomboid in shape and exhibit weak positive birefringence. This combination helps distinguish them from gout crystals, which are needle-shaped and strongly negatively birefringent. So the statement describing rhomboid-shaped crystals with weak positive birefringence best fits CPPD (pseudogout) crystals.

5. Which statements about articular signs of rheumatoid arthritis are true?

A. Symmetric and polyarticular involvement

B. Affected MCP, PIP, wrists, knees, MTP, and cervical spine

C. Both statements are true

D. None of the above

Rheumatoid arthritis classically shows symmetric, polyarticular joint involvement because the autoimmune inflammation targets synovial tissue across multiple joints. The small joints of the hands are typical early targets, especially the metacarpophalangeal and proximal interphalangeal joints, with frequent wrist involvement. As the disease progresses, larger joints such as the knees and the metatarsophalangeal joints can also be affected, and the cervical spine can be involved too, sometimes with atlantoaxial instability. So the description of symmetric, polyarticular involvement and the involvement of MCPs, PIPs, wrists, knees, MTPs, and the cervical spine both fit rheumatoid arthritis. That's why both statements are true.

SAMPLE

6. Which of the following statements is a characteristic of scleroderma?

A. Skin is fibrotic and thickened

B. Subdermal structures are easily movable

C. Affects males more than females

D. It never affects the skin

Scleroderma is defined by excessive fibrosis of the skin, so the skin becomes thick, tight, and inelastic. This fibrosis stems from increased collagen deposition in the dermis and subcutaneous tissues, which is why the statement that the skin is fibrotic and thickened best describes the disease. Because the dermal and subdermal tissues stiffen, underlying structures are not easily movable—they become less, not more, mobile. The condition also tends to affect women more often than men, so saying it affects males more is not correct. And while systemic forms can involve internal organs, skin involvement is a typical feature of scleroderma, so saying it never affects the skin is inaccurate.

7. Which feature is characteristic of osteoarthritis radiographically?

A. Joint space narrowing with osteophyte formation

B. Periarticular erosions with marginal bone loss

C. Erosions with symmetric joint involvement

D. Subchondral bone destruction with large cysts

Osteoarthritis on X-ray is driven by loss of articular cartilage, which narrows the joint space, together with the bone's reparative response forming osteophytes at the joint margins. This combination—joint-space narrowing plus marginal osteophyte formation—is the classic radiographic pattern of OA and reflects the degenerative nature of the disease, with changes often seen in a few joints rather than many and usually in weight-bearing locations. Subchondral sclerosis and sometimes subchondral cysts may accompany these findings, but erosions or symmetric joint destruction are not typical. Periarticular erosions with marginal bone loss or erosions with symmetric involvement point more toward inflammatory arthritides, such as rheumatoid arthritis. Thus, joint-space narrowing with osteophyte formation best characterizes osteoarthritis radiographically.

8. If NSAIDs are contraindicated, which alternative is commonly used for an acute gout attack?

A. Colchicine

B. Corticosteroids

C. Antibiotics

D. Allopurinol

When NSAIDs can't be used, corticosteroids serve as a powerful and flexible option to quell the inflammatory burst of an acute gout attack. They work by broadly dampening the inflammatory response, rapidly reducing joint swelling and pain. You can give them as a short course of oral steroids (like prednisone/prednisolone), or tailor the approach to the patient with a parenteral dose or even an intra-articular injection into a single affected joint. This versatility is especially helpful for people with kidney problems, ulcers, bleeding risks, or other NSAID contraindications, since corticosteroids don't carry the same GI and renal toxicity concerns. Colchicine is another drug used for acute gout, but it has a narrow margin of safety and can cause significant GI upset, particularly in older adults or those with kidney issues, so it's not as universally suitable when NSAIDs are off the table. Allopurinol isn't used to treat an acute flare at all because lowering uric acid during the attack doesn't relieve inflammation and can prolong symptoms; urate-lowering therapy is typically started after the acute episode settles. Antibiotics aren't appropriate because gout is not an infection.

SAMPLE

9. Which feature is part of the clinical presentation of psoriatic arthritis?

A. Spondylitis

B. Symmetric arthritis

C. DIP inflammation and stiffness

D. Mutilans

The main idea is that psoriatic arthritis often targets the distal interphalangeal joints, so inflammation and stiffness there are a classic presenting feature. DIP involvement helps distinguish PsA from rheumatoid arthritis, which more commonly affects the MCP and PIP joints and spares the DIP joints. In PsA you may also see nail psoriasis, dactylitis, and sometimes axial disease, but the DIP joint inflammation with stiffness is a hallmark seen in many patients. While axial disease (spondylitis) can occur in psoriatic arthritis, and symmetric arthritis is more typical of rheumatoid arthritis, and mutilans represents a rare, severe destructive form, the presence of DIP joint inflammation and stiffness best reflects PsA's distinctive pattern.

10. When diagnosing ankylosing spondylitis, the diagnosis should primarily be based on which of the following?

A. X-ray shows bamboo spine

B. History and physical exam

C. Squared-off vertebra in imaging

D. All of the above

The key idea is that ankylosing spondylitis is diagnosed mainly from the clinical pattern of inflammatory back pain seen in history and on physical examination. Inflammatory back pain typically starts before age 40, is chronic, improves with exercise, does not improve with rest, and is accompanied by significant morning stiffness. When these clinical features are present and spinal mobility is reduced with tenderness at the Sacroiliac joints, the diagnosis is supported even before imaging shows structural changes. X-ray findings like bamboo spine or squared-off vertebrae reflect late, established disease and may be normal early on, so they are not the primary basis for diagnosis. Imaging and tests such as MRI or HLA-B27 positivity can help confirm or support the diagnosis, but they don't replace the central role of the history and exam.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://rheumatologicdisorders.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE