RIGGER BASIC ADC PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://riggerbasicadc.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **If you need the precise extension sequence for outriggers, you should consult the...**

   A. OSHA regulations

   B. Manufacturers specifications

   C. Industry practice guide

   D. Manufacturer's warranty

2. **What should be checked for a permanent anchor beyond physical condition?**

   A. The color of paint.

   B. Documentation and capacity verification.

   C. The bolt length alone.

   D. The age of the anchor's installation date.

3. **What are common signs of wear or damage you should look for on fiber slings?**

   A. Discoloration and stiffness.

   B. Cuts, broken fibers, abrasion, chemical damage, fraying, heat damage, discoloration, stiffness, and exposed core.

   C. Only rust on metal fittings.

   D. No signs of wear are expected.

4. **What is the density per cubic meter used for concrete?**

   A. 1000 kg

   B. 2400 kg

   C. 7850 kg

   D. 1 tonne

5. **What are the primary purposes of tag lines when controlling long or heavy loads?**

   A. To help control lateral movement, prevent rotation, and keep personnel clear of the load path.

   B. To indicate load color and branding on the equipment.

   C. To measure the weight of the load during the lift.

   D. To replace a formal risk assessment for the lift.

SAMPLE

6. How can you verify balance of a suspended load during the initial lift?

A. Observe the load for level attitude, adjust sling lengths to re-center CG, and use tag lines to minimize rotation and sway.

B. Rely on the operator's word about balance and do not monitor during lift.

C. Only verify balance after the load has reached its destination.

D. Use a single hook to support the load and ignore sling adjustments.

7. Why is it important to verify that rigging gear markings match project requirements?

A. Ensures compatibility and rated performance with the project requirements.

B. Only checks the brand.

C. Only checks the color.

D. Only checks the serial number.

8. Which of the following is a defect that would render a safety net unfit for installation?

A. Chemical damage

B. Burns

C. UV damage

D. Frayed edges

9. The definitive source for outriggers extension and locking procedures is the...

A. Industry practice guide

B. Site safety plan

C. Manufacturers specifications

D. Daily toolbox talk notes

10. Who could provide a rigger with the minimum forces required for static line anchor points?

A. Site safety officer

B. Customer requirements

C. Manufacturers specifications

D. Manufacturer's representative

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. A
6. A
7. B
8. C
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. If you need the precise extension sequence for outriggers, you should consult the...

A. OSHA regulations

B. Manufacturers specifications

C. Industry practice guide

D. Manufacturer's warranty

The main idea is that exact, model-specific procedures for equipment like outriggers come from the manufacturer. The manufacturer's specifications lay out the precise order to extend each leg, any interlocks, leveling steps, and ground-contact requirements that are designed for that specific rig. Following these instructions ensures the stabilizers engage correctly, keep the load within the crane's stability limits, and prevent tipping or undue stress on the structure. General safety rules from OSHA provide overarching requirements, but they don't prescribe the step-by-step sequence for a particular machine. Industry practice guides offer broad guidance, which may not match your specific setup, and a warranty is concerned with using the product as intended, which means the manual's procedures—provided by the manufacturer—are the authoritative source for the exact extension sequence.

2. What should be checked for a permanent anchor beyond physical condition?

A. The color of paint.

B. Documentation and capacity verification.

C. The bolt length alone.

D. The age of the anchor's installation date.

You must verify documentation and capacity. Visual condition matters, but the most reliable check is that the anchor has current documentation proving its rated capacity and that it has been properly installed and inspected. This documentation includes manufacturer specifications, installation details, and any load-test or inspection records, indicating the working load limit and that the anchor remains within its service life and is suitable for the lift plan. Capacity verification ensures the specific load, dynamic forces, and rigging configuration won't exceed what the anchor can safely carry. Without this, even a visually sound anchor could fail if the rating doesn't match the load. Paint color isn't informative about strength, bolt length alone doesn't determine capacity, and installation date without supporting test and rating data doesn't confirm safety.

SAMPLE

3. What are common signs of wear or damage you should look for on fiber slings?

A. Discoloration and stiffness.

B. Cuts, broken fibers, abrasion, chemical damage, fraying, heat damage, discoloration, stiffness, and exposed core.

C. Only rust on metal fittings.

D. No signs of wear are expected.

Fiber slings show wear through a combination of visible and structural changes that affect their strength. Look for cuts or broken fibers where the load path is compromised, and for abrasion that wears away the outer cover from rubbing on edges or hardware. Chemical damage from solvents or cleaners can weaken the fibers, while fraying indicates fibers are loosening and the sling's cross-section is thinning. Heat damage—melting, scorching, or scorching-like changes—reduces strength as the fibers are damaged. Discoloration can signal aging, UV exposure, or chemical attack, and stiffness suggests embrittlement or breakdown of the fiber material. If the protective cover is worn away and the core becomes exposed, the sling is no longer protected and is highly vulnerable to failure. Any of these signs means the sling should be removed from service and evaluated or replaced by a qualified person before reuse.

4. What is the density per cubic meter used for concrete?

A. 1000 kg

B. 2400 kg

C. 7850 kg

D. 1 tonne

Density is mass per unit volume, so for concrete we use a value in kg per cubic meter. Normal-weight concrete is typically about 2400 kg/m^3, reflecting common mix proportions of cement paste with aggregates. This standard value is widely used in structural calculations to estimate self-weight and loads. The other options don't fit the concept: 1000 kg corresponds to the density of water, not concrete. 7850 kg/m^3 is the density of steel, which is much denser than concrete. "1 tonne" is a mass, not a density per volume, so it doesn't specify how much mass is in a given volume unless you also indicate volume.

5. What are the primary purposes of tag lines when controlling long or heavy loads?

A. To help control lateral movement, prevent rotation, and keep personnel clear of the load path.

B. To indicate load color and branding on the equipment.

C. To measure the weight of the load during the lift.

D. To replace a formal risk assessment for the lift.

Tag lines are used to actively guide and control a long or heavy load as it's moved, reducing sway, preventing unwanted rotation, and keeping personnel out of the load path. By having a trained person on the ground with a line attached to the load, the operator can steer, slow down, or stop movement, especially in tight spaces or where visibility is limited. This helps maintain a safe clearance around obstacles and ensures the load travels smoothly along a controlled path. Other options don't fit because tag lines aren't about indicating color or branding, they aren't measuring weight during the lift, and they don't replace a formal risk assessment. Their purpose is practical control and safety during movement, not labeling, weighing, or substituting planning.

SAMPLE

6. How can you verify balance of a suspended load during the initial lift?

A. Observe the load for level attitude, adjust sling lengths to re-center CG, and use tag lines to minimize rotation and sway.

B. Rely on the operator's word about balance and do not monitor during lift.

C. Only verify balance after the load has reached its destination.

D. Use a single hook to support the load and ignore sling adjustments.

Maintaining a level load attitude and keeping the load's center of gravity aligned under the hook during the initial lift is the key. You verify balance by watching the load as it lifts a little off the ground and confirming it hangs level. If it tilts, you adjust sling lengths so the weights are distributed evenly and the CG sits beneath the hook. Tag lines give the crew a direct way to guide the load and suppress rotation and sway, helping keep the load balanced as it starts to rise. Relying on the operator's word and not monitoring provides no real-time check of balance, which can change with wind, movement, or sling elongation. Verifying balance only after the load reaches its destination misses the opportunity to correct issues during the crucial initial lift. Using a single hook and ignoring sling adjustments removes redundancy and control, allowing the load to tilt or swing unpredictably.

7. Why is it important to verify that rigging gear markings match project requirements?

A. Ensures compatibility and rated performance with the project requirements.

B. Only checks the brand.

C. Only checks the color.

D. Only checks the serial number.

Verifying markings ensures the gear is actually qualified for the job. The markings convey the working load limit, the standard or certification the gear meets, the manufacturer, and often inspection or lot information. When those markings align with the project requirements, you're confirming the gear can safely carry the intended loads, is compatible with the other rigging components, and complies with the applicable safety standards. Relying on brand, color, or even a serial number alone doesn't guarantee suitability or capability; a piece might look right or come from a trusted maker but still have an insufficient rating or outdated certification. By matching markings to project needs, you reduce the risk of overload, equipment failure, and noncompliance.

8. Which of the following is a defect that would render a safety net unfit for installation?

A. Chemical damage

B. Burns

C. UV damage

D. Frayed edges

Exposure to sunlight over time can degrade the polymer fibers in safety nets. Ultraviolet radiation breaks chemical bonds in materials like nylon or polypropylene, causing chain scission and embrittlement. This weakens the fibers throughout the net, reducing tensile strength and making it more prone to sudden failure under load. Because a safety net must reliably catch or support weight, any UV-induced deterioration means it's no longer fit for service, even if the damage isn't immediately obvious on the surface. Other types of damage can be problematic too, but they tend to be more localized. Chemical damage may affect specific areas depending on exposure to solvents, burns create holes or melted spots, and frayed edges indicate wear but might still be acceptable within limits if the overall strength remains adequate. UV damage is especially dangerous because it undermines the material's strength from within and progresses with sun exposure, compromising the entire net.

SAMPLE

9. The definitive source for outriggers extension and locking procedures is the...

A. Industry practice guide

B. Site safety plan

C. Manufacturers specifications

D. Daily toolbox talk notes

The key idea is that the exact steps to extend and lock outriggers must come from the manual that matches the specific crane or lifting device. The manufacturer specifications outline the precise extension limits, how the locking pins engage, the correct deployment sequence, required checks, and any model-specific cautions. Following these ensures the outriggers provide the intended stability, maintain the rated load capacity, and prevent dangerous issues like incomplete locking, uneven support, or tipping. Other sources offer general guidance or site-wide safety rules, but they don't replace the exact, model-specific instructions of the equipment. Industry practice guides can vary and may become outdated or not apply to your exact unit. Toolbox talk notes are useful reminders but aren't a substitute for the official procedures.

10. Who could provide a rigger with the minimum forces required for static line anchor points?

A. Site safety officer

B. Customer requirements

C. Manufacturers specifications

D. Manufacturer's representative

Manufacturers specifications set the minimum forces for static line anchor points because those ratings come from testing and approved standards built into the hardware. The anchor point, line, and hardware are assigned a working load limit or minimum breaking strength based on how they were designed and tested to perform under load. That official rating is the authoritative guide you use to determine whether an anchor point is suitable for a given setup, ensuring safety under expected conditions. A site safety officer enforces procedures and safety rules, but they don't define the technical load ratings. Customer requirements might specify needs or constraints, but the actual minimum force that a component must withstand is determined by the manufacturer's tested specifications. A manufacturer's representative can provide the specs, but the numbers come from the equipment's design and testing data.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://riggerbasicadc.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE