RTBC FUNDAMENTALS OF DIGITAL RADIOGRAPHY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://rtbcfundofdigitalrad.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which processing step is used to adjust brightness and contrast of a digital image?**

   A. LUT Adjustments

   B. Histogram Analysis

   C. Rescaling

   D. Digitization

2. **Which spatial frequency would produce the greatest spatial resolution?**

   A. 1.12 lp/mm

   B. 3.55 lp/mm

   C. 4.15 lp/mm

   D. 6.30 lp/mm

3. **Which QC test is commonly used in digital radiography to assess detector uniformity across the image field?**

   A. Dark Noise

   B. Detector Uniformity/Flat-Field

   C. Spatial Resolution

   D. Repeat-Rate Monitoring

4. **Which material is commonly used as a photoconductor in direct-conversion DR detectors?**

   A. CsI

   B. Amorphous Selenium

   C. Gadolinium Oxysulfide

   D. Sodium Iodide

5. **What is the relationship between spatial frequency and MTF?**

   A. Direct

   B. No relationship

   C. Inverse

   D. Indirect

SAMPLE

6. Which statement about magnification and spatial resolution in DR is true?

A. Higher Magnification Degrades Spatial Resolution

B. Higher Magnification Improves Spatial Resolution

C. Magnification Has No Effect on Spatial Resolution

D. Magnification Only Affects Dose

7. Which MTF score indicates that an image perfectly represents the object in both spatial resolution and contrast?

A. 0

B. 0.1

C. 0.5

D. 1.0

8. Which of the listed radiographic matrices would produce the greatest spatial resolution?

A. 256 x 256

B. 512 x 512

C. 1024 x 1024

D. 2048 x 2048

9. Detective Quantum Efficiency is a:

A. Graphical representation of recorded exposure values

B. Mathematical equation used to correct brightness & contrast

C. Score that describes the ability of the imaging system to convert the remnant x-ray beam into a high-quality image

D. Component that converts an electrical signal into a digital signal

10. Signal-to-noise (SNR) is increased when which condition is used?

A. Scatter is present

B. Excessive kVp is used

C. Grids are utilized

D. Patient receives optimal dose

SAMPLE

Answers

SAMPLE

1. A
2. D
3. B
4. B
5. D
6. A
7. D
8. D
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. Which processing step is used to adjust brightness and contrast of a digital image?

A. LUT Adjustments

B. Histogram Analysis

C. Rescaling

D. Digitization

Brightness and contrast are controlled by modifying the look-up table that maps each input pixel value to a displayable gray level. The LUT defines, for every possible input value, what output value to show. By changing this mapping, you shift the overall brightness (adjusting the baseline output values) and alter contrast (changing how rapidly output values change with input values). This LUT-based approach is what window leveling and window width mechanisms rely on in digital radiography, making it the direct and effective method for adjusting how an image appears on the monitor. Histogram analysis, while useful for informing how to set brightness and contrast by describing the distribution of pixel values, does not itself change the image. Rescaling could change the range of displayed values, but the standard, targeted means of adjusting brightness and contrast in DR is through LUT adjustments. Digitization is the process of converting analog signals to digital form and does not adjust brightness or contrast.

2. Which spatial frequency would produce the greatest spatial resolution?

A. 1.12 lp/mm

B. 3.55 lp/mm

C. 4.15 lp/mm

D. 6.30 lp/mm

Spatial resolution is the ability to distinguish small, closely spaced details. In imaging, this is quantified by spatial frequency, measured in line pairs per millimeter. A higher spatial frequency means more line pairs fit into each millimeter, which corresponds to finer details and better resolution. Among the options, 6.30 lp/mm is the highest frequency, so it represents the smallest separations that can be resolved and thus the greatest spatial resolution. The lower frequencies—1.12, 3.55, and 4.15 lp/mm—reflect larger features and therefore lower resolution.

3. Which QC test is commonly used in digital radiography to assess detector uniformity across the image field?

A. Dark Noise

B. Detector Uniformity/Flat-Field

C. Spatial Resolution

D. Repeat-Rate Monitoring

Detector uniformity across the image field is assessed with a detector uniformity (flat-field) test. The idea is to expose the detector with a uniform X-ray field and look at the resulting image for any shading or variations in brightness that shouldn't be there. If the detector responds equally everywhere, the image would be a single, uniform gray. Real detectors often show pixel-to-pixel gain differences or dead/hot regions, which show up as nonuniformities. This test identifies those variations so a correction map (gain calibration) can be applied to produce uniform brightness and reliable image quality across the field. Other tests measure different aspects: dark noise checks the electronic noise when no exposure is made, spatial resolution assesses sharpness and detail, and repeat-rate monitoring looks at consistency of technique or exposure between exams. None of those directly quantify how uniformly the detector responds across the image field like the flat-field test does.

SAMPLE

4. Which material is commonly used as a photoconductor in direct-conversion DR detectors?

A. CsI

B. Amorphous Selenium

C. Gadolinium Oxysulfide

D. Sodium Iodide

Direct-conversion detectors rely on a photoconductive layer that turns X-ray energy directly into an electric charge, which is then collected to form the image. Amorphous selenium fits this role because it acts as a solid-state photoconductor: when X-rays are absorbed, it generates charge carriers that can be collected with an applied electric field, producing a digital signal without an intermediate light step. This direct conversion also helps preserve spatial resolution since there's no light spread that could blur the image. The other materials are scintillators used in indirect-conversion systems. They first convert X-rays into visible light, which is then detected by a separate photodiode or detector, adding an extra step and potential light spread. CsI, gadolinium oxysulfide, and sodium iodide are common scintillators that enable indirect conversion rather than direct photoconversion.

5. What is the relationship between spatial frequency and MTF?

A. Direct

B. No relationship

C. Inverse

D. Indirect

Spatial frequency tells you how fine the details in an image are, while MTF tells you how much of the image's contrast is preserved at that level of detail. In radiography, the system can transfer broad, low-frequency features with good contrast, but as you try to reproduce finer, high-frequency details, the contrast transfer diminishes. So the relationship between spatial frequency and MTF is inverse (often described as indirect): higher spatial frequencies come with lower MTF values. This reflects the inevitable drop in the system's ability to convey very fine details. A lack of relationship would ignore how contrast transfer changes with detail size, and a direct relationship would imply both increase together, which isn't what happens.

6. Which statement about magnification and spatial resolution in DR is true?

A. Higher Magnification Degrades Spatial Resolution

B. Higher Magnification Improves Spatial Resolution

C. Magnification Has No Effect on Spatial Resolution

D. Magnification Only Affects Dose

Magnification in DR affects geometric unsharpness. When you increase the distance between the object and the detector (OID) to achieve magnification, the finite size of the X-ray focal spot projects more blur onto the image. That blur, or penumbra, grows with magnification, making two nearby points harder to distinguish. So spatial resolution—the ability to resolve fine detail—decreases as magnification increases. The other statements are not correct: magnification does not improve resolution, nor does it leave resolution unchanged, and its effect isn't limited to dose alone.

SAMPLE

7. Which MTF score indicates that an image perfectly represents the object in both spatial resolution and contrast?

A. 0

B. 0.1

C. 0.5

D. 1.0

MTF measures how faithfully an imaging system preserves the contrast of the object at a given level of detail. It can range from no transfer to perfect transfer. The best, most accurate reproduction of both spatial detail and contrast happens when the transfer is at its maximum value, meaning all modulation is preserved from object to image. Any lower value means some blur or loss of contrast for that detail, so the image wouldn't perfectly represent the object. In short, a perfect representation corresponds to the maximum possible MTF value, even though real systems never reach that ideal everywhere.

8. Which of the listed radiographic matrices would produce the greatest spatial resolution?

A. 256 x 256

B. 512 x 512

C. 1024 x 1024

D. 2048 x 2048

Spatial resolution is governed by how finely the image is sampled, which comes from the pixel size on the detector. For the same field of view, increasing the matrix size divides that view into more, smaller pixels. Smaller pixels sample the image more finely, allowing you to distinguish smaller details. Among the options, the 2048 x 2048 matrix has the smallest pixel size, so it provides the highest spatial resolution. The other matrices use larger pixel sizes and thus blur finer details more easily.

9. Detective Quantum Efficiency is a:

A. Graphical representation of recorded exposure values

B. Mathematical equation used to correct brightness & contrast

C. Score that describes the ability of the imaging system to convert the remnant x-ray beam into a high-quality image

D. Component that converts an electrical signal into a digital signal

Detective Quantum Efficiency is a performance metric that describes how effectively an imaging system converts the remnant x-ray beam into a high-quality image. It measures how well the system preserves the signal relative to noise as the x-ray information is transformed into a digital image, often across different spatial details. In practice, a higher DQE means more of the incoming signal is retained with less degradation from noise, so you can achieve the same image quality at a lower dose or improve image quality at the same dose. It's not simply a graph of exposure values, nor a brightness/contrast correction equation, nor a standalone component that converts signals; it specifically quantifies the detector's efficiency in producing a quality image from the incoming x-ray signal.

SAMPLE

10. Signal-to-noise (SNR) is increased when which condition is used?

A. Scatter is present

B. Excessive kVp is used

C. Grids are utilized

D. Patient receives optimal dose

Scatter adds unwanted background that dulls contrast and contributes to noise, so reducing scatter boosts the brightness consistency of the true signal relative to random fluctuations. A grid works by absorbing a portion of scattered photons before they reach the image receptor, which lowers background fog and improves the signal-to-noise balance. Because some primary photons are also absorbed by the grid, exposure may need to be increased to keep the signal strong, but with proper technique the overall SNR improves. In contrast, the presence of scatter, using excessively high kVp, or relying on dose alone without addressing image quality will not inherently raise SNR. So using a grid is the condition that increases SNR.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://rtbcfundofdigitalrad.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE