
RTBC IMAGE EVALUATION AND QUALITY CONTROL (122) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://rtbcimageevalqc122.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which form of image noise results from underexposure?

A. Static

B. Mottle

C. Graininess

D. Blurriness

2. Which three factors that affect receptor exposure can be controlled by the x-ray operator?

A. Generator type, collimation, filtration

B. Filtration, grid ratio, source-to-image distance (SID)

C. Source-to-image distance (SID), exposure time, film speed

D. Collimation, film speed, exposure time

3. Which patient factor is not related to spatial resolution when conducting radiographic imaging?

A. Object-to-image distance (OID)

B. Patient size

C. Pathology

D. Patient movement

4. What happens to the clarity of an image as pixel size decreases?

A. Clarity decreases

B. Clarity increases

C. No change in clarity

D. Clarity becomes less relevant

5. Which aspect of digital radiography most directly influences image sharpness?

A. Image processing techniques

B. Detector element size and pitch

C. Film type used

D. Exposure time

SAMPLE

6. What effect does an increased matrix size have on the spatial resolution of a digital image?

A. Decreases spatial resolution

B. No effect

C. Increases spatial resolution

D. Complicates image analysis

7. An increase in object-to-image distance (OID) will lead to which two effects?

A. Decreased spatial resolution

B. Increased spatial resolution

C. Decreased penumbra

D. Increased penumbra

8. Which effect does object thickness typically have on the radiographic image quality?

A. It uniformly improves clarity

B. It causes blurring in high thickness

C. It makes determining the pathology easier

D. It affects depth of field

9. What is a characteristic of an image with low spatial resolution?

A. Distinct edges

B. Blurriness or loss of detail

C. High contrast

D. Sharp trabecular pattern

10. What effect can failure to adjust exposure factors have when imaging a patient with severe osteoporosis?

A. Decreased receptor exposure

B. No effect on receptor exposure

C. Increased receptor exposure

D. Inconsistent receptor exposure

SAMPLE

Answers

SAMPLE

1. B
2. B
3. D
4. B
5. B
6. C
7. A
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Which form of image noise results from underexposure?

A. Static

B. Mottle

C. Graininess

D. Blurriness

The form of image noise that results from underexposure is mottle. This occurs when there is insufficient light reaching the imaging receptor, leading to a lack of detail in the darker regions of an image. Underexposed images often exhibit uneven brightness and contrast, which contribute to a blotchy or patchy appearance — characteristics that are described as mottle. Underexposure can result in an uneven distribution of the signal, where the noise becomes more prominent in the shadow areas since there isn't enough exposure to adequately illuminate these regions. Thus, mottle is recognized as a specific type of noise that is particularly related to the quality of the exposure, making it directly linked to the issue of underexposure. Other forms of noise like static, graininess, and blurriness arise from different causes. Static can come from electronic interference or random variations, graininess is often related to film speed and is not strictly a result of exposure, and blurriness typically is due to motion or focus issues rather than exposure levels.

2. Which three factors that affect receptor exposure can be controlled by the x-ray operator?

A. Generator type, collimation, filtration

B. Filtration, grid ratio, source-to-image distance (SID)

C. Source-to-image distance (SID), exposure time, film speed

D. Collimation, film speed, exposure time

In understanding receptor exposure, it's important to recognize the factors that the x-ray operator can control during imaging procedures. The correct answer highlights three factors: filtration, grid ratio, and source-to-image distance (SID). Filtration is controllable because it involves adjusting the amount and type of material used to filter the X-rays before they reach the receptor. Proper filtration helps to eliminate low-energy X-rays that do not contribute to image formation, thus enhancing the overall image quality and reducing the patient's dose. Grid ratio refers to the relationship between the height of the lead strips in the grid and the distance between them. Grids are used to reduce scatter radiation, which can degrade image quality. The operator has the ability to select the appropriate grid ratio based on the type of examination being performed, thereby influencing the receptor exposure. Source-to-image distance (SID) is another variable that the operator can modify. Increasing the SID generally results in decreased receptor exposure due to the inverse square law, which states that as the distance from the X-ray source increases, the intensity of the radiation diminishes. Conversely, reducing the SID increases receptor exposure, allowing for better control over the final image quality. These three factors are directly controllable by the operator and play a significant role in

SAMPLE

3. Which patient factor is not related to spatial resolution when conducting radiographic imaging?

A. Object-to-image distance (OID)

B. Patient size

C. Pathology

D. Patient movement

Spatial resolution in radiographic imaging refers to the ability to distinguish fine details in the image. Various factors can impact spatial resolution, and understanding these factors is crucial for optimizing image quality. When considering patient factors, patient movement is typically associated with degrading image quality due to motion blur rather than spatial resolution itself. While patient movement may affect the clarity of an image, it does not inherently relate to the spatial resolution of the imaging system. Spatial resolution primarily depends on factors like the geometry of the imaging setup, such as object-to-image distance (OID), the size of the patient (as it can affect the amount of scatter), and the presence or absence of any pathology that might obscure details. In contrast, OID influences spatial resolution directly by affecting the extent of image magnification and sharpness, larger patients can result in more scatter, which can reduce detail, and certain pathologies can either enhance or obscure the fine details that contribute to a clear image. Thus, patient movement stands apart from these other factors in the context of spatial resolution.

4. What happens to the clarity of an image as pixel size decreases?

A. Clarity decreases

B. Clarity increases

C. No change in clarity

D. Clarity becomes less relevant

As pixel size decreases, the clarity of an image increases. This is due to the fact that smaller pixels can represent finer details within the image. When the pixel size is reduced, the overall resolution of the image improves, allowing for sharper and more defined images. This enhancement in clarity is particularly important in fields such as medical imaging, where precise details can be critical for diagnosis. Smaller pixels can capture more information about the subject, leading to images that convey greater depth and detail, making features more distinguishable and improving the overall quality of the image. Larger pixels, on the other hand, can result in a blocky appearance and loss of detail, while a lack of change in clarity would imply that pixel size has no significant effect, which contradicts the principles of digital imaging. The notion that clarity becomes less relevant does not apply in this context as clarity is a fundamental aspect of image quality in any visual representation.

SAMPLE

5. Which aspect of digital radiography most directly influences image sharpness?

A. Image processing techniques

B. Detector element size and pitch

C. Film type used

D. Exposure time

The aspect of digital radiography that most directly influences image sharpness is the detector element size and pitch. The detector elements are the individual sensors or pixels that capture the incoming radiation to create a digital image. Their size directly affects the resolution of the image. Smaller detector elements can capture more detail, leading to sharper images. This is because a higher number of smaller pixels means that there is better spatial resolution, allowing finer details in the anatomy being imaged to be distinguished. In contrast, larger detector elements lead to a lower resolution, as details finer than the size of the detector elements may be lost, resulting in a blurrier image. Therefore, the design and specification of the detector directly impact how precise and clear the resulting image will be, making this factor crucial for achieving optimal image sharpness in digital radiography. Other aspects such as image processing techniques, film type, and exposure time can influence aspects of the image like contrast and noise but do not primarily determine how sharp the image appears.

6. What effect does an increased matrix size have on the spatial resolution of a digital image?

A. Decreases spatial resolution

B. No effect

C. Increases spatial resolution

D. Complicates image analysis

An increased matrix size positively affects the spatial resolution of a digital image. Spatial resolution refers to the ability of an imaging system to distinguish between small details in an image. When the matrix size of a digital image is increased, it means that there are more pixels available to represent the same area. This allows for finer detail to be captured, leading to improved clarity and precision in the resulting image. With a larger matrix size, each pixel can represent a smaller portion of the image, which enhances the level of detail that can be discerned. Consequently, as the number of pixels increases within the same field of view, the overall resolution improves, allowing for better visualization of subtle structures or features that may have otherwise been undetectable with a smaller matrix size. In summary, a larger matrix size translates to higher pixel density, resulting in improved spatial resolution and a clearer, more detailed image output.

SAMPLE

7. An increase in object-to-image distance (OID) will lead to which two effects?

A. Decreased spatial resolution

B. Increased spatial resolution

C. Decreased penumbra

D. Increased penumbra

An increase in object-to-image distance (OID) primarily results in decreased spatial resolution. This occurs because as the distance between the object and the image receptor increases, the image detail becomes less sharp due to the divergence of the x-ray beam. The more the x-rays spread out, the more the distinct edges of the object blur, ultimately leading to a lower quality image with less clarity. Additionally, an increase in OID also leads to increased penumbra. The penumbra is the zone around the edges of a radiographic image where the image transitions from black to white; it represents the blurring that occurs at the edges of the object being imaged. As OID increases, the edges of the object produce a larger penumbra, further contributing to a loss of image sharpness. In summary, increased OID results in decreased spatial resolution and increased penumbra, reflecting the inherent trade-off between distance and image quality in radiographic imaging.

8. Which effect does object thickness typically have on the radiographic image quality?

A. It uniformly improves clarity

B. It causes blurring in high thickness

C. It makes determining the pathology easier

D. It affects depth of field

Object thickness significantly influences the quality of the radiographic image, particularly in how it impacts clarity and potential blurring. When an object is thicker, more tissue is present between the radiation source and the detector, which can lead to an increased likelihood of scattered radiation. This scattering can cause a loss of definition and sharpness in the image, resulting in blurring that can obscure the details of the anatomy being examined. Thicker objects may also result in variations in exposure across the image, further contributing to the blurring effect. Therefore, understanding the relationship between object thickness and image clarity is crucial for radiographers when evaluating the quality of a radiographic image and ensuring accurate diagnoses. Options that suggest improved clarity, easier determination of pathology, or only affecting depth of field fail to accurately capture the common challenges posed by increased object thickness in radiographic imaging.

9. What is a characteristic of an image with low spatial resolution?

A. Distinct edges

B. Blurriness or loss of detail

C. High contrast

D. Sharp trabecular pattern

An image with low spatial resolution is characterized by blurriness or loss of detail because low resolution limits the ability to distinguish fine features and edges within the image. When spatial resolution is low, the pixel density is insufficient to capture small structures clearly, leading to a mushy appearance where details blend together rather than remain crisp and distinct. This manifests as a lack of clarity, making it difficult to discern specific anatomical features or to evaluate subtle variations in texture or contrast within the image. In contrast, distinct edges suggest higher resolution, high contrast refers to the ability to clearly differentiate between light and dark areas, and a sharp trabecular pattern would also indicate good resolution that allows for detailed assessment of finer structures. Therefore, the presence of blurriness or loss of detail accurately reflects the implications of low spatial resolution.

SAMPLE

10. What effect can failure to adjust exposure factors have when imaging a patient with severe osteoporosis?

A. Decreased receptor exposure

B. No effect on receptor exposure

C. Increased receptor exposure

D. Inconsistent receptor exposure

When imaging a patient with severe osteoporosis, the bone density is significantly reduced, which can lead to changes in how much radiation is absorbed by the patient's body. If exposure factors are not adjusted accordingly, the inherent low density of the bones may result in increased receptor exposure. In this context, increased receptor exposure occurs because the imaging system may utilize the same exposure settings as for a patient with normal bone density, leading to excessive radiation reaching the receptor due to the patient's bones being more radiolucent (less dense). Consequently, without proper adjustment for the patient's condition, the receptor may capture more radiation than intended, which can result in images that are too dark or overexposed. This aspect emphasizes the critical importance of tailoring exposure parameters based on the patient's specific anatomical and physiological conditions to ensure optimal image quality and prevent the risks associated with overexposure.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://rtbcimageevalqc122.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE