RTBC UPPER EXTREMITY PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://rtbcupperextremity.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Why is it important to include the entire length of the forearm in the collated field?

A. To visualize joint capsule integrity

B. To ensure complete representation for surgical planning

C. To assess anatomical relationships

D. To evaluate the elbow and wrist joint

2. What is the most common mechanism of shoulder injuries in overhead athletes?

A. Sudden impact during play

B. Repetitive overhead motions

C. Direct trauma to the shoulder

D. Weightlifting errors

3. In order to obtain an oblique position of the first digit (thumb), what surface of the hand should be in contact with the image receptor?

A. Dorsal

B. Medial

C. Palmar

D. Lateral

4. What is the term for the movement of the shoulder blade toward the spine?

A. Protraction

B. Retraction

C. Elevation

D. Depression

5. What is the correct central ray angulation for the axiolateral projection (Coyle method) to demonstrate the coronoid process of the ulna?

A. No angulation required

B. 15 degrees towards the shoulder

C. 30 degrees away from the shoulder

D. 45 degrees away from the shoulder into the elbow joint

SAMPLE

6. Which muscle opposes the biceps brachii during elbow movements?

A. Triceps brachii

B. Deltoid

C. Brachialis

D. Supinator

7. Which two patient positioning guidelines are advisable for the anteroposterior (AP) humerus radiograph?

A. Standing at the upright Bucky; Lying supine on the radiographic table

B. Sitting in a chair; Lying prone on the table

C. Standing with the back to the IR; Lying lateral on the table

D. Squatting beside the table; Leaning forward on the table

8. At what angle should the patient's arm be bent for a posteroanterior hand radiograph?

A. 45 degrees

B. 90 degrees

C. 120 degrees

D. 180 degrees

9. What condition is characterized by inflammation of the glenohumeral joint capsule?

A. Shoulder arthritis

B. Shoulder bursitis

C. Frozen shoulder

D. Rotator cuff tear

10. What condition is characterized by damage to the rotator cuff?

A. Shoulder dislocation

B. Rotator cuff tear

C. Frozen shoulder

D. Shoulder bursitis

SAMPLE

Answers

SAMPLE

1. D
2. B
3. C
4. B
5. D
6. A
7. A
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. Why is it important to include the entire length of the forearm in the collated field?

A. To visualize joint capsule integrity

B. To ensure complete representation for surgical planning

C. To assess anatomical relationships

D. To evaluate the elbow and wrist joint

Including the entire length of the forearm in the collated field is crucial for evaluating the elbow and wrist joint. This comprehensive view allows healthcare professionals to assess the relationship and function between these two critical joints. The forearm houses two bones—the radius and ulna—whose alignment and integrity are vital for full range of motion and functionality in activities that require use of the hand and wrist. Evaluating both joints together also helps in identifying any pathologies, injuries, or deformities that might affect upper extremity function. A complete representation of the forearm enables professionals to not only observe the joints but also understand the dynamics of movement, muscle interactions, and any underlying conditions that might influence both the elbow and wrist. This holistic assessment is essential when developing a treatment plan or rehabilitation strategy to restore function and promote healing in patients with upper extremity issues.

2. What is the most common mechanism of shoulder injuries in overhead athletes?

A. Sudden impact during play

B. Repetitive overhead motions

C. Direct trauma to the shoulder

D. Weightlifting errors

The most common mechanism of shoulder injuries in overhead athletes is indeed repetitive overhead motions. This is due to the nature of overhead sports, where athletes frequently perform actions like throwing, serving, or swinging, which place significant stress on the shoulder joint and surrounding structures. Over time, these repetitive motions can lead to wear and tear on the muscles, tendons, and ligaments, resulting in conditions such as rotator cuff tears, tendinitis, or impingement syndrome. Overhead athletes often experience injuries as a cumulative effect of repeated activities rather than from a single traumatic incident. The mechanics involved in these sports can lead to imbalances and overload injuries that develop gradually. Thus, understanding the repetitive nature of their movements helps in both preventing and rehabilitating shoulder injuries effectively.

3. In order to obtain an oblique position of the first digit (thumb), what surface of the hand should be in contact with the image receptor?

A. Dorsal

B. Medial

C. Palmar

D. Lateral

For achieving an oblique position of the first digit (thumb) in radiographic imaging, the palmar surface of the hand should be in contact with the image receptor. Positioning the thumb in this way allows for optimal visualization of the first digit's anatomy, including the bony structures and joint spaces. When the palmar surface is placed down, it facilitates the necessary angle for oblique projection, enabling important anatomical features, such as the metacarpal, proximal phalanx, and the interphalangeal joints, to be clearly seen. Additionally, this positioning helps reduce superimposition from adjacent fingers, providing a clearer image for assessment. Other surfaces, such as the dorsal or lateral aspects of the hand, would not achieve the same degree of obliquity or may obscure critical anatomy, leading to less effective imaging. Therefore, positioning the thumb with the palmar surface in contact with the receptor is essential for obtaining a proper oblique view.

SAMPLE

4. What is the term for the movement of the shoulder blade toward the spine?

A. Protraction

B. Retraction

C. Elevation

D. Depression

The term for the movement of the shoulder blade toward the spine is known as retraction. This movement involves bringing the scapulae closer together, which is often emphasized during certain exercises and physical activities, such as rowing or pull-ups. Retraction is important for maintaining good posture as it stabilizes the shoulders and aligns the upper back correctly. Protraction, on the other hand, involves moving the scapulae away from each other, which can lead to a rounded shoulder posture if overemphasized. Elevation refers to lifting the scapulae upward, while depression involves moving them downward. Understanding these movements is crucial for analyzing upper extremity mechanics and for designing effective exercise regimens that promote proper shoulder function.

5. What is the correct central ray angulation for the axiolateral projection (Coyle method) to demonstrate the coronoid process of the ulna?

A. No angulation required

B. 15 degrees towards the shoulder

C. 30 degrees away from the shoulder

D. 45 degrees away from the shoulder into the elbow joint

In the axiolateral projection (Coyle method) specifically used to visualize the coronoid process of the ulna, the central ray is angled 45 degrees away from the shoulder, directed into the elbow joint. This angulation is crucial as it provides a clear view of the coronoid process while minimizing the overlap from surrounding structures. When utilizing this technique, proper angulation helps project the coronoid process free from any obscuration, allowing for optimal visualization and assessment of potential fractures or other pathologies in that area. The angling of the central ray in this manner specifically enhances the radiographic image of the ulna and its associated structures. This approach is particularly beneficial in trauma cases where injuries to the elbow joint are suspected. It leverages the typical anatomical alignment of the ulna and introduces an appropriate perspective for diagnostic imaging. Understanding this technique is integral for professionals assessing upper extremity injuries and ensuring effective communication and interpretation of the resulting images.

SAMPLE

6. Which muscle opposes the biceps brachii during elbow movements?

A. Triceps brachii

B. Deltoid

C. Brachialis

D. Supinator

The triceps brachii is the muscle that opposes the biceps brachii during elbow movements, particularly when flexion and extension of the elbow are considered. The biceps brachii primarily functions to flex the elbow and supinate the forearm, while the triceps brachii is responsible for extending the elbow. Therefore, during movements where the elbow transitions from flexion to extension, the triceps acts as the antagonist to the biceps, providing an opposing force that facilitates balance and control over the joint. The importance of this antagonist relationship is critical in maintaining joint stability and preventing injury. By having muscles that work in opposition to one another, the body can achieve more precise and coordinated movements. The triceps brachii, located at the back of the upper arm, becomes active when extending the arm, countering the actions of the biceps brachii. In contrast to the triceps brachii, the other options listed do not primarily engage in opposing the actions of the biceps brachii during elbow flexion and extension. The deltoid muscle is mainly involved in shoulder movements, the brachialis assists the biceps in elbow flexion, and the supinator plays a role in forearm sup

7. Which two patient positioning guidelines are advisable for the anteroposterior (AP) humerus radiograph?

A. Standing at the upright Bucky; Lying supine on the radiographic table

B. Sitting in a chair; Lying prone on the table

C. Standing with the back to the IR; Lying lateral on the table

D. Squatting beside the table; Leaning forward on the table

For an anteroposterior (AP) humerus radiograph, the advisable patient positioning involves either standing at the upright Bucky or lying supine on the radiographic table. Standing at the upright Bucky allows for optimal visualization of the humerus in a true AP position and is particularly useful when imaging larger patients or when their mobility is sufficient to stand without assistance. This positioning helps minimize distortion and provides a clear view of the humeral structure. Lying supine on the radiographic table is also acceptable as it facilitates accurate imaging of the humerus while ensuring the patient's comfort. In this position, the humerus can be rotated as necessary to achieve the desired projection without the risk of artifacts or obstructions that may arise from positioning the patient differently. These guidelines are essential for maintaining clarity in imaging and ensuring that the anatomy is accurately represented in the radiograph. The other choices may not provide appropriate visualization or could introduce complications in positioning, leading to suboptimal imaging results.

SAMPLE

8. At what angle should the patient's arm be bent for a posteroanterior hand radiograph?

A. 45 degrees

B. 90 degrees

C. 120 degrees

D. 180 degrees

For a posteroanterior (PA) hand radiograph, the patient's arm should be bent at a 90-degree angle. This positioning allows the hand to be properly aligned for capturing the necessary anatomical details. When the arm is at this angle, it helps to position the wrist and hand flat on the imaging receptor without distortion, ensuring that the radiographic view includes the carpal bones, metacarpals, and phalanges in optimal alignment. At 90 degrees, the forearm is perpendicular to the imaging plate, which enhances the clarity of the resultant image and reduces the likelihood of superimposition from adjacent anatomical structures. This angle is a standard practice to ensure consistency and accuracy when obtaining diagnostic images of the hand. Other angles would not provide the same level of clarity or might introduce distortion into the image, making it difficult to assess the bony or soft tissue structures accurately.

9. What condition is characterized by inflammation of the glenohumeral joint capsule?

A. Shoulder arthritis

B. Shoulder bursitis

C. Frozen shoulder

D. Rotator cuff tear

The condition characterized by inflammation of the glenohumeral joint capsule is frozen shoulder, also known as adhesive capsulitis. This condition involves the thickening and tightening of the capsule surrounding the shoulder joint, leading to pain and restricted movement. The glenohumeral joint capsule is essential for providing stability and allowing a full range of motion in the shoulder. In frozen shoulder, the inflammation induced in the joint capsule results in a significant decrease in mobility, often developing gradually over time. Individuals with this condition commonly experience stiffness and discomfort, particularly during movement. The combination of these symptoms makes it distinct from other shoulder issues. Other conditions listed, such as shoulder arthritis or bursitis, do affect the shoulder but do not specifically target the glenohumeral joint capsule in the same manner as frozen shoulder. Shoulder arthritis involves inflammation of the joint surface itself, while shoulder bursitis pertains to inflammation of the bursa, which is a fluid-filled sac that reduces friction between tissues. A rotator cuff tear primarily affects the tendons of the rotator cuff muscles and does not involve the capsule's inflammatory response characteristic of frozen shoulder.

SAMPLE

10. What condition is characterized by damage to the rotator cuff?

A. Shoulder dislocation

B. Rotator cuff tear

C. Frozen shoulder

D. Shoulder bursitis

The condition characterized by damage to the rotator cuff is indeed a rotator cuff tear. The rotator cuff comprises a group of muscles and tendons that stabilize the shoulder joint and allow for various movements of the arm. When these muscles or tendons sustain injury, either due to acute trauma or chronic wear and tear, a tear occurs. This can result in pain, weakness, and limited range of motion in the shoulder. In contrast, the other options relate to different shoulder issues. A shoulder dislocation involves the displacement of the humerus from the glenoid cavity, which does not specifically indicate damage to the rotator cuff itself. Frozen shoulder, or adhesive capsulitis, is characterized by stiffness and limited movement in the shoulder joint but does not involve a tear in the rotator cuff. Shoulder bursitis refers to inflammation of the bursa, which can also lead to shoulder pain but does not inherently indicate a rotator cuff tear. Thus, a rotator cuff tear specifically denotes damage to the rotator cuff itself, making it the accurate choice in this context.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://rtbcupperextremity.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE