RYANAIR FIRST AID PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ryanairfirstaid.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What action should the Communicator take after informing the Captain of a medical emergency?**

   A. Call in the police

   B. Comfort the passengers

   C. Collect the QRG

   D. Assess the casualty

2. **How should you check for responsiveness in an unconscious casualty?**

   A. Check their pulse

   B. Gently shake their shoulders and shout, "Are you okay?"

   C. Wave your hand in front of their eyes

   D. Tap their leg repeatedly

3. **How can you perform a full body check on a casualty?**

   A. Look for any signs of injury or medical alert tags while asking the casualty about any pain

   B. Only check the head region for abnormalities

   C. Perform the check without talking to the casualty

   D. Ignore any visible injuries and focus on vital signs

4. **What should you do if bleeding seeps through the initial dressing?**

   A. Remove the original dressing and apply a new one

   B. Apply additional pressure to the dressing

   C. Apply another dressing firmly over the top

   D. Use a cold compress on the area

5. **How should a first aid provider respond to a person showing signs of shock?**

   A. Lay the person down and keep them warm.

   B. Encourage the person to walk around.

   C. Apply ice to the person's back.

   D. Give the person food or drink.

SAMPLE

6. If a passenger vomits during air sickness, what should be done?

A. Have them wait until they feel better

B. Remove the vomit quickly

C. Allow them to clean it up themselves

D. Provide them with more sick bags

7. What should you do if a child is found to have a high temperature during a febrile convulsion?

A. Wrap them tightly in blankets

B. Cool them by fanning with a card

C. Give them ice cream to lower their temperature

D. Keep their clothes on to prevent chills

8. What is NOT a step to take for minor external bleeding?

A. Apply a plaster

B. Clean the wound under running water

C. Induce vomiting

D. Advise to see a doctor if needed

9. What is the recommended position for a casualty experiencing an asthma attack?

A. Lying flat on their back

B. Sitting up with elbows on a tray table

C. Standing up straight

D. Leaning against a wall

10. In shock management, what should a caregiver absolutely avoid giving to the casualty?

A. Drink

B. Oxygen

C. First aid treatment

D. Comfort

SAMPLE

Answers

SAMPLE

1. C
2. B
3. A
4. C
5. A
6. B
7. B
8. C
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What action should the Communicator take after informing the Captain of a medical emergency?

A. Call in the police

B. Comfort the passengers

C. Collect the QRG

D. Assess the casualty

The action of collecting the Quick Reference Guide (QRG) is crucial in a medical emergency. The QRG provides immediate access to standardized procedures and guidelines that are necessary for assessing and managing various medical situations effectively. It ensures that the Communicator, as part of the crew, follows the appropriate protocols during the incident, which can increase the effectiveness of the response and help to safeguard the wellbeing of the casualty as well as other passengers. By having the QRG on hand, the Communicator can refer to specific actions that need to be taken, the necessary equipment available, and any emergency contacts that may need to be alerted. Other options may involve important aspects of handling emergencies, but gathering the QRG is fundamental to ensuring that the response is coordinated and precise, directly contributing to the care provided to the affected individual.

2. How should you check for responsiveness in an unconscious casualty?

A. Check their pulse

B. Gently shake their shoulders and shout, "Are you okay?"

C. Wave your hand in front of their eyes

D. Tap their leg repeatedly

To check for responsiveness in an unconscious casualty effectively, the best approach is to gently shake their shoulders and shout, "Are you okay?" This method engages both tactile and auditory stimuli, allowing you to assess if the person has any level of consciousness or responsiveness. Not only does this action potentially elicit a reaction, but it also allows for a more immediate and direct assessment of the casualty's condition. Using this method is critical because it prioritizes communication as well as tactile contact, providing a clear signal that you are trying to assess their situation. This approach aligns with established protocols for first responders, as engaging the casualty this way can help determine if they require further medical action. In contrast, checking for pulse measures the heart's functionality and does not indicate responsiveness. Waving a hand in front of their eyes may not be a reliable indicator of consciousness, and tapping the leg repeatedly could cause discomfort without necessarily providing information about the individual's responsiveness. These options may not create an effective assessment of the casualty's conscious state in the way that verbally engaging them does.

SAMPLE

3. How can you perform a full body check on a casualty?

A. Look for any signs of injury or medical alert tags while asking the casualty about any pain

B. Only check the head region for abnormalities

C. Perform the check without talking to the casualty

D. Ignore any visible injuries and focus on vital signs

Performing a full body check on a casualty involves a systematic assessment of the entire body to identify any injuries or medical conditions that might not be immediately visible. The correct choice emphasizes the importance of actively looking for signs of injury while simultaneously engaging with the casualty. This communication serves multiple purposes: it can help build rapport, ease the casualty's anxiety, and provide critical information regarding their condition, which may not be apparent through visual inspection alone. By asking about areas of pain, you can prioritize which regions may require immediate attention, thereby ensuring a thorough and effective assessment. Additionally, checking for medical alert tags, such as those indicating allergies or pre-existing conditions, can also provide essential context that may influence treatment decisions. This comprehensive approach not only enhances the safety and effectiveness of care but also fosters a holistic understanding of the casualty's health needs.

4. What should you do if bleeding seeps through the initial dressing?

A. Remove the original dressing and apply a new one

B. Apply additional pressure to the dressing

C. Apply another dressing firmly over the top

D. Use a cold compress on the area

When bleeding seeps through the initial dressing, applying another dressing firmly over the top is a critical response. This approach is preferred because it allows for continued pressure on the wound, which is essential for controlling bleeding. Layering additional dressings over the first one helps to maintain pressure while minimizing the risk of disrupting any clotting that may have begun below the dressing. Removing the original dressing could interfere with the formation of a clot, potentially worsening the bleeding. Applying additional pressure directly to the original dressing may not be effective if the dressing is already saturated, as it could also reduce the efficacy of the dressing. Using a cold compress is not typically recommended for controlling active bleeding in this situation, as it does not maintain necessary pressure on the wound. In summary, applying another dressing over the existing one ensures adequate pressure is maintained on the site, supporting the body's natural healing processes while effectively managing the bleeding.

SAMPLE

5. How should a first aid provider respond to a person showing signs of shock?

A. Lay the person down and keep them warm.

B. Encourage the person to walk around.

C. Apply ice to the person's back.

D. Give the person food or drink.

When responding to a person showing signs of shock, laying them down and keeping them warm is critical for multiple reasons. Shock is a medical condition that occurs when the body is not getting enough blood flow, often leading to inadequate oxygen delivery to vital organs. By laying the person down, you help promote better blood flow to the heart and brain, minimizing the risk of fainting or losing consciousness. Keeping the person warm is equally important because shock can often cause the body's temperature to drop. Maintaining warmth helps in preventing hypothermia, which could further complicate the situation. Using a blanket or clothing to cover the individual is advisable to ensure they remain warm while awaiting professional medical assistance. Encouraging the person to walk around is not appropriate as it could exacerbate their condition by further compromising blood circulation and increasing the risk of collapse. Applying ice to the person's back is also unhelpful and could create discomfort or additional complications. Finally, giving food or drink can be dangerous if the person is in shock and might require surgery or have difficulty swallowing, posing a risk of choking. Thus, laying the person down and keeping them warm effectively addresses the immediate needs associated with shock, prioritizing their safety and stability until help arrives.

6. If a passenger vomits during air sickness, what should be done?

A. Have them wait until they feel better

B. Remove the vomit quickly

C. Allow them to clean it up themselves

D. Provide them with more sick bags

In the event that a passenger vomits due to air sickness, prompt removal of the vomit is crucial for several reasons. First and foremost, maintaining a clean environment in the aircraft is important for the comfort and safety of all passengers. Quickly addressing the situation helps to minimize the potential for further distress for the affected passenger and prevents others from being affected by the odor or sight of the vomit. Removing the vomit also prevents any risk of falling hazards and ensures that the area remains hygienic. Prompt response to such incidents demonstrates good care and attention from the crew, helping to reassure and comfort both the affected passenger and others on board. While providing more sick bags could help if the passenger continues to feel ill, it does not address the immediate problem of cleaning up after vomiting. Allowing the passenger to clean it themselves may add to their discomfort and can create an unsanitary situation. Waiting until the passenger feels better is ineffective in maintaining a clean cabin environment and addressing the needs of all onboard. Thus, the swift removal of vomit is the preferred and most effective action in this scenario.

SAMPLE

7. What should you do if a child is found to have a high temperature during a febrile convulsion?

A. Wrap them tightly in blankets

B. Cool them by fanning with a card

C. Give them ice cream to lower their temperature

D. Keep their clothes on to prevent chills

When a child is experiencing a febrile convulsion, the primary goal is to manage their symptoms safely and effectively. The correct action is to cool them down, which is why fanning the child with a card is the appropriate choice. This method helps to lower the child's body temperature by enhancing air circulation around them, thus promoting heat loss. Maintaining a child's temperature within a safe range is essential to prevent complications associated with high fever, including the risk of further convulsions or discomfort. Fanning aids in this process without causing additional stress or discomfort to the child. In contrast, wrapping a child tightly in blankets may trap heat and exacerbate the situation. Offering ice cream as a method to cool the child is not advisable, as it does not effectively reduce body temperature and may pose a risk of choking or discomfort. Lastly, keeping their clothes on with the intention to prevent chills can be counterproductive since it can retain heat rather than allow for cooling. Therefore, fanning remains the best immediate response during a febrile convulsion.

8. What is NOT a step to take for minor external bleeding?

A. Apply a plaster

B. Clean the wound under running water

C. Induce vomiting

D. Advise to see a doctor if needed

Inducing vomiting is not a step to take for minor external bleeding as it is not relevant to treating such injuries. Minor external bleeding typically involves dealing directly with the wound rather than addressing any potential issues related to ingestion or poisoning, which would necessitate inducing vomiting. The focus for minor bleeding is on controlling the bleed and managing the wound effectively. Applying a plaster is appropriate as it helps to protect the wound after it has been cleaned and can absorb any minor bleeding. Cleaning the wound under running water is essential as it helps to remove dirt and bacteria, reducing the risk of infection. Advising the individual to see a doctor if needed ensures that any complications or concerns are addressed, especially if the bleeding does not stop or if there's a risk of infection.

SAMPLE

9. What is the recommended position for a casualty experiencing an asthma attack?

A. Lying flat on their back

B. Sitting up with elbows on a tray table

C. Standing up straight

D. Leaning against a wall

The recommended position for a casualty experiencing an asthma attack is to be sitting up with their elbows on a tray table. This position facilitates easier breathing by allowing the lungs to expand more fully and reducing pressure on the diaphragm. It promotes optimal airflow and helps the individual to access their airways effectively. By sitting up, the casualty can also engage their accessory muscles of respiration more easily, which can be particularly important during an asthma attack when breathing may be labored. The use of a tray table to support their elbows not only provides stability but also encourages them to remain calm and focused on their breathing. While other positions such as standing up straight or leaning against a wall might offer some relief, they do not provide the same degree of effectiveness in aiding breathing as sitting up does. Lying flat on the back can inhibit airflow and may worsen the situation by compressing the lungs and diaphragm, making it more difficult for the casualty to breathe effectively.

10. In shock management, what should a caregiver absolutely avoid giving to the casualty?

A. Drink

B. Oxygen

C. First aid treatment

D. Comfort

In shock management, it's vital to avoid giving the casualty any drinks. When a person is in shock, they may experience a range of symptoms including confusion, weakness, and a decrease in consciousness. Providing liquids can pose a significant risk, especially if the casualty's condition worsens and they become unable to swallow properly. This can lead to choking or aspiration, where the liquid enters the lungs instead of the stomach. Additionally, fluids could complicate any potential medical interventions that may be necessary once professional help arrives. Therefore, the priority is to keep the airway clear and provide appropriate first aid, rather than introducing anything orally. In contrast, administering oxygen, providing first aid treatment, and ensuring comfort are all beneficial actions in the management of shock. Oxygen can help restore adequate blood oxygen levels, first aid treatment can stabilize the casualty's condition, and comfort can help reduce anxiety, which is essential in such stressful situations.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ryanairfirstaid.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE