SACHE CHEMICAL REACTIVITY HAZARDS (ELA962) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://sacheela962.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Assume a material has a heat of polymerization of -1000 kJ/kg, an average heat capacity of 2 kJ/kg-K, and the starting temperature of the material is 200 K. What is the maximum adiabatic temperature that could be reached by the polymerization of the material?**

   A. -200 K

   B. -300 K

   C. -700 K

   D. -400 K

2. **The breakdown of a material or substance (initiated by energy input) into simpler compounds is called:**

   A. Oxidization

   B. Decomposition

   C. Polymerization

   D. Rearrangement

3. **Methyl isocyanate (MIC) is water-reactive.**

   A. False

   B. Not sure

   C. Unknown

   D. True

4. **TRUE or FALSE: The CRW enables you to compare the compatibility of individual chemicals as well as reactive groups.**

   A. True

   B. False

   C. Not sure

   D. N/A

5. **A reaction-interfering agent is an example of which safety feature?**

   A. Primary containment

   B. A quenching system

   C. An emergency abort system

   D. BPCS

SAMPLE

6. In a storage tank control plan, which purpose best describes venting and inerting where needed?

A. To reduce the physical size of the tank.

B. To maintain constant atmospheric pressure regardless of gas generation.

C. To simplify maintenance scheduling.

D. To prevent gas accumulation and ignition by controlling atmosphere.

7. How many people died as a direct result of the Bhopal incident?

A. 4

B. Hundreds

C. Thousands

D. 23

8. Which option lists water-reactive substances and their hazards correctly?

A. Sodium chloride — becomes explosive with water; Calcium carbonate — releases chlorine gas.

B. Sodium metal — reacts with water to release hydrogen gas and heat; Calcium carbide — produces acetylene gas; both can be flammable.

C. Water-reactive substances do not exist; all reactants are stable with water.

D. Sodium metal — forms salt; Calcium carbide — dissolves in water without hazard.

9. How does scale-up affect heat management?

A. Heat removal becomes easier

B. Temperature remains constant regardless

C. No need to consider heat at larger scales

D. Heat removal becomes more challenging, increasing risk of heat buildup and runaway

10. Which of the following was identified as the cause of the T2 Laboratories incident?

A. The reactor jacket cooling water supply failed

B. The wrong chemicals were combined in the reactor

C. The cooling system lacked design redundancy

D. The facility owners and operators were unaware of all of the potential hazards associated with the chemical reactions

SAMPLE

Answers

SAMPLE

1. C
2. B
3. D
4. A
5. C
6. D
7. C
8. B
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. Assume a material has a heat of polymerization of -1000 kJ/kg, an average heat capacity of 2 kJ/kg-K, and the starting temperature of the material is 200 K. What is the maximum adiabatic temperature that could be reached by the polymerization of the material?

A. -200 K

B. -300 K

C. -700 K

D. -400 K

Under adiabatic conditions, all the heat released by the polymerization stays in the material, so it heats up rather than losing energy to the surroundings. The heat released per kilogram is 1000 kJ/kg (the magnitude of the heat of polymerization). The temperature rise is the heat added per kilogram divided by the material's heat capacity per kilogram: DeltaT = q/Cp = 1000 kJ/kg / 2 kJ/kg-K = 500 K. Starting from 200 K, the maximum adiabatic temperature the material could reach is 200 K + 500 K = 700 K. The result shows a final temperature of 700 K; the option with a negative sign would imply cooling, which isn't consistent with an exothermic, adiabatic heat release.

2. The breakdown of a material or substance (initiated by energy input) into simpler compounds is called:

A. Oxidization

B. Decomposition

C. Polymerization

D. Rearrangement

Decomposition is the breakdown of a material into simpler substances when energy is applied. In this type of process, the bonds holding a compound together are broken, yielding two or more smaller products. It's the opposite of synthesis, which builds a more complex substance from simpler ones. Decomposition often requires heat, light, or a catalyst to proceed. For example, heating calcium carbonate causes it to decompose into calcium oxide and carbon dioxide, and hydrogen peroxide decomposes into water and oxygen. This concept differs from oxidation (reactions with oxygen or electron loss), polymerization (building larger molecules from smaller units), or rearrangement (changing the structure within a molecule without producing simpler substances).

3. Methyl isocyanate (MIC) is water-reactive.

A. False

B. Not sure

C. Unknown

D. True

Moisture sensitivity is a hallmark of isocyanates. The N=C=O group in methyl isocyanate readily reacts with water, a process that is fast and exothermic. The hydrolysis converts MIC into methylamine and carbon dioxide, written simply as CH3NCO + H2O CH3NH2 + CO2. Because the reaction with water releases heat and can generate gas, MIC must be kept dry and away from moisture to avoid unintended runaway reactions. This is why the statement that methyl isocyanate is water-reactive is correct: it actively reacts with water rather than remaining inert when moisture is present.

SAMPLE

4. TRUE or FALSE: The CRW enables you to compare the compatibility of individual chemicals as well as reactive groups.

A. True

B. False

C. Not sure

D. N/A

This item tests whether a Chemical Reactivity Worksheet (CRW) can compare compatibility across both individual chemicals and reactive groups. The CRW brings together data for specific substances and for broader reactive groups, presenting it in a way that lets you evaluate how each chemical might behave with others and how entire groups tend to react. Because it includes both the detailed reactivity of individual chemicals and the common hazards associated with reactive groups, you can make direct comparisons between two substances and also view how a given substance relates to a broader class of reactive partners. This dual capability helps identify potential incompatibilities quickly, whether you're assessing pairwise storage, mixing, or process steps, and it supports safer decision-making without needing to test every possible combination. So the statement is true: the CRW enables you to compare the compatibility of both individual chemicals and reactive groups.

5. A reaction-interfering agent is an example of which safety feature?

A. Primary containment

B. A quenching system

C. An emergency abort system

D. BPCS

The key idea is stopping a process in an abnormal situation by interrupting the reaction chemically. A reaction interfering agent is used to quickly interrupt the chemistry driving the reaction, rapidly halting heat generation and reactive steps. That fits the function of an emergency abort system, which is designed to stop the process in response to deviations or alarms. Primary containment deals with keeping materials in, not stopping the reaction itself; a quenching system cools or slows the reaction but is part of how a quench is implemented, whereas the broader safety feature described here is the system intended to abort the process. BPCS is the general control system, not the specific safety action to abort the reaction. So, the reaction interfering agent is an example of an emergency abort system.

6. In a storage tank control plan, which purpose best describes venting and inerting where needed?

A. To reduce the physical size of the tank.

B. To maintain constant atmospheric pressure regardless of gas generation.

C. To simplify maintenance scheduling.

D. To prevent gas accumulation and ignition by controlling atmosphere.

Managing the tank atmosphere through venting and inerting is about preventing hazardous gas buildup and the possibility of ignition. Venting safely releases excess vapors and pressurized gases to keep pressure and gas concentrations under control, while inerting substitutes air with an inert gas (like nitrogen) to dilute oxygen and flammable vapors, making ignition far less likely. So the purpose is to prevent gas accumulation and ignition by controlling the atmosphere inside the tank. It isn't about shrinking the tank, maintaining a constant pressure regardless of gas generation, or simplifying maintenance scheduling.

SAMPLE

7. How many people died as a direct result of the Bhopal incident?

A. 4

B. Hundreds

C. Thousands

D. 23

The main idea here is understanding the scale of the immediate fatalities from a toxic gas release. In the Bhopal incident, the sudden release of methyl isocyanate caused a large number of people to die very quickly—within hours to days. Those deaths were in the thousands, not just a handful or a few dozen. So the best answer reflects this large, direct impact right after the leak. The other numbers are far too small to account for the rapid, widespread loss of life observed at the time. While there were many long-term health consequences and later fatalities, the question focuses on deaths directly attributable to the incident itself, which aligns with thousands.

8. Which option lists water-reactive substances and their hazards correctly?

A. Sodium chloride — becomes explosive with water; Calcium carbonate — releases chlorine gas.

B. Sodium metal — reacts with water to release hydrogen gas and heat; Calcium carbide — produces acetylene gas; both can be flammable.

C. Water-reactive substances do not exist; all reactants are stable with water.

D. Sodium metal — forms salt; Calcium carbide — dissolves in water without hazard.

Water-reactive substances are materials that react with water, often releasing heat and gases that can ignite or create pressure hazards. Sodium metal reacts with water to form sodium hydroxide and hydrogen gas; the reaction is highly exothermic, and the liberated hydrogen can ignite, posing a flame or explosion risk. Calcium carbide reacts with water to produce calcium hydroxide and acetylene gas; acetylene is a flammable gas that can form explosive mixtures with air, so this reaction also presents significant fire and explosion hazards. The other options misstate the chemistry or the hazards. Sodium chloride is essentially inert in water, so it does not explode or react to release gases. Calcium carbonate does not release chlorine gas when simply mixed with water. Water-reactive substances do exist, so that claim is false. Sodium metal does not form a simple salt with water; it forms sodium hydroxide and hydrogen. Calcium carbide does not dissolve harmlessly in water without hazard; it reacts to generate acetylene gas.

9. How does scale-up affect heat management?

A. Heat removal becomes easier

B. Temperature remains constant regardless

C. No need to consider heat at larger scales

D. Heat removal becomes more challenging, increasing risk of heat buildup and runaway

Scale-up challenges heat management: as you increase the amount of material, the total heat that can be generated grows, but the cooling surface area grows much more slowly. This lowers the surface area-to-volume ratio, making it harder for the system to transfer heat to the surroundings. Changes in geometry and mixing can further reduce effective heat transfer coefficients, and cooling systems often have fixed capacity. The combination means heat can accumulate faster than it can be removed, raising the risk of hot spots and runaway reactions. So, heat removal becomes more challenging, increasing the chance of heat buildup and runaway.

SAMPLE

10. Which of the following was identified as the cause of the T2 Laboratories incident?

A. The reactor jacket cooling water supply failed

B. The wrong chemicals were combined in the reactor

C. The cooling system lacked design redundancy

D. The facility owners and operators were unaware of all of the potential hazards associated with the chemical reactions

The key idea here is that removing heat is essential to keep an exothermic reaction under control. A reactor jacket is used to transfer heat away; when the cooling water supply fails, heat cannot be removed effectively. The reaction then runs hotter, increasing its rate and generating more heat in a positive feedback loop—leading to thermal runaway, high pressure, and ultimately an explosion. In this incident, the cooling-water supply failure was identified as the trigger that allowed the hazardous reaction to escalate, which is why it's the best answer. While other issues like mis-mixing, lack of cooling-system redundancy, or unfamiliarity with hazards are serious risks in general, they were not identified as the root cause in this case.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://sacheela962.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE