SACHE SOURCE MODELS (ELA965) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://sacheela965.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. When fluid flows through a hole in a vessel, friction forces between the moving liquid and the wall of the leak convert some of the kinetic energy of the liquid into thermal energy, resulting in:

A. An increase in fluid velocity

B. A reduction in fluid velocity

C. Formation of an aerosol

D. No energy change

2. How does humidity influence vapor cloud dispersion?

A. Humidity can affect plume density and chemical reactions; in some cases, higher humidity reduces plumes buoyancy.

B. Humidity has no effect on dispersion.

C. Humidity always increases plume buoyancy.

D. Humidity only affects the color of the plume.

3. HRR stands for heat release rate; what influences it?

A. HRR stands for heat release rate and is influenced by the evaporation rate.

B. HRR stands for heat radiation ratio and is independent of evaporation.

C. HRR stands for hydrocarbon release rate and depends on wind.

D. HRR stands for heat reduction ratio and is constant.

4. In release geometry, what does blockage factor refer to?

A. The degree of obstruction along an opening.

B. The material's viscosity.

C. The degree of obstruction in an opening, affecting mass flow rate and whether the release is choked.

D. The color of the leak.

5. Two-phase flow most commonly refers to a flow of which phases in a pipe?

A. Liquid and solid

B. Gas and solid

C. Gas and liquid

D. Plasma and gas

SAMPLE

6. When released from a refrigerated vessel, butane will:

A. Transition from liquid to vapor

B. Transition from vapor to liquid

C. No change

D. Condense to solid

7. True or False: A single source model generally describes a given release scenario.

A. True

B. Sometimes

C. False

D. Not defined

8. Dispersion models are selected based on the phase of the material being modeled in a release scenario. True or False?

A. False

B. True

C. Not relevant

D. Sometimes

9. True or False: Source models predict the dispersion of released material considering the release's phase and aperture.

A. True

B. False

C. Not applicable

D. Sometimes

10. In the mechanical energy balance equation shown, what does the symbol rho represent?

A. Temperature

B. Pressure

C. Fluid density

D. Velocity

SAMPLE

Answers

SAMPLE

1. C
2. A
3. A
4. C
5. C
6. A
7. C
8. B
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. When fluid flows through a hole in a vessel, friction forces between the moving liquid and the wall of the leak convert some of the kinetic energy of the liquid into thermal energy, resulting in:

A. An increase in fluid velocity

B. A reduction in fluid velocity

C. Formation of an aerosol

D. No energy change

When liquid flows through a small hole, viscous friction between the moving fluid and the hole walls dissipates part of the fluid's kinetic energy as heat. This loss of kinetic energy means the fluid has less energy driving its motion, so its velocity decreases as it passes through the hole. The temperature of the liquid can rise slightly due to this energy transfer, but the primary observable effect of the frictional loss is a slowdown, not an increase in speed. Aerosol formation isn't produced by this friction alone; atomization would require strong shear forces that physically break the liquid into droplets, which isn't implied by simple viscous heating. There is indeed an energy change, since some kinetic energy becomes thermal energy.

2. How does humidity influence vapor cloud dispersion?

A. Humidity can affect plume density and chemical reactions; in some cases, higher humidity reduces plumes buoyancy.

B. Humidity has no effect on dispersion.

C. Humidity always increases plume buoyancy.

D. Humidity only affects the color of the plume.

Humidity changes vapor cloud dispersion by altering the air around the plume and by enabling phase changes inside the plume. When humidity rises, the surrounding air becomes less dense, which can affect how strongly the plume rises. But if the plume cools or reaches saturation, water vapor can condense into tiny liquid droplets within or around the plume. Those droplets add mass to the plume, increasing its density and often reducing its buoyancy, causing the plume to spread more horizontally or stay lower rather than rising quickly. Water vapor also participates in chemical interactions inside the plume, which can change the concentrations of species and how the plume evolves over time. Because of these competing effects—changes in density due to humidity, potential condensation adding mass, and possible chemical reactions—humidity can influence both plume density and reaction pathways, and in some cases higher humidity actually reduces plume buoyancy.

3. HRR stands for heat release rate; what influences it?

A. HRR stands for heat release rate and is influenced by the evaporation rate.

B. HRR stands for heat radiation ratio and is independent of evaporation.

C. HRR stands for hydrocarbon release rate and depends on wind.

D. HRR stands for heat reduction ratio and is constant.

The key idea is that heat release rate is the energy released per unit time by combustion, and in liquid-fuel fires this is governed by how fast the fuel evaporates into the flame. The evaporation rate sets how much fuel vapor becomes available to burn each second; more vapor means more fuel oxidizes and a higher HRR, while slower evaporation limits the burning rate and lowers HRR. Factors that drive evaporation include the fuel's vapor pressure, its temperature, exposed surface area, and how heat is delivered to the liquid. Air movement can influence HRR indirectly by affecting vapor removal and mixing, but the essential link is evaporation rate. The other statements don't describe HRR correctly or miss this concentration on evaporation.

SAMPLE

4. In release geometry, what does blockage factor refer to?

A. The degree of obstruction along an opening.

B. The material's viscosity.

C. The degree of obstruction in an opening, affecting mass flow rate and whether the release is choked.

D. The color of the leak.

Blockage factor is about how much an opening is obstructed. That obstruction directly changes the effective discharge area for a release, so the mass flow rate is reduced as blockage increases. It also determines whether the flow can become choked, because choking—flow reaching sonic speed at the narrowest point—depends on the available throat area. With more blockage, the throat area shrinks, which lowers the maximum possible flow and can alter the conditions under which choking occurs. In short, blockage factor quantifies the degree of obstruction and ties directly to both how much material can release and whether that release will be choked. Visocity or color of the leak aren't related to this measure.

5. Two-phase flow most commonly refers to a flow of which phases in a pipe?

A. Liquid and solid

B. Gas and solid

C. Gas and liquid

D. Plasma and gas

In pipe flow, two-phase flow means two distinct phases are present at the same time, and the scenario most commonly discussed is a gas and a liquid. This pairing shows up in many real systems, such as steam flowing with water in power plant pipes or natural gas carrying condensate in oil and gas pipelines. The interaction between the gas and liquid creates a variety of flow patterns—bubbly, slug, annular, and others—that strongly influence pressure drop, heat transfer, and mass transport, and these patterns are a main focus of two-phase flow analysis. Other combinations can occur, like liquid with solid particles (slurries) or gas with solid particles, but those are usually treated as different multiphase flow problems and aren't the typical focus when people say two-phase flow in pipes. Plasma in a pipe would be an unusual, nonstandard case of ionized gas, not the common two-phase flow scenario.

6. When released from a refrigerated vessel, butane will:

A. Transition from liquid to vapor

B. Transition from vapor to liquid

C. No change

D. Condense to solid

Releasing a refrigerated liquefied gas from a storage vessel causes a rapid pressure drop that makes the stored liquid flash into vapor. Butane is kept as a liquid at cold temperatures; when vented to atmospheric pressure, it can no longer stay liquid at that temperature, so it boils and becomes vapor. This transition from liquid to vapor happens because heat from the surroundings is absorbed to provide the latent heat of vaporization. The result is a large amount of vapor released, with the liquid portion cooling as it vaporizes. It won't condense to a liquid or solid under these conditions, and there will be a strong shift toward gaseous form upon venting.

SAMPLE

7. True or False: A single source model generally describes a given release scenario.

A. True

B. Sometimes

C. False

D. Not defined

A single-source model is built around one release point with a fixed duration and conditions. In real scenarios, releases often involve multiple points, changing emission rates, different phases, and evolving weather and terrain effects. Because of this complexity, a model with only one source can't capture all aspects of the actual release scenario. It may be useful for rough screening or worst-case planning, but it doesn't describe the full scenario. So the statement is false.

8. Dispersion models are selected based on the phase of the material being modeled in a release scenario. True or False?

A. False

B. True

C. Not relevant

D. Sometimes

The phase of the material determines which physical processes dominate how it moves and spreads, so the dispersion model you choose must reflect that reality. For a gaseous release, buoyancy and atmospheric transport are key, so you use models designed for gas plumes or puff releases that account for wind, stability, and dilution. If the release involves a liquid, pooling, spreading on surfaces, and evaporation into vapor become the main factors, requiring a model that handles pool dynamics and air–vapor exchange. For solids or aerosols, particle transport, deposition, and settling govern behavior, so the model must track particles and their deposition rates. Because the dominant physics change with phase, selecting a dispersion model based on the phase is appropriate. The statement is true; saying it's not relevant or only sometimes would miss these essential differences in how releases behave across phases.

9. True or False: Source models predict the dispersion of released material considering the release's phase and aperture.

A. True

B. False

C. Not applicable

D. Sometimes

Dispersion modeling starts from the source term that describes how material enters the environment. The release phase (gas, vapor, liquid with droplets, or solid particles) sets the initial physical state, buoyancy, evaporation or condensation behavior, and how the material interacts with air and ambient conditions. The aperture or release geometry (point, line, area, or restricted opening) determines the initial momentum, dilution rate, and how air is entrained into the plume. These initial conditions strongly shape how the plume develops, spreads, and concentrations evolve over time. Because source models must capture both the phase and the aperture to predict dispersion accurately, the statement is true.

SAMPLE

10. In the mechanical energy balance equation shown, what does the symbol rho represent?

A. Temperature

B. Pressure

C. Fluid density

D. Velocity

rho is the density of the fluid—the mass per unit volume. This property matters in a mechanical energy balance because energy terms often come as energy per unit mass, so you convert volumes moving through a boundary into mass flow using density. For example, a fluid with density rho flowing through a cross-section with area A at speed v has a volumetric flow rate Q = A v, and a mass flow rate of rho times Q. If water (rho ≈ 1000 kg/m^3) flows with A = 0.01 m^2 and v = 2 m/s, the volumetric flow is 0.02 m^3/s and the mass flow is 20 kg/s. Temperature and pressure are described by T and p, while velocity is v; rho specifically denotes density.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://sacheela965.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE