SAUNDERS ANXIETY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://saundersanxiety.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What best describes a mother's emotional state when she asks, "Why are all of these people in here? Is my baby going to be all right?" during a medical emergency?**

   A. Inability to cope

   B. Deficient sensory perception

   C. Fear about what is happening

   D. Lack of control over the situation

2. **What role do cognitive distortions play in anxiety?**

   A. They lead to rational thinking patterns.

   B. They have no effect on anxiety.

   C. They amplify feelings of fear and uncertainty.

   D. They reduce anxiety symptoms effectively.

3. **For a client recovering from a dissociative disorder, which intervention would NOT be appropriate?**

   A. Assisting them with manageable self-care tasks

   B. Encouraging exploration of past memories

   C. Teaching techniques to engage with the present

   D. Helping them reconnect with loved ones

4. **Which of the following is a common physical response to extreme anxiety?**

   A. Increased appetite

   B. Excessive sleeping

   C. Trembling or shaking

   D. Concentration improvement

5. **What is the definition of generalized anxiety disorder (GAD)?**

   A. A condition marked by excessive, uncontrollable worry.

   B. An anxiety response to a specific event.

   C. A form of social anxiety.

   D. A temporary feeling of nervousness.

SAMPLE

6. A family member of an older client post-cardiac surgery indicates a need for further education by making which statement?

A. "Recuperation after cardiac surgery is generally slower for older people."

B. "It's important to get out of bed every day even if tired or weak at first."

C. "Fatigue, discomfort, and lack of appetite occur more commonly with older people and may last for 2 to 5 weeks."

D. "A daily, half-mile-long, brisk walk generally helps people bounce back more quickly and provides more of a sense of control."

7. What should be prioritized when planning care for a client with obsessive-compulsive disorder (OCD)?

A. Demand active participation in care.

B. Monitor for obsessive-compulsive behavior.

C. Educate the client about self-care demands.

D. Establish a trusting nurse-client relationship.

8. How should a nurse best address a client with AIDS who is anxious and reluctant to ask questions?

A. Minimize the time spent talking to the client

B. Ask the client why he or she is reluctant to ask questions

C. Ask a family member to be present when caring for the client

D. Discuss common fears and questions expressed by other clients with the same diagnosis

9. Which symptoms should a nurse assess for in a client with possible somatic symptom disorder?

A. Depression

B. Substance abuse

C. Potential for violence

D. Adverse childhood events

10. What is the role of support groups in anxiety management?

A. Providing informative lectures on anxiety

B. Reducing isolation and offering coping strategies

C. Recommending medications to treat anxiety

D. Setting strict expectations for personal growth

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. C
5. A
6. D
7. D
8. D
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. What best describes a mother's emotional state when she asks, "Why are all of these people in here? Is my baby going to be all right?" during a medical emergency?

A. Inability to cope

B. Deficient sensory perception

C. Fear about what is happening

D. Lack of control over the situation

The mother's emotional state is best described as fear about what is happening. In a medical emergency, fear is a natural and common reaction, especially for a parent concerned about their child's well-being. The question she poses indicates her anxiety and worry regarding the presence of medical staff and the condition of her baby. This fear often stems from a perceived threat to her child's safety and the unpredictability of the situation unfolding around her. While she may certainly experience other emotions, such as a lack of control or feelings of being overwhelmed, the primary emotion in this scenario is fear, which drives her inquiry about the safety and condition of her baby. Understanding this emotional response is crucial in providing appropriate support and reassurance to caregivers in distressing situations.

2. What role do cognitive distortions play in anxiety?

A. They lead to rational thinking patterns.

B. They have no effect on anxiety.

C. They amplify feelings of fear and uncertainty.

D. They reduce anxiety symptoms effectively.

Cognitive distortions significantly impact anxiety by amplifying feelings of fear and uncertainty. These distortions are irrational thought patterns that can cause individuals to perceive situations as far more threatening than they actually are. For example, someone might engage in catastrophic thinking, imagining the worst possible outcomes in a situation, which can greatly heighten their anxiety and prevent them from responding rationally. By exaggerating risks and minimizing potential positive outcomes, cognitive distortions contribute to a cycle of heightened anxiety. People may misinterpret benign interactions or situations, leading them to feel more anxious than necessary. This can result in avoidance behavior and an increased sense of helplessness, reinforcing their anxiety symptoms. Understanding how cognitive distortions function allows individuals to challenge these negative thoughts and replace them with more balanced perspectives, ultimately fostering better coping strategies and reducing anxiety levels.

SAMPLE

3. For a client recovering from a dissociative disorder, which intervention would NOT be appropriate?

A. Assisting them with manageable self-care tasks

B. Encouraging exploration of past memories

C. Teaching techniques to engage with the present

D. Helping them reconnect with loved ones

In the context of a client recovering from a dissociative disorder, encouraging exploration of past memories is not an appropriate intervention. This is primarily due to the nature of dissociative disorders, in which individuals often experience disruptions in memory, identity, and consciousness. Forcing a client to delve into potentially traumatic or distressing memories can lead to increased anxiety, fragmentation of their sense of self, or exacerbate symptoms of dissociation. Instead, interventions that focus on grounding techniques, self-care tasks, and strengthening connections with loved ones are more beneficial for the client. These strategies help promote stability, foster a sense of safety, and enable them to engage effectively with their current environment. The emphasis is on facilitating the individual's ability to remain present and connected to their immediate surroundings rather than revisiting potentially harmful past experiences prematurely.

4. Which of the following is a common physical response to extreme anxiety?

A. Increased appetite

B. Excessive sleeping

C. Trembling or shaking

D. Concentration improvement

Trembling or shaking is a well-documented physical manifestation of extreme anxiety. When an individual experiences high levels of anxiety, the body enters a heightened state of arousal due to the activation of the sympathetic nervous system, often referred to as the "fight or flight" response. This physiological response can lead to various symptoms, including tremors or shakes as muscles tense up and energy levels rise in preparation for a perceived threat. Understanding the nature of anxiety responses helps emphasize that they typically involve heightened physiological reactions rather than comforting behaviors such as increased appetite or excessive sleeping. In fact, many people may experience a decrease in appetite when they are anxious. Similarly, concentration improvement is not typically associated with anxiety; rather, anxiety often impairs concentration and cognitive function. Recognizing tremors or shaking as a common physical response allows individuals to better understand their symptoms and seek appropriate support or intervention when facing anxiety-related challenges.

SAMPLE

5. What is the definition of generalized anxiety disorder (GAD)?

A. A condition marked by excessive, uncontrollable worry.

B. An anxiety response to a specific event.

C. A form of social anxiety.

D. A temporary feeling of nervousness.

The definition of generalized anxiety disorder (GAD) is characterized by excessive, uncontrollable worry about various aspects of life, including work, health, and social interactions, that persists for six months or longer. Individuals with GAD often find it difficult to control their anxiety and may feel restless, fatigued, or irritable as a result. This condition differs from other anxiety disorders because it is not limited to specific situations or triggers. Instead, the anxiety is diffuse and can affect multiple areas of an individual's life. In contrast, responses to a specific event define situational or phobic anxiety, not GAD. Social anxiety is focused on social interactions and the fear of being scrutinized or judged, which does not encompass the broader, more pervasive concerns of GAD. Finally, a temporary feeling of nervousness does not qualify as GAD, as it typically relates to specific circumstances and is not indicative of the chronic and pervasive worry that characterizes the disorder. This understanding is crucial for accurately diagnosing and treating GAD.

6. A family member of an older client post-cardiac surgery indicates a need for further education by making which statement?

A. "Recuperation after cardiac surgery is generally slower for older people."

B. "It's important to get out of bed every day even if tired or weak at first."

C. "Fatigue, discomfort, and lack of appetite occur more commonly with older people and may last for 2 to 5 weeks."

D. "A daily, half-mile-long, brisk walk generally helps people bounce back more quickly and provides more of a sense of control."

The statement that indicates a need for further education is that a daily, half-mile-long, brisk walk generally helps people bounce back more quickly and provides more of a sense of control. While physical activity is important for recovery after surgery, the intensity and duration of exercise must be appropriate for the individual's condition, especially for older adults who have undergone cardiac surgery. A brisk half-mile walk may be too aggressive for some patients in the early stages of recovery, particularly if they are experiencing fatigue or other post-operative symptoms. It's essential that exercise regimens are tailored to the individual's specific health status and rehabilitation progress. Therefore, suggesting a brisk walk without considering these individual nuances demonstrates a misunderstanding of the typical recovery process for older clients after cardiac surgery. The other statements reflect a more accurate understanding of the recovery process in older adults. They correctly identify aspects of recovery such as the slower recuperation time, the importance of gradually getting out of bed despite initial fatigue, and the common experiences of fatigue and decreased appetite lasting several weeks. These understandings help set realistic expectations for recovery and emphasize the need for gradual progress in rehabilitation.

SAMPLE

7. What should be prioritized when planning care for a client with obsessive-compulsive disorder (OCD)?

A. Demand active participation in care.

B. Monitor for obsessive-compulsive behavior.

C. Educate the client about self-care demands.

D. Establish a trusting nurse-client relationship.

When planning care for a client with obsessive-compulsive disorder (OCD), establishing a trusting nurse-client relationship should be prioritized. This trust is essential for effective treatment because it creates a safe space where clients feel comfortable sharing their thoughts and behaviors, including their obsessions and compulsions. A strong therapeutic alliance encourages open communication, which can facilitate the client's engagement in therapy and improve treatment outcomes. Furthermore, a trusting relationship can help the nurse better understand the client's challenges with OCD, allowing for tailored interventions that address their specific needs. It also provides the emotional support clients may require as they navigate their treatment journey and confront their anxiety and compulsive behaviors. While the other options are important components of care—such as monitoring for behaviors, demanding active participation, and educating on self-care—none can be effectively implemented unless a foundation of trust and rapport is established first. This relationship is critical to support the client's efforts in managing their symptoms and participating in their own care plan.

8. How should a nurse best address a client with AIDS who is anxious and reluctant to ask questions?

A. Minimize the time spent talking to the client

B. Ask the client why he or she is reluctant to ask questions

C. Ask a family member to be present when caring for the client

D. Discuss common fears and questions expressed by other clients with the same diagnosis

Addressing a client with AIDS who is anxious and reluctant to ask questions requires a supportive and empathetic approach. Discussing common fears and questions expressed by other clients with the same diagnosis can help normalize the client's feelings and experiences. This method creates a sense of connection and understanding, making the client feel less isolated in their situation. It encourages open communication by introducing topics that the client may not have felt comfortable bringing up on their own. Furthermore, sharing relatable experiences can alleviate anxiety and foster trust between the client and the nurse, allowing the client to feel more secure in asking their own questions. This approach does not place the burden of initiating conversation solely on the client, which can be particularly beneficial for someone who is already feeling apprehensive. The other strategies, while they may have some merit, do not effectively address the underlying anxiety or reluctance. Minimizing conversation might exacerbate feelings of insecurity, and directly asking why the client is reluctant to ask may put them on the spot and increase their anxiety. Involving a family member could be useful in some contexts, but it might not address the client's individual fears and could potentially make them feel overwhelmed or further isolated.

SAMPLE

9. Which symptoms should a nurse assess for in a client with possible somatic symptom disorder?

A. Depression

B. Substance abuse

C. Potential for violence

D. Adverse childhood events

In the context of somatic symptom disorder, assessing for depression is particularly relevant because individuals with this condition often experience significant emotional distress alongside their physical symptoms. Somatic symptom disorder is characterized by the presence of physical symptoms that cannot be fully explained by a medical condition, and these symptoms can lead to heightened anxiety and depression. Emotional issues, like depression, may exacerbate the individual's perception of their symptoms and increase their distress. Nurses must be vigilant in evaluating the emotional well-being of clients with this disorder to provide comprehensive care that addresses both psychological and physical aspects of their experience. While substance abuse, potential for violence, and adverse childhood events may also be important considerations in a broader clinical context, they are not primary symptoms or direct components of somatic symptom disorder assessment. Instead, focusing on mood disturbances, especially depression, aligns directly with the common psychological challenges faced by clients experiencing somatic symptoms.

10. What is the role of support groups in anxiety management?

A. Providing informative lectures on anxiety

B. Reducing isolation and offering coping strategies

C. Recommending medications to treat anxiety

D. Setting strict expectations for personal growth

Support groups play a crucial role in anxiety management primarily by reducing feelings of isolation and providing individuals with effective coping strategies. Members of these groups share their experiences and challenges, which fosters a sense of community and understanding among participants. This connection can diminish feelings of loneliness that often accompany anxiety disorders. Additionally, support groups equip individuals with various coping techniques that they can apply in their daily lives. The exchange of personal stories and strategies allows members to learn from one another, enhancing their ability to manage anxiety more effectively. This peer support can be instrumental in helping individuals feel validated and understood in their struggles. While informative lectures on anxiety can provide valuable knowledge, they do not foster the sense of community that support groups do. Recommending medications typically falls within the purview of healthcare providers rather than support groups, which focus on peer support and experiences instead. Lastly, setting strict expectations for personal growth may create additional pressure and anxiety, which contradicts the supportive environment that these groups aim to cultivate.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://saundersanxiety.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE