SAUNDERS MUSCULOSKELETAL PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://saundersmusculoskeletal.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which findings should suggest impairment of neurovascular status in a client with a cast?

A. Client reports mild throbbing pain

B. Client exhibits good range of motion

C. Client reports severe, deep, unrelenting pain

D. Client states no sensation in extremities

2. What does the acronym RICE stand for in the context of treating sprains?

A. Rehabilitation, Ice, Compression, Elevation

B. Rest, Ice, Compression, Elevation

C. Rest, Ice, Care, Elevation

D. Repair, Ice, Calm, Elevation

3. Which tests are used in diagnosing gout?

A. Blood glucose test

B. Serum uric acid level

C. X-ray imaging

D. CT scan

4. What weight-bearing status should the nurse communicate to a client post-total knee arthroplasty?

A. You will use full weight bearing by discharge.

B. You should remain non-weight bearing indefinitely.

C. Partial weight bearing will be permitted at discharge.

D. Weight bearing should be avoided altogether.

5. Which of the following should be documented as a risk factor for osteoporosis?

A. Family history of osteoporosis

B. Daily vitamin D intake

C. Low-impact exercise routine

D. Prenatal care history

SAMPLE

6. During an assessment, which symptom would most likely indicate a serious complication for a patient with a cast?

A. Increased pain and warmth in the casted area

B. Absence of discomfort

C. Elimination of swelling

D. Improved range of motion

7. What is a common complaint of clients after total knee arthroplasty?

A. Pain with knee flexion

B. Difficulty sitting down

C. Pain with knee extension

D. Swelling of the ankle

8. When assessing a client using a cane for left-sided weakness, when should the nurse intervene?

A. If the cane is not moving at all

B. If the cane is moved with the right leg

C. If the cane is used only as a decorative item

D. If the cane is held behind the body

9. Which symptom should a nurse monitor closely in a patient with a hip fracture in traction?

A. Pain relief measures

B. Mobility and range of motion

C. Absence of muscle spasms

D. Signs of neurovascular compromise

10. What outcome indicates that a client in traction is not achieving the planned goals?

A. Bowel movement every 4 days

B. Daily ambulation

C. Decrease in pain

D. Improved muscle strength

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. A
5. A
6. A
7. C
8. B
9. D
10. A

SAMPLE

Explanations

SAMPLE

1. Which findings should suggest impairment of neurovascular status in a client with a cast?

A. Client reports mild throbbing pain

B. Client exhibits good range of motion

C. Client reports severe, deep, unrelenting pain

D. Client states no sensation in extremities

Severe, deep, unrelenting pain in a client with a cast is a significant finding that suggests impairment of neurovascular status. This type of pain often indicates that there may be increased pressure in the compartment surrounding the affected limb, potentially leading to conditions such as compartment syndrome. In a healthy situation, pain would typically be more manageable after casting, and an increase in severity or a change in character (e.g., becoming deep and unrelenting) raises red flags for compromised blood flow or nerve function. The context surrounding other findings is also pertinent. Mild throbbing pain could be part of the normal healing process, while good range of motion, especially if intentionally guided by rehabilitation, does not indicate neurovascular compromise. Additionally, the absence of sensation in the extremities could indicate nerve damage or severe compromise, but does not specify the nature of the pain which is critical in assessing neurovascular status. Thus, severe, deep, unrelenting pain is a clear indicator that warrants further investigation for potential complications.

2. What does the acronym RICE stand for in the context of treating sprains?

A. Rehabilitation, Ice, Compression, Elevation

B. Rest, Ice, Compression, Elevation

C. Rest, Ice, Care, Elevation

D. Repair, Ice, Calm, Elevation

The acronym RICE in the context of treating sprains stands for Rest, Ice, Compression, and Elevation. This approach is widely recommended for managing acute soft tissue injuries, particularly sprains and strains. Rest is essential as it allows the body to start the healing process without further aggravating the injury. By avoiding movement of the injured area, the risk of worsening the injury is minimized. Ice is crucial for reducing swelling and inflammation. Applying ice can help numb the pain and decrease blood flow to the affected area, which can prevent further swelling. Compression helps to control swelling and provides support to the injured area. Using an elastic bandage or compression wrap can stabilize the injury and promote better healing. Elevation is important for minimizing swelling. Keeping the injured area raised above the level of the heart encourages fluid drainage away from the injury site. Each component of RICE plays a vital role in the initial treatment phase, making it an effective and standardized method for managing sprains.

3. Which tests are used in diagnosing gout?

A. Blood glucose test

B. Serum uric acid level

C. X-ray imaging

D. CT scan

The serum uric acid level test is a key diagnostic tool for gout because it measures the concentration of uric acid in the bloodstream. Gout is a type of inflammatory arthritis characterized by the deposition of monosodium urate crystals in the joints, which occurs when uric acid levels are elevated (hyperuricemia). By assessing the serum uric acid level, healthcare providers can determine whether a patient's uric acid levels are elevated and thereby support the diagnosis of gout. Although not definitive alone, high levels of uric acid can indicate the likelihood of gout, especially when correlated with clinical symptoms such as joint pain and swelling. Other tests may be used in the diagnostic process or to rule out other conditions; however, the serum uric acid level directly relates to the pathophysiology of gout and is one of the primary investigations ordered to confirm the diagnosis.

SAMPLE

4. What weight-bearing status should the nurse communicate to a client post-total knee arthroplasty?

A. You will use full weight bearing by discharge.

B. You should remain non-weight bearing indefinitely.

C. Partial weight bearing will be permitted at discharge.

D. Weight bearing should be avoided altogether.

Post-total knee arthroplasty, patients generally progress to full weight bearing as tolerated, typically aimed for by the time of their discharge from the hospital. This approach is based on the surgical intervention aimed at improving joint function and reducing pain, ultimately allowing patients to return to their normal activities. Communicating that the patient will use full weight bearing by discharge indicates the expectation that they will be able to support their full body weight on the operated leg, promoting mobility and independence as part of their recovery. This is often accomplished under the guidance of physical therapy, where patients are encouraged to practice walking and performing daily activities. The other options do not align with standard postoperative protocols. Remaining non-weight bearing indefinitely or avoiding weight-bearing altogether would not facilitate recovery or functional improvement. Similarly, while partial weight bearing may occur in certain cases or during early rehabilitation phases, the optimal goal for most patients is to achieve full weight bearing by the time of discharge. Therefore, the statement about full weight bearing aligns best with common clinical practices and patient rehabilitation goals following total knee arthroplasty.

5. Which of the following should be documented as a risk factor for osteoporosis?

A. Family history of osteoporosis

B. Daily vitamin D intake

C. Low-impact exercise routine

D. Prenatal care history

A family history of osteoporosis is a significant risk factor for developing the condition. Osteoporosis often has a genetic component, meaning that individuals with relatives who have a history of the disease are at a heightened risk themselves. This familial tendency can be attributed to shared genetic factors that influence bone density and strength, as well as lifestyle factors that may be common within families. In contrast, daily vitamin D intake and a low-impact exercise routine are typically associated with prevention or management of osteoporosis rather than being risk factors. These measures can help to improve bone health and reduce the risk of osteoporosis. Prenatal care history, while important for maternal and fetal health, does not directly relate to the individual's risk of developing osteoporosis later in life. Therefore, documenting a family history of osteoporosis is crucial for assessing a patient's risk profile effectively.

SAMPLE

6. During an assessment, which symptom would most likely indicate a serious complication for a patient with a cast?

A. Increased pain and warmth in the casted area

B. Absence of discomfort

C. Elimination of swelling

D. Improved range of motion

Increased pain and warmth in the casted area can indicate serious complications, such as compartment syndrome or an infection. Compartment syndrome occurs when there is increased pressure within a closed muscle compartment, leading to decreased blood flow and potential tissue damage. Symptoms such as severe pain that is disproportionate to the injury, warmth, and swelling are red flags that necessitate immediate medical evaluation. Additionally, the presence of increased warmth in conjunction with heightened pain may suggest an infection or other inflammatory process, which can also arise in patients with casts. If these symptoms are ignored, they may lead to significant complications, including permanent impairment or the need for surgical intervention. In contrast, the absence of discomfort, elimination of swelling, and improved range of motion are generally signs of recovery and healing. These options would not indicate a serious complication; rather, they suggest that the treatment is proceeding as expected.

7. What is a common complaint of clients after total knee arthroplasty?

A. Pain with knee flexion

B. Difficulty sitting down

C. Pain with knee extension

D. Swelling of the ankle

Clients often report pain with knee extension after total knee arthroplasty due to the surgical manipulation of the knee joint and surrounding structures. This procedure involves the removal of damaged cartilage and bone, which can lead to inflammation and irritation of the tissues involved in knee extension. The quadriceps muscle, which plays a crucial role in extending the knee, may also be weak or have reduced function postoperatively, further contributing to discomfort during this movement. In addition, the presence of scar tissue from the surgical procedure can affect mobility and lead to stiffness, particularly in the early stages of recovery. Therefore, experiencing pain during knee extension is a common and significant complaint that is often addressed through rehabilitation and physical therapy to help regain strength and range of motion in the knee joint. While pain with knee flexion, difficulty sitting down, and swelling of the ankle may also be concerns, they are generally less characteristic complaints following this type of surgery compared to the specific pain experienced during knee extension.

SAMPLE

8. When assessing a client using a cane for left-sided weakness, when should the nurse intervene?

A. If the cane is not moving at all

B. If the cane is moved with the right leg

C. If the cane is used only as a decorative item

D. If the cane is held behind the body

When assessing a client using a cane for left-sided weakness, intervention is necessary if the cane is moved with the right leg. For proper gait assistance, the cane should be advanced with the weak leg, which in this case would be the left leg. This technique provides support and stability when the patient is transferring weight to the weaker side, ensuring better balance and reducing the risk of falls. Moving the cane with the stronger leg undermines the purpose of using the cane, which is to provide support on the affected side. It can lead to improper weight distribution and instability, increasing the chances of a fall or injury. Therefore, it is critical for the nurse to correct this behavior to promote safe and effective use of the cane. The other scenarios, while noteworthy, do not necessarily present immediate risk of compromised stability. A cane that is not moving at all might indicate other issues, and a decorative usage or holding the cane behind the body can be seen as ineffective but do not pose an immediate danger to the client's balance during ambulation as moving it improperly does.

9. Which symptom should a nurse monitor closely in a patient with a hip fracture in traction?

A. Pain relief measures

B. Mobility and range of motion

C. Absence of muscle spasms

D. Signs of neurovascular compromise

Monitoring for signs of neurovascular compromise is crucial in a patient with a hip fracture in traction due to the risk of complications related to impaired blood flow or nerve function. A hip fracture can lead to potential compression of the neurovascular structures in the area, especially when traction is applied. Symptoms of neurovascular compromise may include changes in sensation, increased pain, pallor, coolness of the extremity, or diminished pulses. Early detection of these signs is vital to prevent severe complications such as limb ischemia or permanent nerve damage. While monitoring pain relief, mobility, and muscle spasms is important for overall patient care, it is the neurovascular status that requires close observation to ensure the integrity of the circulatory and nervous systems remains intact, especially in the context of potential complications that could arise from a fracture and traction application. In this situation, prioritizing neurovascular checks can help ensure timely interventions if a compromise is identified.

SAMPLE

10. What outcome indicates that a client in traction is not achieving the planned goals?

A. Bowel movement every 4 days

B. Daily ambulation

C. Decrease in pain

D. Improved muscle strength

The outcome that indicates a client in traction is not achieving the planned goals is the occurrence of bowel movements every four days. This suggests that the client may be experiencing constipation or other gastrointestinal issues, which can be a common complication for those in traction due to immobility or changes in diet. In a well-managed traction scenario, patients should ideally maintain regular bowel function, and any significant deviation from this can signal that their overall health and recovery process are not progressing as intended. In contrast, the other options—daily ambulation, decrease in pain, and improved muscle strength—represent positive indicators of recovery and effective traction treatment. Daily ambulation would show that the client is able to move and bear weight, indicating a level of recovery and mobility. A decrease in pain suggests that the traction is helping to alleviate discomfort associated with musculoskeletal issues, and improved muscle strength would reflect successful rehabilitation efforts and recovery. Therefore, regular bowel movements are crucial for overall well-being, and a significant delay or issue could indicate that the treatment is not meeting its goals.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://saundersmusculoskeletal.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE