SENSORY AND VISUAL SYSTEM ANATOMY AND PHYSIOLOGY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://sensoryvisualsysanatomyphysio.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. In topographic mapping, how is the visual field represented as it reaches the cortex?

A. It is inverted and scrambled.

B. It is maintained as a retinotopic map.

C. It becomes color-coded by wavelengths.

D. It disappears before cortex.

2. Which statement best describes the mapping of dorsal and ventral streams to the brain lobes?

A. The dorsal stream projects to the temporal lobe and the ventral stream to the parietal lobe.

B. The dorsal stream projects to the frontal lobe and the ventral stream to the occipital lobe.

C. One stream projects to the parietal lobe and the other to the temporal lobe.

D. Both streams terminate in the occipital lobe.

3. Which statement best defines myopia?

A. The focal point in front of the retina

B. The focal point behind the retina

C. The focal point on the retina

D. There is no focal point

4. What is an exteroceptor?

A. Interoceptor

B. Exteroceptor

C. Proprioceptor

D. Baroreceptor

5. Where does the olfactory system begin?

A. In the brainstem.

B. In the peripheral structures of the nasal cavity.

C. In the tympanic cavity.

D. In the cochlear duct.

SAMPLE

6. Which nerve carries taste from the anterior two-thirds of the tongue?

A. Glossopharyngeal nerve (CN IX)

B. Facial nerve (CN VII)

C. Vagus nerve (CN X)

D. Trigeminal nerve (CN V)

7. Which cells are primarily affected in retinitis pigmentosa?

A. Cone photoreceptors first; central vision loss.

B. Retinal ganglion cells first; color vision loss.

C. Rod photoreceptors first, followed by cone involvement later; peripheral vision loss and night blindness.

D. Bipolar cells first; acuity loss.

8. Which statement best describes the proliferative stage of diabetic retinopathy?

A. Neovascularization

B. Cotton-wool spots only

C. Microaneurysms only

D. Retinal detachment

9. Which modalities are carried by the dorsal column-medial lemniscus pathway?

A. Fine touch, vibration, proprioception

B. Pain and temperature

C. Crude touch and pressure

D. Temperature and itch

10. What does a baroreceptor sense?

A. Pain

B. Pressure

C. Light

D. Temperature

SAMPLE

Answers

SAMPLE

1. B
2. C
3. A
4. B
5. B
6. B
7. C
8. D
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. In topographic mapping, how is the visual field represented as it reaches the cortex?

A. It is inverted and scrambled.

B. It is maintained as a retinotopic map.

C. It becomes color-coded by wavelengths.

D. It disappears before cortex.

Spatial organization is preserved from retina to cortex, forming a retinotopic map. The image that falls on the retina is inverted by the eye's optics, so the cortical representation is inverted relative to the visual field, but the important point is that neighboring points in the visual field activate neighboring neurons on the cortex, maintaining the spatial layout. This topographic mapping is contralateral (the left visual field projects to the right visual cortex and vice versa) and features cortical magnification, with the fovea occupying a large portion of cortex due to its high acuity. It's not color-coding by wavelength and it doesn't disappear before reaching the cortex—the arrangement remains organized as a retinotopic map.

2. Which statement best describes the mapping of dorsal and ventral streams to the brain lobes?

A. The dorsal stream projects to the temporal lobe and the ventral stream to the parietal lobe.

B. The dorsal stream projects to the frontal lobe and the ventral stream to the occipital lobe.

C. One stream projects to the parietal lobe and the other to the temporal lobe.

D. Both streams terminate in the occipital lobe.

The main idea is that visual processing splits into two pathways after the initial visual processing in the occipital lobe. The dorsal pathway carries information to the parietal lobe and handles spatial location, motion, and how to guide actions in space. The ventral pathway sends information to the temporal lobe and handles object identity, form, color, and recognition. Therefore, the best description is that one stream projects to the parietal lobe and the other to the temporal lobe. Why the other ideas aren't correct: placing the dorsal stream in the temporal lobe would mislabel its role in spatial processing, and sending the ventral stream to the occipital lobe ignores that these streams extend beyond occipital into higher-order areas.

3. Which statement best defines myopia?

A. The focal point in front of the retina

B. The focal point behind the retina

C. The focal point on the retina

D. There is no focal point

Myopia occurs when the focal point of the eye's optical system falls in front of the retina. Because the image lands ahead of the retinal layer, distant objects become blurry, while closer objects can still be seen clearly as the eye can bring nearer stimuli into focus through accommodation. This can happen if the eyeball is too long or if the cornea or lens has too much curvature for the eye's length. If the focal point were behind the retina, you'd have farsightedness; if it were on the retina, vision would be normal; there's no scenario where there is no focal point.

SAMPLE

4. What is an exteroceptor?

A. Interoceptor

B. Exteroceptor

C. Proprioceptor

D. Baroreceptor

Exteroceptors detect stimuli from the external environment. They are located at or near the body's surface and mediate senses such as vision, hearing, taste, smell, and the somatic sensations of touch, temperature, and pain through receptors in the skin and other external-sensing organs. This contrasts with interoceptors, which monitor internal conditions inside the body, and proprioceptors, which sense the position and movement of the body. Baroreceptors are a specific type of interoceptor that detect changes in blood pressure. So an exteroceptor is a receptor that senses external stimuli.

5. Where does the olfactory system begin?

A. In the brainstem.

B. In the peripheral structures of the nasal cavity.

C. In the tympanic cavity.

D. In the cochlear duct.

Smell starts in the olfactory epithelium of the nasal cavity, where odor molecules bind to receptors on the cilia of olfactory receptor neurons. This peripheral sensory tissue converts chemical signals into neural impulses, with the axons traveling as the olfactory nerve through the cribriform plate to reach the olfactory bulb in the brain. The other options refer to structures involved in hearing (tympanic cavity, cochlear duct) or to processing centers further along the pathway (brainstem), but the initial detection happens in the peripheral structures of the nasal cavity.

6. Which nerve carries taste from the anterior two-thirds of the tongue?

A. Glossopharyngeal nerve (CN IX)

B. Facial nerve (CN VII)

C. Vagus nerve (CN X)

D. Trigeminal nerve (CN V)

Taste from the anterior two-thirds of the tongue is carried by the chorda tympani branch of the facial nerve (CN VII). The chorda tympani hitchhikes with the lingual nerve (a branch of the trigeminal nerve, CN V3) to reach the taste buds in that region and transmit the gustatory signals to the brain via the solitary nucleus, then on to the thalamus and cortex. The glossopharyngeal nerve (CN IX) carries taste from the posterior one-third, and the vagus nerve (CN X) carries taste from the epiglottis region. The trigeminal nerve (CN V) provides general somatic sensation (not taste) from the anterior two-thirds via the lingual nerve.

SAMPLE

7. Which cells are primarily affected in retinitis pigmentosa?

A. Cone photoreceptors first; central vision loss.

B. Retinal ganglion cells first; color vision loss.

C. Rod photoreceptors first, followed by cone involvement later; peripheral vision loss and night blindness.

D. Bipolar cells first; acuity loss.

Rods are the first to fail in retinitis pigmentosa, making it a rod-dominant photoreceptor disease early on. Rods handle night vision and peripheral vision, and they're abundant in the peripheral retina. When they degenerate, you see night blindness (nyctalopia) and gradual loss of peripheral visual field, often described as tunnel vision, as the mid-peripheral retina is affected first and the disease progresses outward. Later, cones—responsible for color vision and sharp central vision—become involved, leading to some central vision decline and color vision changes. This pattern fits best because it links the initial functional losses (night vision and peripheral field loss) to rod death, followed by cone involvement. The other possibilities don't match the typical progression: a cone-first pattern would produce early central and color vision problems; retinal ganglion cells or bipolar cells are not the primary initial targets in retinitis pigmentosa.

8. Which statement best describes the proliferative stage of diabetic retinopathy?

A. Neovascularization

B. Cotton-wool spots only

C. Microaneurysms only

D. Retinal detachment

Proliferative diabetic retinopathy is defined by the growth of new, abnormal blood vessels on the retina and optic disc in response to retinal ischemia. This neovascularization is driven by VEGF and is the hallmark of this stage. These fragile vessels can leak or bleed into the vitreous and form fibrovascular membranes that may contract and pull the retina, causing tractional retinal detachment. So, while retinal detachment can occur as a serious complication of proliferative disease, the defining feature of this stage is neovascularization. Cotton-wool spots and microaneurysms belong to nonproliferative changes, and detachment itself is a consequence rather than the primary characteristic of the proliferative phase.

9. Which modalities are carried by the dorsal column-medial lemniscus pathway?

A. Fine touch, vibration, proprioception

B. Pain and temperature

C. Crude touch and pressure

D. Temperature and itch

The dorsal column-medial lemniscus pathway is responsible for high-fidelity, well-localized somatosensory information. It transmits fine discriminative touch, vibration, and proprioception from the body to the brain. These modalities require precise localization and awareness of limb position, so the sensory signals are carried through the dorsal columns up to the brainstem, decussate, and then travel via the medial lemniscus to the thalamus and onward to cortex. This is distinct from pathways that carry pain and temperature, which travel mainly through the spinothalamic (anterolateral) tract, and from routes associated with crude touch and pressure or with itch, which do not primarily use the dorsal column-medial lemniscus. Therefore, the modalities carried by this pathway are fine touch, vibration, and proprioception.

SAMPLE

10. What does a baroreceptor sense?

A. Pain

B. Pressure

C. Light

D. Temperature

Baroreceptors are stretch-sensitive mechanoreceptors that monitor arterial pressure. Located mainly in the carotid sinus and aortic arch, they detect how much the vessel walls are stretched as blood pressure changes. When pressure rises, they fire more rapidly; this information triggers the brainstem to increase parasympathetic activity and decrease sympathetic activity, lowering heart rate and causing vasodilation to bring blood pressure down. When pressure falls, firing decreases, prompting sympathetic activation to raise heart rate, enhance contractility, and cause vasoconstriction to raise pressure. Because they respond to mechanical stretch related to pressure, the correct choice is Pressure. They do not sense light, temperature, or pain.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://sensoryvisualsysanatomyphysio.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE