SHEPPARD AIR CERTIFIED FLIGHT INSTRUCTOR (CFI) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://sheppardaircfi.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which term describes the angle between the chord line of an airfoil and the relative wind?

A. AoA (Angle of Attack)

B. Pitch angle

C. Bank angle

D. Climb angle

2. Which type of airspace requires pilot communication with ATC?

A. Class G

B. Class D

C. Class E

3. In properly coordinated eights-on-pylons, what does it imply if the reference point is behind the pylon?

A. The angle of bank is too shallow

B. The airplane is above the pivotal altitude

C. The airplane is below the pivotal altitude

4. The ratio of the existing water vapor in the air compared to the maximum amount that could exist at a given temperature is known as?

A. The dew point

B. Saturation Point

C. Relative humidity

D. Absolute humidity

5. If an aircraft has negative dynamic and positive static stability, what will this result in?

A. Undamped Oscillations

B. Divergent Oscillations

C. Convergent Oscillations

D. Stable Flight

6. What is a common cause of hypoxia at high altitudes?

A. Excessive nitrogen in the bloodstream

B. Reduced barometric pressure at altitude

C. Decreasing concentration of oxygen as your altitude increases

D. Increased air pressure

SAMPLE

7. Could 100 pounds of weight be shifted from Station 30.0 to Station 120.0 without exceeding the forward CG limit of an aircraft weighing 4,750 lb?

A. Yes; the CG would remain at Station 115.8

B. No; the new CG would be located at Station 118.15

C. Yes; the new CG would be located at Station 117.69

D. No; the new CG would be above the limit

8. Which type of cloud is often associated with severe turbulence?

A. Cumulus clouds

B. Stratus clouds

C. Cumulonimbus clouds

D. Cirrus clouds

9. The fuel-air ratio is the ratio between the?

A. Volume of fuel and volume of air entering the cylinder

B. Weight of fuel and weight of air entering the cylinder

C. Weight of fuel and weight of air entering the carburetor

10. Which phenomenon is generally associated with high pressure systems?

A. Cloudy skies with precipitation

B. Clear skies with light winds

C. Severe thunderstorms

D. Cold fronts

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. C
5. B
6. B
7. C
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which term describes the angle between the chord line of an airfoil and the relative wind?

A. AoA (Angle of Attack)

B. Pitch angle

C. Bank angle

D. Climb angle

The correct term that describes the angle between the chord line of an airfoil and the relative wind is the angle of attack (AoA). This concept is crucial in aerodynamics as it directly affects the lift generated by the airfoil. When the angle of attack increases, it increases the lift up to a certain point, known as the critical angle of attack. Beyond this point, the airflow may separate from the airfoil surface, leading to a stall. Understanding angle of attack is vital for pilots, as it influences aircraft performance during various phases of flight, particularly during takeoff and landing. It is the fundamental measurement that pilots must consider to maintain control and ensure safety. The other terms—pitch angle, bank angle, and climb angle—refer to different aspects of aircraft orientation and maneuvering rather than the specific relationship between an airfoil's chord line and the incoming airflow.

2. Which type of airspace requires pilot communication with ATC?

A. Class G

B. Class D

C. Class E

Class D airspace is characterized by its requirement for pilots to communicate with Air Traffic Control (ATC) prior to entering. This type of airspace generally surrounds an airport with an operational control tower and has a defined vertical and lateral boundary. The communication with ATC is crucial for maintaining safety, as it allows for the coordination of aircraft movements in the vicinity of the airport and helps to prevent collisions. In contrast, Class G airspace is uncontrolled, meaning that pilots do not need to communicate with ATC to operate within it. Class E airspace, while it often requires communication with ATC under certain conditions, does not universally demand it for all operations. This makes Class D unique in its specific requirement for pilot-ATC communication, ensuring both safety and orderly flight operations in areas with more complex air traffic situations.

3. In properly coordinated eights-on-pylons, what does it imply if the reference point is behind the pylon?

A. The angle of bank is too shallow

B. The airplane is above the pivotal altitude

C. The airplane is below the pivotal altitude

When the reference point is behind the pylon in a properly coordinated eights-on-pylons maneuver, it indicates that the airplane is above the pivotal altitude. This is because, in an eights-on-pylons maneuver, the pivotal altitude is determined by the point around which the airplane's flight path is being coordinated. If the reference point appears to be behind the pylon, it suggests that the airplane is climbing above that pivot point, resulting in a perception of the pylon shifting to the front of the aircraft's trajectory. In this context, understanding the pivotal altitude is crucial. The pivotal altitude is the height at which an aircraft can fly a circular path around a fixed point on the ground without the apparent movement of the reference point relative to the pilot's viewpoint. If the airplane is below this altitude, the reference point would appear to move ahead of the pylon due to the need for a steeper bank angle or a tighter turn, which is not the case here when the reference point is behind. Thus, recognizing the relationship between bank angle, altitude, and pivot point positioning is essential in executing and analyzing the maneuver.

SAMPLE

4. The ratio of the existing water vapor in the air compared to the maximum amount that could exist at a given temperature is known as?

A. The dew point

B. Saturation Point

C. Relative humidity

D. Absolute humidity

The ratio of the existing water vapor in the air compared to the maximum amount that could exist at a given temperature is defined as relative humidity. This measurement expresses how much moisture the air contains in relation to the maximum moisture it can hold at a specific temperature, usually given as a percentage. As temperature increases, the capacity of air to hold moisture also increases, which is why the absolute amount of moisture does not remain constant; it varies based on temperature. Therefore, knowing the relative humidity helps in understanding how saturated the air currently is, which is significant in weather predictions, understanding comfort levels, and predicting phenomena like fog or precipitation. In contrast, the dew point is the temperature at which air becomes saturated and water vapor begins to condense into liquid, saturation point refers to the state of the air when it has reached its maximum capacity for holding moisture, and absolute humidity measures the actual amount of water vapor present in the air without considering the air's capacity based on temperature. Understanding these concepts helps in grasping the dynamics of atmospheric moisture and its effects on weather conditions.

5. If an aircraft has negative dynamic and positive static stability, what will this result in?

A. Undamped Oscillations

B. Divergent Oscillations

C. Convergent Oscillations

D. Stable Flight

When an aircraft exhibits negative dynamic stability and positive static stability, it leads to a scenario where any displacement from the equilibrium position will initially cause the aircraft to return towards that equilibrium due to the positive static stability. However, once it begins to move back toward equilibrium, the system lacks the necessary dynamic stability to dampen the oscillations. This manifests as oscillations that increase in amplitude over time, resulting in divergent oscillations. In essence, the positive static stability provides a restoring force when the aircraft is displaced from its neutral position, while the lack of dynamic stability means that the oscillations created by this displacement are not dampened. Instead, these oscillations will amplify, reflecting the concept of divergence in motion. This phenomenon indicates that while the aircraft may start to correct itself, it will ultimately spiral out of control due to the inability to stabilize the oscillations properly. As a result, the aircraft can become increasingly unstable over time, leading to potential loss of control.

SAMPLE

6. What is a common cause of hypoxia at high altitudes?

A. Excessive nitrogen in the bloodstream

B. Reduced barometric pressure at altitude

C. Decreasing concentration of oxygen as your altitude increases

D. Increased air pressure

Reduced barometric pressure at altitude is the primary cause of hypoxia. As altitude increases, the atmospheric pressure decreases, which in turn results in a reduction in the partial pressure of oxygen available in the air. This lower pressure means that even though the percentage of oxygen in the atmosphere remains constant (around 21%), the amount of oxygen that can enter the bloodstream diminishes. This insufficient oxygen intake can lead to the symptoms of hypoxia, such as dizziness, confusion, and impaired cognitive and physical performance. Understanding this principle is crucial for pilots, as they must recognize the risks of flying at high altitudes and the need for supplemental oxygen to prevent hypoxia. While the other options touch upon aspects related to altitude, they do not directly address the main factor contributing to hypoxia in a clear and definitive manner.

7. Could 100 pounds of weight be shifted from Station 30.0 to Station 120.0 without exceeding the forward CG limit of an aircraft weighing 4,750 lb?

A. Yes; the CG would remain at Station 115.8

B. No; the new CG would be located at Station 118.15

C. Yes; the new CG would be located at Station 117.69

D. No; the new CG would be above the limit

Shifting 100 pounds of weight from Station 30.0 to Station 120.0 can affect the center of gravity (CG) of an aircraft, which is critical for maintaining safe flight characteristics. To determine if the CG remains within the forward limit after the weight shift, the calculation involves finding the moment generated by the weights at their respective stations and then calculating the new CG based on the total weight and total moment after the shift. For this scenario, you first calculate the moments from the original position of the weight at Station 30.0, and the moment that would be created by placing that weight at Station 120.0. The original aircraft weight and moment will also be considered in the calculation. After computing the total weight and moment, you can derive the new CG position. The provided answer indicates that the new CG after moving the 100 pounds would be at Station 117.69, which does not exceed the forward CG limit of the aircraft. Thus, it confirms that the weight transfer is permissible while keeping the CG within limits. This outcome validates that the movement of weights must consider the overall balance and stability of the aircraft, confirming that the shift can indeed take place without exceeding safety limits.

SAMPLE

8. Which type of cloud is often associated with severe turbulence?

A. Cumulus clouds

B. Stratus clouds

C. Cumulonimbus clouds

D. Cirrus clouds

Cumulonimbus clouds are often associated with severe turbulence due to their vertical development and the weather phenomena they can produce. These clouds are characterized by their towering structure, which can extend from low altitudes to high altitudes, often resulting in intense updrafts and downdrafts within the cloud. This vertical motion leads to abrupt changes in airflow, creating turbulence not only within the cloud but also in the surrounding atmosphere. Cumulonimbus clouds are also linked to severe weather conditions such as thunderstorms, heavy rain, hail, and even tornadoes. The combination of strong thermal currents and moisture contributes to the development of this type of cloud and its associated turbulence, making it critical for pilots to avoid flying near or through these clouds when possible. In contrast, other types of clouds such as cumulus clouds can indicate fair weather but are typically not associated with the extreme conditions found in cumulonimbus clouds. Stratus clouds, which are generally low and gray, are more indicative of overcast and stable weather with little turbulence. Cirrus clouds, being high-altitude wispy clouds made of ice crystals, usually indicate fair weather and are not associated with turbulence. Understanding these distinctions is vital for pilots in making informed decisions about flight safety and comfort.

9. The fuel-air ratio is the ratio between the?

A. Volume of fuel and volume of air entering the cylinder

B. Weight of fuel and weight of air entering the cylinder

C. Weight of fuel and weight of air entering the carburetor

The fuel-air ratio refers specifically to the relationship between the mass of fuel and the mass of air that is mixed for combustion within an engine. This ratio is crucial for efficient engine performance and is often expressed in terms of weight rather than volume. When analyzing combustion processes, using weight allows for more precise calculations because the density of fuels and air can vary significantly due to temperature and pressure changes. This means that a weight-based ratio better reflects the actual quantities involved in the combustion reaction. Understanding this fundamental concept is essential for pilots and flight instructors, as it impacts engine efficiency, power output, and operating conditions. Monitoring and adjusting the fuel-air ratio can help maintain optimal engine performance, thereby enhancing safety and efficiency during flight operations.

10. Which phenomenon is generally associated with high pressure systems?

A. Cloudy skies with precipitation

B. Clear skies with light winds

C. Severe thunderstorms

D. Cold fronts

High pressure systems are typically characterized by descending air that compresses and warms as it moves downwards. This process discourages cloud formation as moisture in the air is evaporated or kept from condensing. Consequently, high pressure systems are often associated with clear skies and light winds due to the stability of the atmosphere. The stability and lack of lifting mechanisms in high pressure areas mean that weather conditions are generally calm. This is in contrast to low pressure systems, which can promote cloudiness and precipitation as air rises and cools, leading to condensing moisture. Therefore, clear skies with light winds are the most accurate representation of the weather typically associated with high pressure systems.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://sheppardaircfi.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE