SOCIAL WORK LICENSING PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://socialworklicensing.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is noted about withdrawal from hallucinogens such as LSD?

A. Withdrawal symptoms can be debilitating
B. Withdrawal is typically non-existent
C. Withdrawal episodes are generally prolonged
D. Withdrawal can lead to severe depression

2. When must a social worker exercise the duty to warn?

A. When a client expresses feelings of sadness
B. When there is a real intent or plan to harm a victim
C. When a client has been diagnosed with a mental illness
D. When a client threatens to leave treatment

3. What describes the symptoms of Specific Phobia?

A. Intense feeling of panic in all social settings
B. Specific fear that almost always provokes anxiety
C. Chronic sadness with no interruptions
D. Indifference towards possessions

4. What is an essential skill for a social worker focusing on case management?

A. Advocating for legislative changes in healthcare
B. Monitoring and evaluating service delivery
C. Providing direct therapy to clients
D. Setting up financial plans for clients

5. Delirium is best described as:

A. A chronic state of confusion
B. Disturbances in attention and cognition that develop over a short period
C. An emotional disorder related to stress or anxiety
D. A permanent loss of cognitive function

6. What is secondary prevention in public health?

A. Measures taken after disease symptoms occur
B. Measures that detect disease before it is symptomatic
C. Strategies focused on curing existing diseases
D. Prevention strategies that ignore early detection

SAMPLE

7. Which behavior may indicate someone is a victim of domestic violence?

A. Being overly social and outgoing

B. Increased independence and assertiveness

C. Making excuses for their partner's behavior

D. Seeking help and support from friends

8. What does secondary prevention primarily focus on?

A. Preventing disease from occurring

B. Managing symptoms of chronic illnesses

C. Detecting diseases before symptoms are evident

D. Rehabilitating those with significant health issues

9. What is a common complication of alcohol dependence that affects vital signs?

A. Hypotension and decreased pulse rate

B. Direct toxicity to striated muscle

C. Coronary artery disease

D. Increased respiratory rate

10. Which disorder includes recurrent behavioral outbursts that involve verbal and physical aggression?

A. Oppositional Defiant Disorder

B. Conduct Disorder

C. Intermittent Explosive Disorder

D. Kleptomania

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. B
6. B
7. C
8. C
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What is noted about withdrawal from hallucinogens such as LSD?

A. Withdrawal symptoms can be debilitating

B. Withdrawal is typically non-existent

C. Withdrawal episodes are generally prolonged

D. Withdrawal can lead to severe depression

Withdrawal from hallucinogens like LSD is notably characterized by having minimal or non-existent withdrawal symptoms. Unlike substances such as alcohol or opioids, which can lead to severe physical dependence and withdrawal symptoms, hallucinogens do not typically produce the same level of physiological dependence. Users may experience flashbacks or changes in perception after the substance has been used, but these experiences are not classified as withdrawal symptoms in the traditional sense. This lack of withdrawal symptoms is significant in understanding how different substances affect the body and mind, and it highlights the unique properties of hallucinogens compared to other drug categories. By recognizing that withdrawal is typically non-existent for hallucinogens, one can better grasp the complexities of substance use disorders and the varying levels of physical dependence associated with different substances.

2. When must a social worker exercise the duty to warn?

A. When a client expresses feelings of sadness

B. When there is a real intent or plan to harm a victim

C. When a client has been diagnosed with a mental illness

D. When a client threatens to leave treatment

The duty to warn is a legal and ethical obligation that social workers have when they have reasonable belief that a client poses a serious risk of harm to themselves or to others. This responsibility arises specifically in situations where there is a clear and credible intent or plan to harm a victim. When a social worker learns that a client has these intentions—meaning there is not only a desire to cause harm but also a specific plan to do so—the social worker must take appropriate action to protect potential victims. This might include informing the intended victim, law enforcement, or other appropriate parties to prevent harm. The threshold for invoking the duty to warn typically hinges on the immediacy and credibility of the threat. The other options do not meet the criteria for the duty to warn. Feelings of sadness, a diagnosis of mental illness, or a threat to leave treatment do not inherently suggest that there is an immediate danger to others. Thus, the key factor in determining when to exercise the duty to warn is the presence of a real intent or plan to inflict harm on another individual.

3. What describes the symptoms of Specific Phobia?

A. Intense feeling of panic in all social settings

B. Specific fear that almost always provokes anxiety

C. Chronic sadness with no interruptions

D. Indifference towards possessions

The choice that describes the symptoms of Specific Phobia highlights that it involves a specific fear that almost always provokes anxiety. Individuals with Specific Phobia experience significant fear or anxiety related to a particular object or situation, such as heights, animals, or flying. This intense reaction is typically disproportionate to the actual danger posed by the feared object or situation. Such fears can lead to avoidance behaviors, where individuals steer clear of encounters that could trigger their phobia, significantly impacting their daily lives. The intense anxiety provoked by the specific fear is a hallmark of this disorder, distinguishing it from other types of anxiety disorders or mental health issues. It's essential that the fear is specific and leads to anxiety to meet the criteria for Specific Phobia, rather than being a generalized anxiety response, which is not confined to a particular object or scenario. Understanding this specific response is critical in social work practice when assessing and treating individuals presenting with phobias.

SAMPLE

4. What is an essential skill for a social worker focusing on case management?

A. Advocating for legislative changes in healthcare

B. Monitoring and evaluating service delivery

C. Providing direct therapy to clients

D. Setting up financial plans for clients

Monitoring and evaluating service delivery is essential for a social worker focusing on case management because it ensures that the needs of clients are being effectively met through the services they are receiving. Case management involves coordinating various services and supports for clients, and social workers must regularly assess the effectiveness of these services to determine if they are meeting the intended goals. This skill allows social workers to identify gaps in service, make necessary adjustments, and ensure that clients are progressing toward their objectives. Furthermore, effective monitoring can involve collecting data, analyzing trends in service use, and staying updated on client outcomes, ensuring that the case management process remains responsive and adaptive to changing client needs. This ongoing assessment contributes to the overall effectiveness of the intervention and the well-being of the clients served.

5. Delirium is best described as:

A. A chronic state of confusion

B. Disturbances in attention and cognition that develop over a short period

C. An emotional disorder related to stress or anxiety

D. A permanent loss of cognitive function

Delirium is characterized by disturbances in attention and cognition that develop rapidly, often within hours to days. This condition is typically acute and can fluctuate in severity throughout the day, which distinguishes it from other cognitive disorders that may present more gradually and persistently, such as dementia. In delirium, individuals may experience confusion, disorientation, and difficulties with perception or thought processes. This acute presentation requires prompt recognition and intervention, often related to underlying medical issues such as infection, substance withdrawal, or metabolic imbalances. Understanding this definition allows practitioners to differentiate delirium from chronic cognitive disorders or emotional conditions, reinforcing the importance of timely assessment and treatment to address potential underlying causes, ultimately improving patient outcomes.

6. What is secondary prevention in public health?

A. Measures taken after disease symptoms occur

B. Measures that detect disease before it is symptomatic

C. Strategies focused on curing existing diseases

D. Prevention strategies that ignore early detection

Secondary prevention in public health focuses on the early detection of diseases before symptoms manifest. This typically involves screening and surveillance activities designed to identify health issues at an early stage when they are generally more treatable and manageable. By implementing measures such as regular health screenings, immunizations, and routine check-ups, secondary prevention aims to reduce the severity or impact of an illness by allowing for earlier interventions. This approach contrasts with other preventive strategies. For instance, options that describe actions taken after disease symptoms occur or strategies centered on curing existing diseases fall under tertiary prevention, which deals with managing and reducing the impact of a disease that has already occurred. Additionally, strategies that ignore early detection do not align with the objectives of secondary prevention, as this prevention method explicitly emphasizes the importance of identifying health issues prior to the onset of symptoms. Thus, the focus on early detection is key to understanding the significance of secondary prevention in the overall health care framework.

EXAMPLE

7. Which behavior may indicate someone is a victim of domestic violence?

A. Being overly social and outgoing

B. Increased independence and assertiveness

C. Making excuses for their partner's behavior

D. Seeking help and support from friends

Making excuses for their partner's behavior is an indicator that someone may be experiencing domestic violence. Victims often downplay or rationalize their partner's abusive behaviors due to fear, shame, or a desire to maintain the relationship. This behavior can stem from an internalized belief that they are partially responsible for the abuse or that the partner will change. These justifications can also serve as a coping mechanism to deal with the emotional turmoil and confusion that often accompanies domestic violence. Recognizing these excuses is an essential aspect of identifying individuals who may be in harmful situations, as it highlights their struggle to reconcile their partner's abuse with the love and attachment they may still feel. Addressing these behaviors in a supportive and understanding manner can help victims feel safe enough to share their experiences and seek help, ultimately leading to a path away from the abuse.

8. What does secondary prevention primarily focus on?

A. Preventing disease from occurring

B. Managing symptoms of chronic illnesses

C. Detecting diseases before symptoms are evident

D. Rehabilitating those with significant health issues

Secondary prevention primarily focuses on detecting diseases before symptoms are evident, which is crucial in minimizing the impact of a disease once it has begun. This type of prevention aims to identify health issues at an early stage when they are more manageable and before they lead to serious complications. Methods such as screenings, regular check-ups, and early diagnostic tests are common practices within secondary prevention. This approach is particularly significant in the context of chronic illnesses or conditions that may not present noticeable symptoms until they have progressed to a more severe stage. By utilizing secondary prevention strategies, health care providers can intervene earlier, often leading to better health outcomes and more effective management of diseases. Preventing disease from occurring is associated with primary prevention, while managing symptoms of chronic illnesses pertains to tertiary prevention. Rehabilitating those with significant health issues is also not aligned with secondary prevention, as it deals with helping individuals regain function and improve quality of life after a health crisis has already occurred.

9. What is a common complication of alcohol dependence that affects vital signs?

A. Hypotension and decreased pulse rate

B. Direct toxicity to striated muscle

C. Coronary artery disease

D. Increased respiratory rate

A common complication of alcohol dependence that significantly influences vital signs is indeed related to direct toxicity to striated muscle, commonly referred to as alcoholic myopathy. This condition can lead to muscle weakness and damage, affecting overall physical function. In the context of vital signs, the effects of alcoholic myopathy may not directly manifest through traditional vital sign changes like heart rate or blood pressure, but they can contribute to overall bodily stress, potentially leading to complications such as respiratory insufficiency, decreased activity levels, and an unstable cardiovascular system. Unlike the other options, which can relate to various health concerns but do not specifically capture the key complication of muscle toxicity due to alcohol dependence, this choice highlights a critical aspect of how alcohol can create broader physiological problems through its toxic effects.

SAMPLE

10. Which disorder includes recurrent behavioral outbursts that involve verbal and physical aggression?

A. Oppositional Defiant Disorder

B. Conduct Disorder

C. Intermittent Explosive Disorder

D. Kleptomania

The disorder characterized by recurrent behavioral outbursts involving verbal and physical aggression is Intermittent Explosive Disorder. This condition is marked by episodes where individuals exhibit a failure to control aggressive impulses, leading to serious assaultive acts or destruction of property. These outbursts are disproportionate to the stressor that may have triggered them, and they can occur in various situations, indicating a pattern of impulsive aggression over time. Individuals with Intermittent Explosive Disorder may feel a sense of relief or release following these outbursts, which further distinguishes this disorder from others that also involve aggression. For example, while Oppositional Defiant Disorder and Conduct Disorder can involve aggressive behavior, they are primarily characterized by patterns of defiance and more pervasive violations of societal norms and rights, rather than the episodic explosive outbursts seen in Intermittent Explosive Disorder. Kleptomania, on the other hand, involves a recurrent urge to steal, without the aggressive component. Thus, the defining feature of recurrent behavioral outbursts in a context of intense anger and frustration is what confirms Intermittent Explosive Disorder as the correct choice.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://socialworklicensing.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE