

SOE PARAMEDIC EXAM 1 PRACTICE (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://soeparamedic1.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. In anaphylaxis, epinephrine's alpha-1 effect primarily contributes to which action?**
 - A. Bronchodilation via beta-2 receptors.
 - B. Vasoconstriction via alpha-1 receptors to raise blood pressure and reduce edema.
 - C. Increased heart rate via beta-1 receptors.
 - D. Vasodilation via alpha-2 receptors.

- 2. Which scenario represents a contraindication to noninvasive ventilation (NIV) in the field?**
 - A. Cooperative patient with adequate mentation
 - B. Absence of facial trauma
 - C. Inability to protect the airway or excessive secretions
 - D. No vomiting risk

- 3. Which assessment is quick and targeted to a specific body area?**
 - A. Rales/Crackles
 - B. Focused assessment
 - C. Rapid trauma assessment
 - D. Apex

- 4. What are the five elements of the APGAR score?**
 - A. Color, Pulse, Grimace, Tone, Respiration
 - B. Appearance, Pulse, Grimace, Tone, Respiration
 - C. Appearance, Pulse, Grimace, Activity, Respiration
 - D. Appearance, Pulse, Grimace, Activity, Respiration

- 5. What is a common obstetric emergency EMS should be prepared for?**
 - A. Labor and delivery emergencies such as precipitous birth, placental complications, and potential preterm birth
 - B. Chronic hypertension
 - C. Migraine during pregnancy
 - D. Postpartum fever

- 6. Which medications are commonly carried for severe allergic reactions in EMS?**
- A. Epinephrine and Diphenhydramine
 - B. Albuterol and Epinephrine
 - C. Ibuprofen
 - D. Acetaminophen
- 7. During initial resuscitation of a non-breathing term newborn, what device is used to provide positive-pressure ventilation?**
- A. Endotracheal tube
 - B. Pocket mask
 - C. Bag-valve-mask
 - D. Face shield
- 8. Focused assessment is best described as:**
- A. Detailed evaluation of the specific body system or area of the body
 - B. Rhonchi
 - C. Rapid trauma assessment
 - D. Rales/Crackles
- 9. What is the purpose of TXA in trauma?**
- A. To reduce bleeding by inhibiting fibrinolysis
 - B. To hydrate the patient
 - C. To relieve pain
 - D. To reduce infection
- 10. Which statement best describes essential elements of the secondary survey in EMS?**
- A. Primary survey elements
 - B. Full head-to-toe exam, mechanism of injury, detailed patient history, repeat vitals, and any additional tests
 - C. Only vitals are assessed
 - D. The secondary survey is optional in EMS

Answers

SAMPLE

1. B
2. D
3. B
4. C
5. A
6. A
7. C
8. A
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. In anaphylaxis, epinephrine's alpha-1 effect primarily contributes to which action?

- A. Bronchodilation via beta-2 receptors.
- B. Vasoconstriction via alpha-1 receptors to raise blood pressure and reduce edema.**
- C. Increased heart rate via beta-1 receptors.
- D. Vasodilation via alpha-2 receptors.

In anaphylaxis, the dangerous combination is widespread vasodilation and capillary leakage that drop blood pressure and cause airway swelling. Epinephrine helps mainly through alpha-1 receptors on vascular smooth muscle, triggering vasoconstriction. This increases systemic vascular resistance, raising blood pressure, and lowers capillary hydrostatic pressure, which reduces edema in the airways and helps improve perfusion. That alpha-1-mediated vasoconstriction is the key action addressing the life-threatening hypotension and swelling. The other effects come from different receptors: bronchodilation is driven by beta-2 receptors, which open the airways; the rise in heart rate and contractility comes from beta-1 receptors. Alpha-2-related vasodilation is not the primary mechanism in this context.

2. Which scenario represents a contraindication to noninvasive ventilation (NIV) in the field?

- A. Cooperative patient with adequate mentation
- B. Absence of facial trauma
- C. Inability to protect the airway or excessive secretions
- D. No vomiting risk**

The important idea is that noninvasive ventilation works only if the patient can protect their airway and manage secretions. If a patient cannot protect the airway or has excessive secretions, NIV is not appropriate because it increases the risk of aspiration and ventilation failure. Inability to protect the airway or excessive secretions fits this contraindication because the mask cannot substitute for airway protection, and secretions can overwhelm the mask, leading to aspiration and poor ventilation. In contrast, a cooperative patient with adequate mentation, the absence of facial trauma (which helps achieve a good mask seal), and no vomiting risk are conditions that support using NIV rather than oppose it.

3. Which assessment is quick and targeted to a specific body area?

- A. Rales/Crackles
- B. Focused assessment**
- C. Rapid trauma assessment
- D. Apex

A focused assessment is a quick, targeted check of a specific body area based on the patient's chief complaint. It's designed to rapidly verify findings or changes in that particular area and to guide urgent treatment without doing a full head-to-toe exam. The other options don't fit this idea: rales/crackles are abnormal breath sounds you might hear during auscultation, not a type of assessment; a rapid trauma assessment is a broad, systematic head-to-toe check used for trauma patients; and apex refers to a location on the body (the heart's apex) rather than a kind of assessment.

4. What are the five elements of the APGAR score?

- A. Color, Pulse, Grimace, Tone, Respiration
- B. Appearance, Pulse, Grimace, Tone, Respiration
- C. Appearance, Pulse, Grimace, Activity, Respiration
- D. Appearance, Pulse, Grimace, Activity, Respiration

APGAR scoring evaluates five quick indicators of a newborn's condition: Appearance, Pulse, Grimace, Activity, Respiration. The best answer lists these exact terms: Appearance (skin color), Pulse (heart rate), Grimace (reflex irritability), Activity (muscle tone and movement), and Respiration (breathing effort). The other options vary by using Color instead of Appearance or Tone instead of Activity. While color and tone relate to those concepts, the standard terminology used in APGAR is Appearance, Pulse, Grimace, Activity, Respiration, making that choice the correct one.

5. What is a common obstetric emergency EMS should be prepared for?

- A. Labor and delivery emergencies such as precipitous birth, placental complications, and potential preterm birth
- B. Chronic hypertension
- C. Migraine during pregnancy
- D. Postpartum fever

The main idea is that EMS should be prepared for obstetric emergencies that occur during labor and delivery, because they can escalate rapidly and threaten both mother and baby. Labor and delivery emergencies such as precipitous birth, placental complications, and the risk of preterm birth are time-critical events. In a precipitous birth, labor can progress extremely quickly, so EMS must recognize imminent delivery, support the mother, manage the airway and breathing if needed, and arrange rapid transport while preparing for potential delivery assistance and neonatal care. Placental complications, like placental abruption or placenta previa, present with bleeding and abdominal pain or tenderness and require quick assessment, stabilization, and prompt transport, with readiness for potential neonatal resuscitation and careful bleeding control. Preterm birth awareness matters because a baby born early often needs specialized, immediate care, so EMS should be ready to support ventilation, warmth, and rapid transfer to an appropriate facility. While other pregnancy-related issues such as chronic hypertension, migraine during pregnancy, or postpartum fever are important to manage, they do not represent the immediate, common emergencies EMS most often needs to address in the field in the same urgent way as labor and delivery emergencies.

6. Which medications are commonly carried for severe allergic reactions in EMS?

A. Epinephrine and Diphenhydramine

B. Albuterol and Epinephrine

C. Ibuprofen

D. Acetaminophen

Epinephrine is the first-line treatment for severe allergic reactions because it works quickly to reverse airway swelling, improve blood pressure, and relieve bronchospasm by acting on multiple receptors. In EMS, the primary goal in anaphylaxis is to stop the progression of life-threatening symptoms, and epinephrine directly addresses the waves of danger. Diphenhydramine is included as an adjunct to help with histamine-mediated symptoms like itching and hives, but it doesn't stop the life-threatening processes on its own. That's why the combination of epinephrine with an antihistamine is commonly carried—epinephrine handles the emergency, while diphenhydramine provides additional symptom relief. Albuterol may be used if bronchospasm is prominent, but it doesn't treat the underlying anaphylaxis and is not a substitute for epinephrine. Ibuprofen and acetaminophen don't address the acute mechanisms of anaphylaxis at all; they're analgesics/antipyretics and not appropriate for emergency reversal of the reaction. So, the best pairing carried for severe allergic reactions in EMS is epinephrine with an antihistamine like diphenhydramine.

7. During initial resuscitation of a non-breathing term newborn, what device is used to provide positive-pressure ventilation?

A. Endotracheal tube

B. Pocket mask

C. Bag-valve-mask

D. Face shield

The main idea is that initial positive-pressure ventilation in a non-breathing term newborn is delivered with a bag-valve-mask device. This setup provides a controllable breath by squeezing the bag, with the mask sealing on the infant's face to deliver a reliable tidal volume. The reservoir in the bag-valve-mask helps deliver a sufficient amount of air with each squeeze, promoting chest rise and adequate ventilation at a rate appropriate for newborn resuscitation (roughly 40–60 breaths per minute). An endotracheal tube is more invasive and used if ventilation via mask is ineffective or ongoing resuscitation is required; it isn't the first-line device. A pocket mask can be harder to seal well and may deliver less consistent tidal volumes in a neonate, making it less reliable for initial PPV. A face shield doesn't provide ventilation by itself; it's mainly a barrier device and cannot deliver the breaths needed for resuscitation.

8. Focused assessment is best described as:

A. Detailed evaluation of the specific body system or area of the body

B. Rhonchi

C. Rapid trauma assessment

D. Rales/Crackles

Focused assessment means zeroing in on the patient's current problem and performing a thorough, detailed examination of the specific body system or area involved. It's used when the chief complaint points to a particular system and you have to gather detailed information quickly to guide treatment, rather than surveying every body system in depth. For example, with chest pain you'd closely evaluate the cardiovascular and respiratory aspects—vital signs, breath sounds, perfusion, and related findings—focused on that region. The other options describe either specific sounds (breath findings like rhonchi or crackles) or a different protocol (rapid trauma assessment), which isn't about a targeted, in-depth examination of a single area.

9. What is the purpose of TXA in trauma?

- A. To reduce bleeding by inhibiting fibrinolysis
- B. To hydrate the patient
- C. To relieve pain
- D. To reduce infection

Tranexamic acid is an antifibrinolytic. It reduces bleeding in trauma by preventing the breakdown of clots, specifically by blocking the activation of plasminogen to plasmin and inhibiting plasmin activity, which slows fibrin clot degradation. This helps stabilize clots that have formed and lowers overall blood loss, especially when given soon after injury. In practice, it's typically given as a rapid IV dose (and sometimes followed by a slower infusion) within a few hours of injury to maximize benefit, based on evidence that early administration improves survival in bleeding trauma patients. It's not a fluid for hydration, a pain reliever, or an antibiotic; its role is to limit hemorrhage by maintaining clot integrity.

10. Which statement best describes essential elements of the secondary survey in EMS?

- A. Primary survey elements
- B. Full head-to-toe exam, mechanism of injury, detailed patient history, repeat vitals, and any additional tests
- C. Only vitals are assessed
- D. The secondary survey is optional in EMS

In EMS, the secondary survey is a thorough, systematic recheck after life threats are controlled, designed to uncover injuries not immediately evident. It centers on a full head-to-toe examination to find fractures, internal injuries, or other problems that the primary survey might miss. Considering the mechanism of injury helps anticipate injuries that could be present despite a deceptively stable appearance. A detailed patient history (including symptoms, medications, allergies, and events leading up to the incident) provides context that can explain findings and guide treatment. Repeating vital signs over time tracks trends and helps catch any deterioration that wasn't obvious at first. Any additional tests or assessments available in the field can further clarify the patient's condition and support decisions about transport or escalation of care. This combination best describes the essential elements because it moves beyond stabilization to a comprehensive, ongoing assessment. Focusing only on the primary survey, or limiting the scope to vitals, or treating the secondary survey as optional does not reflect the purpose of this step.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://soeparamedic1.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE