
SOFT TISSUE TRAUMA PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://softtissuetraume.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **For a tongue defect with full-thickness loss or more than 50% of the tongue missing, what is the primary surgical management?**

   A. Monitor airway

   B. Repair in layers

   C. Partial-thickness debridement only

   D. Delay repair and observe

2. **Why might resorbable sutures be preferred over permanent sutures?**

   A. To reduce scarring

   B. To avoid follow-up visits

   C. For cost

   D. Patient is uncooperative

3. **Which phase is characterized by connective tissue remodeling and high collagen presence?**

   A. Initial Phase

   B. Fibroblastic Phase

   C. Acute Inflammatory Phase

   D. Maturation Phase

4. **A high-risk dirty wound in an unvaccinated patient should receive which tetanus prophylaxis?**

   A. Tetanus toxoid-containing vaccine only

   B. Tetanus immune globulin only

   C. No tetanus prophylaxis

   D. Tetanus immune globulin plus tetanus toxoid-containing vaccine

5. **Suture selection is influenced by which factors?**

   A. Anatomy

   B. Type of Patient

   C. Color of Tissue

   D. Both Anatomy and Type of Patient

SAMPLE

6. What are the two types of sutures?

A. Natural and Synthetic

B. Absorbable and Nonabsorbable

C. Permanent and Resorbable

D. Sutured and Stapled

7. When primary lip closure is not possible in avulsive lip injuries, which flap options are listed?

A. Abbe +/- estlander flap and Karapandzie flap

B. Abbe +/- estlander flap

C. Karapandzie flap

D. Free graft

8. Which statement best describes how to evaluate a soft tissue injury?

A. Determine mechanism only

B. Achieve hemostasis only

C. Determine mechanism, achieve hemostasis, and consider anatomic structures

D. None of the above

9. Which statement correctly distinguishes absorbable from nonabsorbable sutures and their typical uses?

A. Absorbable sutures require removal after healing and are ideal for skin.

B. Nonabsorbable sutures are broken down by the body and do not require removal in deep tissues.

C. Absorbable sutures are broken down and do not require removal; used for deep tissues or pediatric patients.

D. Nonabsorbable sutures degrade over time in pediatric wounds.

10. When do scars look their worst?

A. Immediately after injury

B. 6 weeks

C. 2 weeks - 2 months

D. 6-12 months

SAMPLE

Answers

SAMPLE

1. B
2. D
3. D
4. D
5. D
6. C
7. A
8. C
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. For a tongue defect with full-thickness loss or more than 50% of the tongue missing, what is the primary surgical management?

A. Monitor airway

B. Repair in layers

C. Partial-thickness debridement only

D. Delay repair and observe

When a tongue defect is full-thickness or involves more than half of the tongue, the priority is to restore structure and function through a layered, primary closure. The tongue relies on intact mucosa for a seal and on muscle continuity for movement and articulation. Closing in layers means re-approximating the mucosal surface first, then the muscle bundles, and finally any deeper tissues. This approach minimizes dead space, controls bleeding, and supports rapid, functional healing, helping preserve tongue mobility and strength for speech and swallowing. Partial-thickness debridement would leave gaps and weaken function, while delaying repair risks ongoing edema, airway issues, and loss of function. Initial airway stability is crucial, but once stable, definitive management is layered repair.

2. Why might resorbable sutures be preferred over permanent sutures?

A. To reduce scarring

B. To avoid follow-up visits

C. For cost

D. Patient is uncooperative

Resorbable sutures are designed to be dissolved and absorbed by the body's tissues over time, so they do not require removal. This is especially helpful when a patient is unlikely or unable to return for a follow-up visit to have sutures removed, such as when the patient is uncooperative. In such cases, using absorbable material avoids the need for an additional appointment and the risk of missed suture removal, making postoperative care simpler and safer for that patient. While scarring and cost can influence suture choices in some situations, they are not as directly tied to the need for suture removal as the ability to avoid a follow-up visit.

3. Which phase is characterized by connective tissue remodeling and high collagen presence?

A. Initial Phase

B. Fibroblastic Phase

C. Acute Inflammatory Phase

D. Maturation Phase

In soft tissue healing, the phase where connective tissue remodeling and the realignment of collagen occur is the maturation phase. After inflammation and the new tissue formation in earlier stages, collagen laid down in the early stage is gradually reorganized, cross-linked, and increased in density to strengthen the repair. The collagen profile shifts from the initially deposited type III toward more type I collagen, which provides greater tensile strength. Vascularity decreases as the scar matures, and the overall strength of the tissue improves over time, though it may never fully reach the strength of unwounded tissue. This remodeling and maturation of connective tissue is what defines that phase.

SAMPLE

4. A high-risk dirty wound in an unvaccinated patient should receive which tetanus prophylaxis?

A. Tetanus toxoid-containing vaccine only

B. Tetanus immune globulin only

C. No tetanus prophylaxis

D. Tetanus immune globulin plus tetanus toxoid-containing vaccine

In this scenario, you need both immediate protection and long-term immunity. A dirty wound in someone who hasn't been vaccinated leaves you without preexisting antibodies and with a high risk of tetanus toxin causing disease. Tetanus immune globulin provides passive, immediate protection by neutralizing any circulating toxin right away, which is crucial in the acute setting. At the same time, starting a tetanus toxoid–containing vaccine establishes active immunity that will develop over days to weeks and, with the full booster schedule, offers lasting protection. Relying on only the vaccine would leave a window of vulnerability, and relying on only the immune globulin would not confer long-term immunity. Therefore, giving both TIG for immediate protection and initiating the tetanus vaccine series for future protection is the correct approach.

5. Suture selection is influenced by which factors?

A. Anatomy

B. Type of Patient

C. Color of Tissue

D. Both Anatomy and Type of Patient

Suture selection hinges on how the tissue will be placed and how the patient's body will heal. Different anatomical sites have distinct requirements: skin, mucosa, fascia, and vascular tissue differ in thickness, vascularity, tension, and healing time, so the suture material, strength, and absorption need to match that environment. At the same time, patient factors such as age, health status, medications, allergies, and healing potential shape the choice—certain patients heal more slowly or have higher infection risk, so you pick materials and techniques that maximize healing and minimize complications. Color of tissue isn't a factor in deciding sutures, so it doesn't influence the choice. In short, suture selection is guided by both the tissue's anatomy and the patient's overall factors.

6. What are the two types of sutures?

A. Natural and Synthetic

B. Absorbable and Nonabsorbable

C. Permanent and Resorbable

D. Sutured and Stapled

Sutures are classified by how long they stay in the tissue. The two main types are absorbable and nonabsorbable. Absorbable sutures are designed to be broken down by the body over time, so they're useful for internal tissues or when you don't want to remove stitches. Nonabsorbable sutures, sometimes called permanent, remain in place long term and may be left in or removed later depending on the location and healing. This dichotomy directly describes durability in tissue, which is why it's the most accurate way to categorize sutures. Choices that describe the material origin (natural vs synthetic) or the method of closure (sutured vs stapled) don't address how long the suture persists, and calling them permanent vs resorbable mixes concepts, since permanent aligns with nonabsorbable and resorbable with absorbable.

SAMPLE

7. When primary lip closure is not possible in avulsive lip injuries, which flap options are listed?

A. Abbe +/- estlander flap and Karapandzie flap

B. Abbe +/- estlander flap

C. Karapandzie flap

D. Free graft

When primary lip closure isn't possible after an avulsive injury, the goal is to restore lip competence, appearance, and function using local, well-vascularized tissue that preserves sensation. The Abbe flap transfers tissue from the opposite lip to bridge a central defect, providing mucosal lining and sphincter continuity when a direct edge-to-edge closure isn't feasible. It can be used alone or in combination with additional cross-lip techniques to shape the final contour. The Estlander flap borrows tissue from the adjacent lip and transposes it across the corner of the mouth to reconstruct lateral defects, helping maintain lip function and symmetry around the commissure. The Karapandzic flap is a circular, pedicled lip flap that preserves the neurovascular supply and orbicularis muscle, enabling good oral competence and sensation even for larger defects around the mouth. These options are favored because they bring robust, living tissue with preserved innervation and muscle function, offering reliable closure and better long-term results than nonvascular grafts. A free graft, in contrast, lacks a dedicated blood supply and mucosal lining, tends to contract, and often fails to restore function or aesthetics in a challenging lip defect.

8. Which statement best describes how to evaluate a soft tissue injury?

A. Determine mechanism only

B. Achieve hemostasis only

C. Determine mechanism, achieve hemostasis, and consider anatomic structures

D. None of the above

A comprehensive evaluation of a soft tissue injury hinges on three things: understanding how it happened, controlling any bleeding, and assessing the surrounding anatomy. Knowing the mechanism helps you anticipate what tissues may be involved—skin, fat, muscle, tendon, vessels, nerves—and guides further assessment and imaging if needed. Achieving hemostasis is essential to stabilizing the wound, preventing excessive blood loss, and enabling a clear evaluation of the injury without obscuring findings. Finally, considering anatomic structures means checking neurovascular status and looking for damage to tendons, ligaments, bones, and nearby nerves or vessels. Skipping any of these steps can miss a significant injury or complication, so combining mechanism, hemostasis, and anatomical assessment provides the most reliable evaluation of soft tissue injuries.

SAMPLE

9. Which statement correctly distinguishes absorbable from nonabsorbable sutures and their typical uses?

A. Absorbable sutures require removal after healing and are ideal for skin.

B. Nonabsorbable sutures are broken down by the body and do not require removal in deep tissues.

C. Absorbable sutures are broken down and do not require removal; used for deep tissues or pediatric patients.

D. Nonabsorbable sutures degrade over time in pediatric wounds.

Absorbable versus nonabsorbable sutures differ by whether the material is broken down by the body over time. Absorbable sutures are designed to be enzymatically or hydrolytically degraded, so they lose strength and are absorbed without the need for removal after the tissue has healed. This makes them ideal for deep tissue closures where removing sutures would require another procedure, and for pediatric patients where a return visit for suture removal is inconvenient or distressing. Nonabsorbable sutures stay intact in the tissues and typically need removal after healing if they are in accessible areas; in some cases they may be left in place permanently when removal would cause more harm than benefit. The other statements mix up these concepts: absorbables do not require removal, nonabsorbables are not broken down by the body, and nonabsorbables do not inherently degrade over time in pediatric wounds.

10. When do scars look their worst?

A. Immediately after injury

B. 6 weeks

C. 2 weeks - 2 months

D. 6-12 months

Scar visibility tends to peak during the early remodeling phase of healing, when new collagen is being laid down rapidly and the area is still vascular and raised. After an injury, the wound goes through inflammation, then a proliferative phase where new tissue forms and the scar becomes pink, thick, and prominent. This heightened appearance is most pronounced roughly from about two weeks up to two months after the injury. As remodeling continues over months, collagen realigns, the scar matures, and it often flattens and fades, becoming less noticeable by six to twelve months. So, the period when scars look their worst is roughly 2 weeks to 2 months post-injury.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://softtissuetraume.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE