SOFTWARE DEVELOPMENT ENGINEER IN TEST (SDET) INTERVIEW PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://sdetinterview.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What is a key characteristic of Strings in Java?**
   - A. Strings are mutable
   - B. Strings are dynamic objects
   - C. Strings are immutable
   - D. Strings are synchronized

2. **What does getClass().getSimpleName() return?**
   - A. Full package and class name of the object
   - B. Only the class name without any package
   - C. Access permissions of the class
   - D. Class documentation

3. **Which of the following is an example of an Unchecked Exception?**
   - A. IOException
   - B. ClassNotFoundException
   - C. ArithmeticException
   - D. SQLException

4. **Which of the following describes the content of acceptance criteria?**
   - A. Budget limitations for a project
   - B. Requirements from a user's perspective
   - C. Technical specifications for developers
   - D. Marketing strategies for the product

5. **Which of the following describes an ArrayList?**
   - A. A fixed length data structure that can store both primitives and objects
   - B. A variable length collection that can only store objects
   - C. A data structure that is slower than Array in performance
   - D. A collection type that is immutable

6. **Which of the following is NOT a recommended action when dealing with a 500 status code?**
   - A. Reload the web page
   - B. Contact your ISP
   - C. Clear your browser's cache
   - D. Delete your browser's cookies

SAMPLE

7. What is a primary limitation of Selenium with respect to window-based applications?

A. Selenium supports all types of applications

B. Selenium only supports web application testing

C. Selenium can automate desktop applications without any additional tools

D. Selenium is a Windows-only testing tool

8. Which of the following is a valid way to move to an nth child element using XPath?

A. div[last()=2]

B. div(index=2)

C. div[position()=2]

D. div.find(2)

9. What is the primary function of an Exception?

A. To indicate a severe error that cannot be handled

B. To catch runtime errors automatically

C. To indicate conditions that a reasonable application might want to catch

D. To terminate a program immediately

10. Who is primarily responsible for initiating acceptance criteria in a Scrum framework?

A. The Product Owner

B. The Development Team

C. The Scrum Master

D. The Stakeholders

SAMPLE

Answers

SAMPLE

1. C
2. B
3. C
4. B
5. B
6. B
7. B
8. C
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. What is a key characteristic of Strings in Java?

A. Strings are mutable

B. Strings are dynamic objects

C. Strings are immutable

D. Strings are synchronized

Strings in Java are immutable, meaning that once a String object is created, it cannot be changed. Any modification to a String results in the creation of a new String object rather than altering the existing one. This immutability has several advantages, such as enhancing performance and security. For example, if a String is used as a key in a hash map, its hash code remains consistent throughout its lifecycle, ensuring reliable behavior in collections that rely on hash codes. When Strings are manipulated (like using concatenation or substring operations), rather than modifying the original string, Java creates a new string each time a change is made. This is particularly important for memory management and can lead to optimizations as the Java runtime can share instances of identical strings, known as string interning. The other choices refer to different characteristics that do not accurately describe Strings in Java. For instance, Strings are not mutable, as stated, meaning they cannot be changed after creation. While they can behave like dynamic objects in certain contexts, they do not dynamically change their size or content in the way that other collections can. Additionally, although it is possible to synchronize Strings in certain programming contexts, this is not a defining characteristic of Strings themselves, which are independently immutable.

2. What does getClass().getSimpleName() return?

A. Full package and class name of the object

B. Only the class name without any package

C. Access permissions of the class

D. Class documentation

The method getClass().getSimpleName() is used in Java to retrieve the name of the class that an object is an instance of, but it returns it without any package information. This means that if you have a class named "Employee" defined in a package like "com.company.hr", the result of getClass().getSimpleName() will simply be "Employee". This is particularly useful when you need to log or display the class name without the overhead of showing the entire package structure, allowing for a cleaner output in scenarios such as debugging or logging. In contrast, other options refer to different aspects of class information: the full package and class name would be returned by a different method, the access permissions pertain to the visibility and access levels of class members, and class documentation can be accessed through other means, such as JavaDoc comments, rather than through this method.

SAMPLE

3. Which of the following is an example of an Unchecked Exception?

A. IOException

B. ClassNotFoundException

C. ArithmeticException

D. SQLException

The example of an Unchecked Exception among the given choices is indeed ArithmeticException. Unchecked Exceptions in Java are those exceptions that derive from the RuntimeException class. They typically reflect programming errors, such as logic mistakes or improper use of APIs. Because they are not checked at compile time, they can lead to fewer lines of code necessary for exception handling. ArithmeticException specifically occurs when there is an illegal arithmetic operation, such as division by zero. In this case, the operation violates basic arithmetic rules, leading to an exception occurring at runtime. It's a common scenario that developers would need to handle, but it is not mandatory to specifically catch this exception with try-catch blocks during compilation. In contrast, the other listed exceptions—IOException, ClassNotFoundException, and SQLException—are checked exceptions. These exceptions must be declared in the method signature or caught in a try-catch block, as they represent conditions that a well-written application should anticipate and handle. This distinction between checked and unchecked exceptions is crucial for effective error handling in Java programming.

4. Which of the following describes the content of acceptance criteria?

A. Budget limitations for a project

B. Requirements from a user's perspective

C. Technical specifications for developers

D. Marketing strategies for the product

Acceptance criteria outline the specific conditions and requirements that a product or feature must meet to be considered acceptable by the stakeholders, particularly from the user's perspective. They serve as a clear guideline that helps determine whether the functionality is satisfactory and fulfills the user's needs and expectations. This concept is fundamental in agile methodologies, where features are designed to respond to customer requirements. The other options focus on different aspects of project management and development. For example, budget limitations relate to financial constraints rather than user functionality. Technical specifications are targeted toward the development team and detail how to implement features, rather than defining what the features should accomplish from the user's viewpoint. Marketing strategies focus on how to promote or sell the product, which is separate from the criteria that determine whether a feature meets user needs. Thus, the essence of acceptance criteria is to encapsulate user requirements, making choice B the most accurate description.

SAMPLE

5. Which of the following describes an ArrayList?

A. A fixed length data structure that can store both primitives and objects

B. A variable length collection that can only store objects

C. A data structure that is slower than Array in performance

D. A collection type that is immutable

The correct choice identifies an ArrayList as a variable-length collection that can only store objects. ArrayLists are part of the Java Collections Framework and are designed to manage a dynamically resizable array. Unlike standard arrays, which have a fixed size determined at creation, ArrayLists can grow and shrink in size as needed, allowing for greater flexibility when managing collections of objects. This means that items can be added or removed without the need for reallocation or manual resizing, making ArrayLists a practical choice for many programming scenarios in Java. Additionally, it's important to note that while ArrayLists can store objects, they cannot directly store primitive data types. Instead, primitives must be wrapped in their corresponding object types, such as `Integer` for `int`, before being added to an ArrayList. This characteristic of ArrayLists highlights their nature as a collection type primarily intended for reference types rather than primitives. Understanding these properties of ArrayLists is essential for effective data structure selection and management in software development.

6. Which of the following is NOT a recommended action when dealing with a 500 status code?

A. Reload the web page

B. Contact your ISP

C. Clear your browser's cache

D. Delete your browser's cookies

The choice indicating that contacting your ISP is not a recommended action when dealing with a 500 status code is insightful because a 500 status code signifies a server-side error. This means that the problem is occurring on the website's server and not with the Internet Service Provider (ISP) or your local connection. Therefore, reaching out to the ISP would not resolve the issue, as they typically have no control over the server hosting the website's content. In contrast, reloading the web page, clearing your browser's cache, and deleting cookies may help in certain situations, as these steps can resolve issues related to local settings or outdated data. A 500 error indicates a failure in seeking a page or service on the server, and actions that prompt the browser to reattempt the connection to the server can be more beneficial than contacting your ISP.

SAMPLE

7. What is a primary limitation of Selenium with respect to window-based applications?

A. Selenium supports all types of applications

B. Selenium only supports web application testing

C. Selenium can automate desktop applications without any additional tools

D. Selenium is a Windows-only testing tool

The correct response highlights that Selenium is specifically designed for testing web applications. As a framework primarily focused on web automation, it interacts with the web elements of an application, such as buttons, forms, and links within web browsers. This makes it highly effective for testing browser-based interfaces, utilizing its capabilities to simulate user interactions within those environments. The limitation of only supporting web application testing lies in its architecture and purpose; Selenium does not have the functionality to handle desktop or window-based applications natively. This characteristic distinguishes it from testing automation tools designed for desktop environments that can interact directly with operating system controls and windows. In terms of the other choices, while Selenium does not support all types of applications (as implied in the first option) and does not have the capability to automate desktop applications without additional tools (as indicated in the third option), it is also not limited to Windows exclusively (contradicting the fourth option). Selenium can be utilized across multiple operating systems, further reinforcing the idea that its primary domain is strictly web applications.

8. Which of the following is a valid way to move to an nth child element using XPath?

A. div[last()=2]

B. div(index=2)

C. div[position()=2]

D. div.find(2)

The option that correctly describes how to move to an nth child element using XPath is represented by the expression that uses `position()=2`. In XPath, the `position()` function returns the index of the context node in its list of sibling nodes, which allows for selection based on its position. Therefore, when you use `div[position()=2]`, it effectively selects the second `div` element among its siblings in the specified context. This method adheres to the standards of XPath syntax, making it a proper and valid way to target specific elements in an XML or HTML document based on their order of appearance. The use of `position()` is critical in scenarios where you need to select elements dynamically based on their position rather than their name or attributes, emphasizing the function's utility in navigating through document structures. The other options do not conform to the correct syntax or functionality defined by XPath. For instance, `div[last()=2]` attempts to evaluate "last()" in a way that doesn't make sense within XPath, while `div(index=2)` does not follow XPath function conventions at all. Lastly, `div.find(2)` is not a valid XPath expression and suggests a method associated more with programming languages than XPath syntax directly.

SAMPLE

9. What is the primary function of an Exception?

A. To indicate a severe error that cannot be handled

B. To catch runtime errors automatically

C. To indicate conditions that a reasonable application might want to catch

D. To terminate a program immediately

The primary function of an Exception is to indicate conditions that a reasonable application might want to catch. Exceptions serve as a mechanism for signaling that an unusual condition has occurred during the execution of a program, which can include a range of issues from invalid user input to configuration errors. When an exception is thrown, it allows developers to implement error handling in a controlled manner. This means that instead of the program terminating abruptly, the developer can write specific code to respond to these exceptions gracefully. For instance, they can prompt the user for new input, attempt to correct an error, or log detailed information about the failure for further analysis. In contrast, an exception is not solely about signaling severe errors that cannot be handled, as many exceptions can be caught and addressed. It's also not accurate to say that exceptions catch runtime errors automatically; they must be explicitly caught using try-catch blocks. Additionally, exceptions do not inherently terminate a program immediately; if they are not handled, that may happen, but it's not the primary purpose of their existence. The focus of exceptions is on providing meaningful notifications about errors that programmers can choose to manage in their applications.

10. Who is primarily responsible for initiating acceptance criteria in a Scrum framework?

A. The Product Owner

B. The Development Team

C. The Scrum Master

D. The Stakeholders

The Product Owner is primarily responsible for initiating acceptance criteria in a Scrum framework because they have a deep understanding of the stakeholders' needs and the product vision. Acceptance criteria define the conditions that must be met for a product backlog item to be considered complete and acceptable. The Product Owner collaborates with stakeholders to elicit requirements and ensures that these requirements are clearly articulated as acceptance criteria. In the context of Agile and Scrum, acceptance criteria provide clarity for the Development Team on what is expected, allowing them to gauge when a feature or user story meets the necessary conditions for completion. By being closely connected to both the market and the team, the Product Owner can articulate criteria that align with business goals and user needs, therefore taking a leading role in establishing these criteria. Other roles such as the Development Team, Scrum Master, and stakeholders play significant roles in the Scrum process, but their responsibilities regarding acceptance criteria differ. The Development Team is responsible for fulfilling the acceptance criteria during development, while the Scrum Master facilitates the process and ensures that the methodology is followed. Stakeholders inform the Product Owner's understanding of needs, but it is ultimately the Product Owner who consolidates that information to create clear and actionable acceptance criteria.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://sdetinterview.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE