
SONICWALL FIREWALL CONFIGURATION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://sonicwallfirewallconfig.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which field of the Packet Monitor shows the firewall interface for captured packets?**

   A. Ingress

   B. Egress

   C. Source Interface

   D. Destination Interface

2. **Which of the following are default Event Log Filters?**

   A. Category and Priority

   B. Source and Destination

   C. Service Type and Severity

   D. Protocol and Action

3. **What is one potential benefit of using the SonicWall security services?**

   A. Increased internet speed

   B. Reduced hardware costs

   C. Enhanced security against malware threats

   D. Automatic network configuration

4. **Which packet status types are indicated by the Packet Monitor?**

   A. Forwarded, Dropped, and Consumed

   B. Sent, Received, and Blocked

   C. Forwarded, Blocked, and Analyzed

   D. Processed, Ignored, and Dropped

5. **What is the log content of Connections Logs?**

   A. Active inbound and outbound connections

   B. Error messages and warnings

   C. System user activities

   D. Configuration settings changes

SAMPLE

6. Which default server types are available when configuring the Public Server wizard?

A. File Server, Web Server, Proxy Server

B. Mail Server, Web Server, Citrix ICA Server

C. FTP Server, Telnet Server, VPN Server

D. Database Server, Game Server, Print Server

7. In the Event Logs, which of the following will generate a log message for any dropped packets?

A. The policy is set to allow

B. The action for the policy is set to reset/drop

C. The service is disabled

D. The log size exceeds the limit

8. What happens when the SonicWall Administrator modifies the default LAN -> WAN Access Rule to "Deny"?

A. LAN users cannot access the internet, but the appliance can still register with MySonicWall.com

B. LAN users can access the internet, but UTM signatures cannot be updated

C. All traffic is blocked including appliance updates

D. The appliance's default settings are restored

9. How can you access the detailed status of network traffic in SonicWall?

A. Through the Monitor tab

B. Through the Configuration tab

C. Through the Reports tab

D. Through the Dashboard tab

10. Which DPI-SSL setting allows new connections to bypass decryption when the connection limit is exceeded?

A. Drop SSL connections

B. Allow SSL without decryption (bypass)

C. Force all connections to decrypt

D. Throttle SSL connections

SAMPLE

Answers

SAMPLE

1. B
2. A
3. C
4. A
5. A
6. B
7. B
8. A
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Which field of the Packet Monitor shows the firewall interface for captured packets?

A. Ingress

B. Egress

C. Source Interface

D. Destination Interface

The field in the Packet Monitor that indicates the firewall interface for captured packets is the Egress field. This field is crucial for understanding the flow of traffic through the firewall. Egress refers to the interface through which packets are sent out of the firewall, helping administrators track outbound traffic and understand which interface the data left from. When analyzing packet flows, knowing the egress interface is vital because it can help diagnose issues related to how traffic exits the network. This assists in troubleshooting connectivity problems, ensuring that the packets traverse the appropriate paths based on routing configurations, and verifying that the firewall policies are functioning as intended. In contrast, other fields like Ingress refer to the interface through which packets enter the firewall, while Source Interface and Destination Interface provide details on the interfaces relating to where the packets originated from and where they are directed, respectively. Understanding these distinctions is important for a comprehensive grasp of traffic monitoring and analysis on SonicWall firewalls.

2. Which of the following are default Event Log Filters?

A. Category and Priority

B. Source and Destination

C. Service Type and Severity

D. Protocol and Action

The default Event Log Filters in SonicWall firewalls are designed to help users sort and manage the logs effectively based on various criteria. The correct choice, which includes Category and Priority, allows administrators to filter events based on their classification and urgency. Category refers to the type of event taking place, such as whether it's a security alert, user activity, or system event. This helps in identifying the nature of the event quickly. Priority indicates the severity level of the event, such as informational, warning, or critical. This two-pronged filtering mechanism enables users to delve into specific areas of interest or concern, facilitating quicker response to important events while reducing the clutter from less critical logs. The other options present potential filtering aspects, but they do not represent the default filters provided by SonicWall. For example, Source and Destination may relate to network traffic analysis but aren't categorized as default event log filters. Similarly, Service Type and Severity, along with Protocol and Action, are not included in the default filtering settings within the event log context. Understanding these default filters is crucial for an effective log management strategy and ensuring rapid identification and response to security events.

SAMPLE

3. What is one potential benefit of using the SonicWall security services?

A. Increased internet speed

B. Reduced hardware costs

C. Enhanced security against malware threats

D. Automatic network configuration

Utilizing SonicWall security services provides enhanced security against malware threats, which is a critical benefit in today's cyber landscape. These services often include real-time threat identification and mitigation, utilizing advanced techniques such as deep packet inspection, intrusion prevention systems, and various other detection mechanisms. By continuously monitoring network traffic and blocking malicious activity, SonicWall helps ensure that sensitive data remains secure and that the organization's network is protected against evolving cyber threats. Increased internet speed, reduced hardware costs, and automatic network configuration, while potentially advantageous in specific contexts, do not inherently relate to the primary function and value that SonicWall security services provide. Their core purpose is centered around strengthening security measures rather than impacting speed, costs, or configuration processes. Therefore, the most relevant and beneficial aspect of employing SonicWall security services is their capability to enhance protection against malware threats.

4. Which packet status types are indicated by the Packet Monitor?

A. Forwarded, Dropped, and Consumed

B. Sent, Received, and Blocked

C. Forwarded, Blocked, and Analyzed

D. Processed, Ignored, and Dropped

*The correct answer indicates the types of packet statuses that the Packet Monitor displays: Forwarded, Dropped, and Consumed. In networking and firewall contexts, understanding packet status is crucial for analyzing network traffic and troubleshooting. - **Forwarded** signifies that packets are successfully transmitted through the firewall to their intended destination. This is key for performance monitoring, allowing administrators to verify that legitimate traffic is flowing as expected. - **Dropped** indicates that packets were blocked from passing through the firewall, which could happen due to various security rules or configurations. Recognizing dropped packets helps in identifying potential security threats or misconfigurations that might be unintentionally blocking necessary traffic. - **Consumed** suggests that the packet has been processed and is either being used by the firewall or has been acted upon in a certain way, possibly indicating that it is part of a session that has been established. Overall, these three statuses provide a comprehensive view of how the firewall is handling packets, allowing administrators to ensure both the security and efficiency of their network traffic.*

SAMPLE

5. What is the log content of Connections Logs?

A. Active inbound and outbound connections

B. Error messages and warnings

C. System user activities

D. Configuration settings changes

The log content of Connections Logs primarily focuses on capturing details about active inbound and outbound connections. This includes information such as source and destination IP addresses, port numbers, protocol types, and the status of each connection. Monitoring these connections is critical for network security, as it allows administrators to analyze traffic patterns, identify potential threats, and troubleshoot issues related to connectivity. In contrast, the other options highlight different types of logs that serve distinct purposes within the SonicWall firewall. Error messages and warnings pertain to system alerts and notifications regarding potential issues or malfunctions, while system user activities track what users are doing within the network environment. Configuration setting changes, on the other hand, log any modifications made to the firewall's settings, which is integral for auditing and change management but is separate from the real-time activity reflected in Connection Logs. Thus, the focus on active connections makes the correct choice the most relevant to the specific context of Connection Logs.

6. Which default server types are available when configuring the Public Server wizard?

A. File Server, Web Server, Proxy Server

B. Mail Server, Web Server, Citrix ICA Server

C. FTP Server, Telnet Server, VPN Server

D. Database Server, Game Server, Print Server

*The correct option identifies the default server types available when configuring the Public Server wizard as Mail Server, Web Server, and Citrix ICA Server. Each of these server types plays a vital role in network services: 1. **Mail Server**: This type of server handles email sending and receiving functions, providing essential communication capabilities for organizations. It's crucial for managing emails securely and efficiently, which is a key feature for many businesses relying on electronic communications. 2. **Web Server**: This server type is responsible for hosting websites and serving web content to users. It is foundational to website functionality as it processes incoming requests and delivers web pages and resources to users, making it critical for any public-facing service. 3. **Citrix ICA Server**: The Independent Computing Architecture (ICA) server enables the deployment of virtual applications and desktops. This server type is significant in remote access and virtualization, allowing users to run applications hosted on the server from anywhere, which enhances productivity and flexibility. The presence of these server types in the Public Server wizard emphasizes their importance in a typical network configuration, providing support for essential services that organizations need to function effectively in a digital environment. Other server types mentioned in the other choices do not align with the default options available or may not have*

SAMPLE

7. In the Event Logs, which of the following will generate a log message for any dropped packets?

A. The policy is set to allow

B. The action for the policy is set to reset/drop

C. The service is disabled

D. The log size exceeds the limit

A log message for any dropped packets is generated when the action for a policy is set to reset/drop. This is because a firewall's logging mechanism captures significant events related to security policies, and when packets are intentionally dropped, it signifies a potential threat or a violation of the defined policies. By configuring the policy to reset-drop, you instruct the SonicWall Firewall to take action against certain types of traffic. This action creates a log entry to inform administrators about which packets were dropped, allowing for awareness of potential security issues, such as unauthorized access attempts or other malicious activities. In contrast, if the policy is set to allow, that means traffic is permitted rather than blocked, which would not generate alerts for dropped packets. When a service is disabled, it generally refers to the non-operation of specific functionality or protocols rather than logging behaviors, which means no packets would be processed for logging in that context. Finally, the log size exceeding the limit does not directly lead to the generation of dropped packet logs; instead, it typically involves issues related to log storage or the potential for log messages to be discarded.

8. What happens when the SonicWall Administrator modifies the default LAN -> WAN Access Rule to "Deny"?

A. LAN users cannot access the internet, but the appliance can still register with MySonicWall.com

B. LAN users can access the internet, but UTM signatures cannot be updated

C. All traffic is blocked including appliance updates

D. The appliance's default settings are restored

When the default LAN to WAN access rule is modified to "Deny," it primarily impacts the traffic flow from the LAN to the WAN, effectively blocking LAN users from accessing the internet. However, the SonicWall appliance itself is still capable of performing essential functions, such as registering with MySonicWall.com. This capability is crucial for maintaining access to support and updates, allowing the appliance to continue operating effectively even when user traffic is restricted. This configuration ensures that while user-generated traffic is denied, the firewall can still communicate with external services necessary for its operation, such as receiving security updates or maintaining its registration status. This distinction is important because it highlights the difference between user traffic rules and the operational needs of the firewall itself. It ensures that necessary updates can be performed, maintaining the security posture of the device while controlling user access. In contrast, the other options suggest scenarios that do not accurately reflect the behavior of the firewall when the rule is set to "Deny." The specific outcome of blocking LAN to WAN access while allowing the appliance to register is a more accurate representation of the system's functionality and intent behind access rule configurations.

SAMPLE

9. How can you access the detailed status of network traffic in SonicWall?

A. Through the Monitor tab

B. Through the Configuration tab

C. Through the Reports tab

D. Through the Dashboard tab

Accessing the detailed status of network traffic in a SonicWall firewall is accomplished through the Monitor tab. This tab is designed to provide real-time information about the network's operational status, including active sessions, bandwidth usage, and network performance metrics. It allows administrators to view detailed logs and statistics that can help in troubleshooting and monitoring network traffic effectively. The Monitor tab presents data visualizations, such as graphs and charts, making it easier for users to analyze trends in network traffic. This feature is essential for maintaining the security and performance of the network, as it helps in identifying unusual patterns or potential issues. In contrast, the Configuration tab is primarily used for setting up and modifying the firewall's settings, while the Reports tab focuses on generating historical reports based on network activity over time. The Dashboard tab provides an overall summary of system health and status but does not offer the in-depth traffic analysis that the Monitor tab provides.

10. Which DPI-SSL setting allows new connections to bypass decryption when the connection limit is exceeded?

A. Drop SSL connections

B. Allow SSL without decryption (bypass)

C. Force all connections to decrypt

D. Throttle SSL connections

The setting that allows new connections to bypass decryption when the connection limit is exceeded is the one that permits SSL traffic to proceed without decryption, referred to as allowing SSL without decryption (bypass). In a scenario where the firewall's resources are strained or when it reaches its maximum connection threshold, this setting ensures that new connections can still be established without the added overhead of decrypting SSL traffic. This is particularly important for maintaining performance and ensuring that users can still access services even when the system is under heavy load. Bypassing decryption in such situations allows for continuity in network operations, ensuring that legitimate traffic can flow through the firewall without interruption, albeit at the cost of some degree of monitoring and inspection. This setting is beneficial in high-demand environments or during peak times when decryption may lead to latency or resource exhaustion.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://sonicwallfirewallconfig.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE