SONOGRAPHY CANADA PHYSICS CORE PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://sonographycanadaphysicscore.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How is PRP related to imaging depth?

A. Indirectly

B. Directly

C. Not at all

D. Only at shallow depths

2. What is the average intensity over the area of the beam called?

A. Spatial Average Intensity

B. Temporal Peak Intensity

C. Pulsed Average Intensity

D. Maximum Intensity

3. What is the relationship between power and amplitude in sound waves?

A. Power is inversely proportional to amplitude

B. Power is equal to amplitude

C. Power is proportional to amplitude squared

D. Power is independent of amplitude

4. Which term describes sound frequencies above 20 kHz?

A. Infrared sound

B. Ultrasound

C. Infrasound

D. Audible sound

5. In what unit is spatial pulse length typically measured?

A. Time

B. Distance

C. Frequency

D. Amplitude

6. Which formula is used to determine the speed of sound?

A. Speed (m/s) = Frequency (Hz) + Wavelength (m)

B. Speed (m/s) = Frequency (Hz) / Wavelength (m)

C. Speed (m/s) = Frequency (Hz) x Wavelength (m)

D. Speed (m/s) = Frequency (Hz) - Wavelength (m)

SAMPLE

7. What frequency range is classified as audible sound?

A. 0-10 Hz

B. 20 Hz to 20 kHz

C. 1 kHz to 10 kHz

D. Above 20 kHz

8. Which pulse parameter is determined by both the sound source and the medium?

A. Pulse duration

B. Spatial pulse length

C. PRF

D. Duty factor

9. Is the speed of sound adjustable in sonography?

A. Yes, always

B. No, it is not adjustable

C. Only with specific equipment

D. Yes, but only in certain mediums

10. What is defined as the reciprocal of two numbers that equal 1?

A. Sum

B. Difference

C. Multiplication

D. Division

SAMPLE

Answers

SAMPLE

1. B
2. A
3. C
4. B
5. B
6. C
7. B
8. B
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. How is PRP related to imaging depth?

A. Indirectly

B. Directly

C. Not at all

D. Only at shallow depths

The correct relationship between pulse repetition period (PRP) and imaging depth is direct. In ultrasound imaging, PRP refers to the time taken for one complete pulse cycle, including the time it takes for the pulse to be emitted and for the returning echo to be received. When imaging at greater depths, the ultrasound waves must travel further to reach the tissue and return. This necessitates a longer PRP since the system must accommodate the time required for these signals to travel to the deeper structures and back. Consequently, as imaging depth increases, the PRP must also increase to ensure that the system can capture the echoes from those deeper structures effectively. In shallower imaging scenarios, the PRP is shorter, as the ultrasound signals need less time to travel to the target tissue and return. However, the fundamental relationship remains that increased depth requires a proportionate increase in PRP. Therefore, this direct relationship is essential for ensuring that imaging settings are appropriately adjusted based on the depth being assessed.

2. What is the average intensity over the area of the beam called?

A. Spatial Average Intensity

B. Temporal Peak Intensity

C. Pulsed Average Intensity

D. Maximum Intensity

The average intensity over the area of the beam is referred to as Spatial Average Intensity. This term is critical in ultrasound physics, as it provides a measure of the average power per unit area across the entire cross-section of the ultrasound beam. Understanding this concept is essential in assessing how ultrasound energy is distributed and how it interacts with tissues. Spatial Average Intensity is particularly important because it helps clinicians and technicians ensure safe and effective imaging practices. Unlike other intensity types, which may focus on the peak values or average values over time, Spatial Average Intensity provides a more comprehensive view of the energy distribution within the beam, which relates directly to potential biological effects and safety limits. In clinical settings, this information is vital when considering the potential thermal and mechanical effects of ultrasound on tissues, as well as when setting operational parameters for ultrasound machines.

3. What is the relationship between power and amplitude in sound waves?

A. Power is inversely proportional to amplitude

B. Power is equal to amplitude

C. Power is proportional to amplitude squared

D. Power is independent of amplitude

The relationship between power and amplitude in sound waves is such that power is proportional to the square of the amplitude. This means that if the amplitude of a sound wave increases, the power of the wave increases by the square of that amplitude change. Mathematically, this relationship can be expressed as \(P \propto A^2 \), where P represents power and A represents amplitude. This is a critical concept in acoustics and helps explain why small changes in amplitude result in much larger changes in power. For instance, if the amplitude of a sound wave is doubled, the power does not just double; rather, it increases by a factor of four (since \(2^2 = 4 \)). Understanding this relationship is important for interpreting the behavior of sound waves in various contexts, such as how sound intensity is perceived or how it behaves in different media. This fundamental principle underlies many practical applications in sonography and ultrasound technology, where adjustments to amplitude can significantly impact the quality and intensity of the ultrasound signals utilized for imaging and diagnostics.

SAMPLE

4. Which term describes sound frequencies above 20 kHz?

A. Infrared sound

B. Ultrasound

C. Infrasound

D. Audible sound

The term that describes sound frequencies above 20 kHz is ultrasound. Ultrasound refers specifically to sound waves that are at frequencies higher than what the human ear can detect, which is generally considered to be 20 kHz. This range of sound is widely utilized in various applications, particularly in medical imaging and diagnostics, where ultrasound waves can create images of internal body structures. In medical contexts, ultrasound is commonly used to visualize organs and tissues, as well as to monitor fetal development during pregnancy. The high frequency allows for better resolution and more detailed imaging compared to lower frequencies. Other types of sound, such as infrasound (which refers to sound frequencies below 20 Hz), audible sound (which falls within the 20 Hz to 20 kHz range), and infrared sound (which does not actually refer to sound but rather to electromagnetic radiation wavelengths in the infrared range), do not pertain to frequencies above 20 kHz.

5. In what unit is spatial pulse length typically measured?

A. Time

B. Distance

C. Frequency

D. Amplitude

Spatial pulse length is measured in units of distance because it refers to the physical length of one pulse of sound in the medium. Specifically, it is defined as the distance over which a pulse of sound travels in its entirety, which includes both the number of cycles in the pulse and the wavelength of those cycles. The equation that relates spatial pulse length to the number of cycles and the wavelength is: Spatial Pulse Length (SPL) = Number of Cycles × Wavelength. This makes it clear that the result is a measure of distance (typically expressed in centimeters or millimeters). Therefore, the understanding of spatial pulse length as a crucial parameter in ultrasound imaging, which affects resolution and image quality, emphasizes its measurement in distance versus other characteristics like time, frequency, or amplitude, which pertain to different aspects of wave behavior.

6. Which formula is used to determine the speed of sound?

A. Speed (m/s) = Frequency (Hz) + Wavelength (m)

B. Speed (m/s) = Frequency (Hz) / Wavelength (m)

C. Speed (m/s) = Frequency (Hz) x Wavelength (m)

D. Speed (m/s) = Frequency (Hz) - Wavelength (m)

The correct formula for determining the speed of sound is represented as Speed (m/s) = Frequency (Hz) x Wavelength (m). This relationship is fundamental in wave physics, where the speed of a wave is the product of its frequency and wavelength. In acoustic waves, the frequency refers to how many cycles of the wave pass a point in one second, while the wavelength refers to the distance between successive peaks (or troughs) of the wave. By multiplying these two values, you obtain the speed of the sound wave in a particular medium. For instance, if you know the frequency of a sound wave being emitted, and you measure its wavelength, you can directly calculate how fast that sound is traveling through the medium, which is crucial in fields like sonography where understanding sound propagation greatly impacts ultrasound imaging.

SAMPLE

7. What frequency range is classified as audible sound?

A. 0-10 Hz

B. 20 Hz to 20 kHz

C. 1 kHz to 10 kHz

D. Above 20 kHz

The classification of audible sound encompasses the frequency range from 20 Hz to 20 kHz. This range represents the sounds that can typically be detected by the average human ear. Frequencies below 20 Hz are considered infrasonic, while frequencies above 20 kHz fall into the ultrasonic category, which is beyond human hearing capabilities. Within the audible range, sounds can include everything from the lowest bass notes to the highest treble sounds typically heard in music and spoken language. Understanding this range is crucial, especially in fields like sonography, where sound waves are utilized for imaging and other diagnostic purposes.

8. Which pulse parameter is determined by both the sound source and the medium?

A. Pulse duration

B. Spatial pulse length

C. PRF

D. Duty factor

Spatial pulse length is a parameter that is influenced by both the sound source and the medium. It is defined as the length of a pulse in space, which is determined by the wavelength of the sound in the medium and the number of cycles in the pulse. The wavelength of sound is dependent on the speed of sound in the medium (which varies depending on the medium's properties, such as density and elasticity) and the frequency of the sound produced by the transducer (the source). Therefore, as the sound travels through different media, the spatial pulse length changes based on both the characteristics of the transducer and the properties of the medium it travels through. This interaction highlights the unique nature of spatial pulse length in that it is not solely reliant on the source alone or the medium alone; rather, it is a combined effect of both. Other parameters, such as pulse duration, PRF, and duty factor, are influenced primarily by the sound source and do not incorporate the medium's properties in the same manner. Thus, spatial pulse length accurately reflects the contribution of both elements in its determination.

9. Is the speed of sound adjustable in sonography?

A. Yes, always

B. No, it is not adjustable

C. Only with specific equipment

D. Yes, but only in certain mediums

In sonography, the speed of sound in soft tissues is a constant established at approximately 1540 meters per second. This speed is based on the properties of human tissue and is considered the standard reference for evaluating ultrasound waves as they travel through the body. While certain equipment allows for adjustments in parameters like frequency and gain, the actual speed of sound through the human body remains unchanged during typical sonographic procedures. The physical properties of the tissues, such as density and elasticity, dictate this speed, and it does not vary with operator preference or different ultrasound systems. Understanding that the speed of sound is inherently a property of the medium is crucial for interpreting ultrasound images accurately and calculating distances, rather than implying that it can be modified at will in the context of standard clinical practice. Therefore, stating that it is not adjustable accurately reflects the principles governing ultrasound physics and operational protocols in sonography.

SAMPLE

10. What is defined as the reciprocal of two numbers that equal 1?

A. Sum

B. Difference

C. Multiplication

D. Division

*The concept being referenced involves understanding the fundamental relationships between numbers, particularly in terms of operations that yield one. The reciprocal of a number refers to a value which, when multiplied by the original number, results in one. Therefore, if two numbers are reciprocals of each other, their multiplication will equal one. For example, the reciprocal of 2 is 1/2, and if you multiply them together (2 * 1/2), the result is 1. This aligns perfectly with the definition of multiplication, where the outcome reveals the relationship between the two numbers involved. In contrast, the other operations mentioned do not conform to this definition. The sum refers to the addition of two numbers, resulting in a new value greater than either original number. The difference describes the result of subtracting one number from another. Division involves splitting one number by another, which may not yield one unless the specific conditions (like dividing a number by itself) are met. Thus, only multiplication correctly fulfills the requirement of yielding one through the operation involving two numbers that are reciprocals of each other.*

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://sonographycanadaphysicscore.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE