SOUTH CAROLINA SEPTIC LICENSE PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://scseptic.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the purpose of a soil treatment area in a septic system?

A. To store excess solid waste

B. To further treat effluent before it re-enters the groundwater

C. To serve as a drainage area for stormwater

D. To act as a backup for the septic tank

2. Which component of an onsite wastewater system does not have a capacity less than 1000 gallons?

A. Septic tank

B. Drain field

C. Grease trap

D. Drainage ditch

3. Which of the following would be classified as a Public Entity?

A. An individual homeowner

B. A private plumbing contractor

C. A city or municipality

D. An agricultural business

4. What is classified as domestic wastewater or sewage?

A. Only liquid human waste

B. Industrial process wastewater

C. Untreated liquid and solid human body waste and water fixture liquids

D. Only liquids generated by food service operations

5. What type of wastewater is referred to as "gray waters"?

A. Water from toilets

B. Stormwater runoff

C. Wastewater generated from sinks, showers, and washing machines

D. Water used for dishwashing only

SAMPLE

6. Which of the following practices can help prolong the life of a septic system?

A. Planting trees directly above the drain field

B. Reducing water usage and minimizing harmful substances

C. Using chemical drain cleaners regularly

D. Overusing garbage disposals

7. What should you NEVER plant above a septic drain field?

A. Small flowers and ornamental plants

B. Vegetables and herbs

C. Trees and large shrubs

D. Grass and ground cover

8. What does BOD stand for in relation to septic systems?

A. Biological Oxygen Demand

B. Biochemical Oxygen Demand

C. Basic Oxygen Demand

D. Biochemical Organic Demand

9. What does Flexural Modulus of Elasticity measure?

A. The toughness of a material

B. The density of a material

C. The stiffness of a material

D. The thermal expansion of a material

10. What do color charts utilize to describe soil colors accurately?

A. Hue, saturation, and brightness

B. Hue, value, and chroma

C. Color, shade, and tint

D. Brightness, darkness, and tone

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. C
5. C
6. B
7. C
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What is the purpose of a soil treatment area in a septic system?

A. To store excess solid waste

B. To further treat effluent before it re-enters the groundwater

C. To serve as a drainage area for stormwater

D. To act as a backup for the septic tank

The purpose of a soil treatment area in a septic system is to further treat effluent before it re-enters the groundwater. When wastewater flows from the septic tank, it still contains some contaminants and pathogens. The soil treatment area, often known as a drain field or leach field, plays a crucial role in the treatment process. In this area, the effluent percolates through the soil, where various natural processes occur. Microorganisms present in the soil break down organic matter, removing pathogens and nutrients from the effluent. Because the soil acts as a natural filter, it helps ensure that any water returning to the groundwater is cleaner and safer, thus protecting the environment and public health. This function is essential for maintaining the integrity of groundwater supplies and preventing pollution, which is why the soil treatment area is a critical component of an effective septic system. The other options, while related to septic systems in some way, do not accurately describe the primary role of the soil treatment area. Storing excess solid waste, serving as a drainage area for stormwater, or acting as a backup for the septic tank are not the intended functions of this area in the context of wastewater treatment.

2. Which component of an onsite wastewater system does not have a capacity less than 1000 gallons?

A. Septic tank

B. Drain field

C. Grease trap

D. Drainage ditch

The grease trap is designed to intercept and separate fats, oils, and greases from wastewater before it enters the septic system. Unlike other components of an onsite wastewater system, which often have specific capacity regulations, grease traps can vary significantly in size, especially in commercial applications where large volumes of grease are generated, such as in restaurants. In such cases, grease traps may indeed have capacities that exceed 1,000 gallons to effectively handle the flow and prevent clogging of the sewer lines. In contrast, septic tanks are typically designed to hold a maximum capacity of 1,000 gallons or more, while drain fields and drainage ditches have different functional requirements and are focused on soil absorption and water flow, rather than storage capacity. Understanding the specific roles and size requirements of these components is crucial for anyone working in the field of onsite wastewater management.

SAMPLE

3. Which of the following would be classified as a Public Entity?

A. An individual homeowner

B. A private plumbing contractor

C. A city or municipality

D. An agricultural business

A city or municipality is classified as a Public Entity because it is a government organization that provides services to the public. Public entities are established to govern and provide essential services such as sanitation, water supply, and public health. They are funded through taxes collected from residents and businesses within their jurisdiction and are responsible for the welfare and infrastructure of the community they serve. In contrast, individual homeowners, private plumbing contractors, and agricultural businesses operate as private entities. These entities do not have the same public responsibilities or government authority as a municipality and are primarily driven by private interests rather than public service. This distinction clearly identifies why a city or municipality fits the definition of a Public Entity, as it plays a vital role in managing resources for the community at large.

4. What is classified as domestic wastewater or sewage?

A. Only liquid human waste

B. Industrial process wastewater

C. Untreated liquid and solid human body waste and water fixture liquids

D. Only liquids generated by food service operations

Domestic wastewater or sewage is recognized as a combination of untreated liquid and solid human body waste along with the water that flows from various fixtures in a household, such as sinks, toilets, and showers. This category is comprehensive, encapsulating both the solid and liquid wastes generated by human activity within a residential setting. By defining domestic wastewater in this manner, it becomes clear that it includes all types of waste produced in the home environment, which is critical for proper septic system design and wastewater management. Understanding this definition is essential, as it helps in identifying the need for proper treatment solutions to prevent environmental contamination and ensure public health safety. The other options focus on specific types of waste streams but do not encompass the full scope of domestic wastewater. The option highlighting only liquid human waste excludes solid waste, which is an integral part of sewage. The choice referring to industrial process wastewater is entirely outside the realm of domestic sewage, as it deals with waste generated from manufacturing activities. Finally, the mention of only liquids generated by food service operations ignores the broader category of household waste and does not account for the essential contributions of bathroom and sanitation waste to the definition of domestic wastewater.

SAMPLE

5. What type of wastewater is referred to as "gray waters"?

A. Water from toilets

B. Stormwater runoff

C. Wastewater generated from sinks, showers, and washing machines

D. Water used for dishwashing only

The term "gray waters" specifically refers to wastewater that is generated from household activities such as washing dishes, bathing, and laundering clothes. This type of water is distinct from "black water," which includes wastewater from toilets and contains human waste. Gray water is typically less contaminated than black water and can sometimes be recycled for irrigation or other uses after proper treatment. In contrast, other options are not categorized as gray water. Water from toilets would be classified as black water, while stormwater runoff refers to rainwater that flows over surfaces and can carry pollutants. The option regarding water used for dishwashing only is too narrow, as gray water encompasses wastewater from multiple activities, not just dishwashing. Thus, the choice highlighting wastewater generated from sinks, showers, and washing machines accurately reflects the broader definition and characteristics of gray waters.

6. Which of the following practices can help prolong the life of a septic system?

A. Planting trees directly above the drain field

B. Reducing water usage and minimizing harmful substances

C. Using chemical drain cleaners regularly

D. Overusing garbage disposals

Reducing water usage and minimizing harmful substances is a crucial practice that can significantly prolong the life of a septic system. When less water is used, it decreases the volume of wastewater that enters the system, allowing more time for solids to settle and for beneficial bacteria to break down organic matter. This reduction can help avoid overloading the system, which can lead to system failure or the need for costly repairs. Minimizing harmful substances, such as fats, oils, grease, and non-biodegradable items, is equally important. These substances can disrupt the natural bacterial processes essential for breaking down waste in the septic tank and can cause clogs in the drain field, ultimately shortening the lifespan of the septic system. Furthermore, avoiding harsh chemicals aids in maintaining the natural microbial environment that is vital for septic system function. Practices such as planting trees over the drain field, using chemical drain cleaners, and overusing garbage disposals can all lead to significant issues. Trees can damage the system with their roots, chemical cleaners can kill beneficial bacteria, and excessive use of garbage disposals can introduce too much waste too quickly, leading to premature system failure. Therefore, managing water usage and being cautious about what enters the system are key strategies for maintaining a healthy septic system.

SAMPLE

7. What should you NEVER plant above a septic drain field?

A. Small flowers and ornamental plants

B. Vegetables and herbs

C. Trees and large shrubs

D. Grass and ground cover

Planting trees and large shrubs above a septic drain field is not advisable due to their extensive root systems that can invade and damage the septic system. Roots can penetrate the pipes, leading to blockages and potentially costly repairs. The presence of large plants can also hinder the proper functioning of the drain field by absorbing too much water, which can lead to system failures. In contrast, smaller plants like flowers and ornamental varieties, as well as grass and ground cover, are generally acceptable because they have shallower root systems that pose a minimal risk to the septic infrastructure. Vegetables and herbs, while also having roots that don't typically reach deep enough to be dangerous, may complicate issues related to health and safety due to potential contamination from the septic system.

8. What does BOD stand for in relation to septic systems?

A. Biological Oxygen Demand

B. Biochemical Oxygen Demand

C. Basic Oxygen Demand

D. Biochemical Organic Demand

The correct answer, Biochemical Oxygen Demand, refers to the amount of oxygen that bacteria will consume while decomposing organic matter in water under aerobic conditions. This measurement is critical in the context of septic systems because it provides an indication of the organic pollution levels in wastewater. In septic systems, a high BOD level suggests that there is a significant amount of organic material present, which can lead to issues such as system overload, failures in treatment, and contamination of surrounding water resources. BOD is an essential parameter in evaluating the effectiveness of septic systems, as it can help determine how well the system is treating wastewater before it is absorbed into the soil. Understanding BOD can guide maintenance of the septic system and ensure appropriate management of wastewater to protect the environment and public health. The other options, though they contain similar terms, do not accurately reflect the standard terminology used in wastewater management and septic system evaluation. This distinction helps clarify the importance of the precise terminology in effectively communicating about septic system performance.

9. What does Flexural Modulus of Elasticity measure?

A. The toughness of a material

B. The density of a material

C. The stiffness of a material

D. The thermal expansion of a material

The Flexural Modulus of Elasticity is a specific measurement that quantifies the stiffness of a material when subjected to bending forces. It indicates how much a material will deform under flexural load, providing insight into its ability to resist deformation. A higher flexural modulus signifies that the material is stiffer, while a lower value indicates a more flexible material. This property is crucial in many applications, including construction and manufacturing, as it influences the structure's performance and longevity. Understanding the stiffness of a material, as indicated by the Flexural Modulus of Elasticity, is vital for engineers and designers in selecting appropriate materials for specific applications. The other options—toughness, density, and thermal expansion—relate to different material properties and do not specifically address the concept of stiffness in bending.

SAMPLE

10. What do color charts utilize to describe soil colors accurately?

A. Hue, saturation, and brightness

B. Hue, value, and chroma

C. Color, shade, and tint

D. Brightness, darkness, and tone

The correct response highlights the use of hue, value, and chroma as the foundational components for describing soil colors accurately. Hue refers to the type of color itself (e.g., red, yellow, blue), which is essential in identifying the specific color of the soil. Value indicates the lightness or darkness of the color, providing context about how much light is reflected by the soil. Chroma describes the intensity or purity of the color, helping to assess how vibrant or dull the color is. Together, these three components form a comprehensive system for accurately categorizing soil colors, which is particularly important in fields such as agriculture, geology, and environmental science. Understanding soil color is critical for various analyses, including assessing soil health and fertility, and these three dimensions offer a standardized approach for such evaluations. Other options listed do not incorporate the precise terminology used in soil science and may lack the specificity required to effectively convey soil characteristics.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://scseptic.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE